

Index

- A**
- ACCDESC= option, PROC ACCESS statement 13
 - ACCDESC= statement, DBLOAD procedure 44
 - access descriptors 4
 - creating 13, 18, 44, 102, 112, 125
 - passwords 14
 - updating 29
 - ACCESS procedure 4, 11
 - data conversions, DBF files 101
 - data conversions, DIF files 111
 - data conversions, WKn files 122
 - data conversions, XLS files 136
 - database specification 13
 - datetime conversions, DIF files 110
 - datetime conversions, WKn files 121
 - datetime conversions, XLS files 135
 - DBF specifics 101
 - description 13
 - DIF specifics 112
 - Import/Export facility and 12
 - OS/390 users 11
 - output file 14
 - passwords and 14
 - specifying an existing descriptor 13
 - spreadsheet specification 13
 - statements 15
 - statements, for DBF files 102
 - statements, for DIF files 112
 - statements, for WKn files 125
 - statements, for XLS files 143
 - syntax 13
 - terminating 24
 - UNIX users 11
 - WKn specifics 125
 - XLS specifics 143
 - APPEND procedure 89
 - appending data 89
 - ASSIGN statement, ACCESS procedure 17
- B**
- browsing data 75
- C**
- charting data 60
- columns**
- changing formats for 22, 115, 147
 - column labels in first row of DIF files 115
 - column names, defaulting to SAS labels 46
 - column names, WKn files 129
 - column names, XLS files 147
 - column width, XLS files 142
 - creating with GROUP BY clause 70
 - dropping 21
 - listing 22
 - renaming 49
 - resetting attributes 26
 - resetting names and data types 50
 - selecting 27
 - variable names based on column names 28
- combining data**
- See selecting and combining data
- CONTENTS procedure, reviewing variables 58
- CREATE statement, ACCESS procedure 18
- D**
- data conversions
 - ACCESS procedure, DBF files 101
 - ACCESS procedure, DIF files 111
 - ACCESS procedure, WKn files 122
 - ACCESS procedure, XLS files 136
 - DBLOAD procedure, WKn files 123
 - DBLOAD procedure, XLS files 140
 - Data Interchange Format files
 - See DIF files
 - DATA= option
 - PROC DBF statement 35
 - PROC DBLOAD statement 43
 - PROC DIF statement 37
 - data types
 - DBF files 99, 104
 - DIF files 109, 114
 - resetting 50
 - WKn files 120, 124, 125, 126, 127
 - XLS files 134, 144, 145
 - database files 108, 118, 133
 - DATASETS procedure
 - passwords and 15
 - reviewing variables 58
 - date values
 - DIF files 110
 - WKn files 121
 - XLS files 135
 - datetime conversions
 - ACCESS procedure, DIF files 110
 - ACCESS procedure, WKn files 121
 - ACCESS procedure, XLS files 135
 - DBLOAD procedure, DIF files 111
 - DBLOAD procedure, WKn files 122
 - DBLOAD procedure, XLS files 136
 - DBF fields
 - converting SAS variables to 35
 - converting to SAS variables 35
 - DBF files 98
 - ACCESS procedure for 101
 - converting DBF fields to SAS variables 35
 - converting SAS variables to DBF fields 35
 - converting to/from SAS data sets 6, 34
 - data conversions 101
 - data types 99, 104
 - DBLOAD procedure for 103
 - examples 36
 - format of 98
 - Import/Export facility and 97
 - missing values 101
 - naming conventions 99
 - OS/390 users 97
 - SAS/ACCESS interface for 104
 - transferring other software files to 36
 - UNIX users 97
 - DBF procedure 6, 33
 - examples 36
 - filename specification 34
 - fileref specification 34
 - Import/Export facility and 33
 - input data set 35
 - output data set 35
 - syntax 34
 - DBF tables, creating and loading 103
 - DBLOAD procedure 6, 41
 - data conversions, WKn files 123
 - data conversions, XLS files 140
 - datetime conversions, DIF files 111
 - datetime conversions, WKn files 122
 - datetime conversions, XLS files 136
 - DBF specifics 103
 - description 43
 - DIF specifics 114
 - error limit 45
 - exiting 48
 - Import/Export facility and 42
 - input data set 43
 - naming conventions 42

- OS/390 users 41
 - PC file format specification 43
 - statements 44
 - statements, for DBF files 103
 - statements, for DIF files 114
 - statements, for XLS files 146
 - statements, WKn files 128
 - syntax 43
 - UNIX users 41
 - WKn specifics 128
 - XLS specifics 146
 - DBMISCH environment variable 101
 - DBMS= option
 - PROC ACCESS statement 13
 - PROC DBLOAD statement 43
 - DBn option, PROC DBF statement 34
 - DELETE statement, DBLOAD procedure 44
 - deleting data 81
 - descriptor files 4, 13
 - access descriptors 4
 - creating 18
 - interface view engine and 5
 - passwords for 14
 - updating 29
 - view descriptors 4
 - DIF files 108
 - ACCESS procedure for 112
 - converting DIF variables to SAS variables 38
 - converting to/from SAS data sets 6, 37
 - data types 109, 114
 - date values 110
 - datetime conversions, ACCESS procedure 110
 - datetime conversions, DBLOAD procedure 111
 - DBLOAD procedure for 114
 - examples 39
 - format of 108
 - Import/Export facility and 107
 - missing values 38
 - naming conventions 109
 - OS/390 users 107
 - prefix for SAS variable names 37
 - SAS/ACCESS interface and 115
 - skipping rows at top of file 37
 - time values 110
 - transferring data sets to/from other products 38
 - UNIX users 107
 - variable names as first row of 37
 - DIF= option, PROC DIF statement 37
 - DIF procedure 6, 33
 - examples 39
 - filename specification 37
 - fileref specification 37
 - Import/Export facility and 33
 - input data set 37
 - output data set 37
 - syntax 37
 - DIFLABEL statement
 - ACCESS procedure 113
 - DBLOAD procedure 115
 - DIFNUMS environment variable 114
 - DROP statement, ACCESS procedure 21
- E**
- EFI (External File Interface) 52
 - engines 5
 - environment variables 124
 - DBMISCH 101
 - DIFNUMS 114
 - setting, WKn files 124
 - setting, XLS files 142
 - SS_MISS NULLS 124
 - SS_MIXED 121, 123, 124, 135, 140, 142
 - SS_NAMES 124, 126, 129, 142
 - SS_SCAN 125, 142
 - ERRLIMIT= statement, DBLOAD procedure 45
 - examples 6, 57
 - appending data 89
 - browsing data 75
 - charting data 60
 - deleting data 81
 - inserting data 82
 - reading data, into SAS/AF applications 72
 - reading data, with SQL procedure 78
 - reviewing variables 58
 - running 58
 - sample data 151
 - selecting and combining data 66
 - statistics, calculating 61
 - updating data, with MODIFY statement 82
 - updating data, with SAS/FSP procedures 75
 - updating data, with SQL procedure 78
 - updating SAS data files with PC files data 86
 - Excel files
 - See XLS files
 - Excel version number 147
 - EXPORT procedure 6, 51, 54
 - Export Wizard 52
 - exporting data
 - See also EXPORT procedure
 - See Import/Export facility
 - External File Interface (EFI) 52
 - extracting data 4, 31
- F**
- fields 98
 - filename specification 23
 - FORMAT statement
 - ACCESS procedure 22
 - DBLOAD procedure 115, 129, 147
 - formats
 - ACCESS procedure data conversions 101
 - automatic generation of 17
 - for columns, changing 22, 115, 129, 147
 - in WKn files 127
 - temporary, in input data set 115, 129, 147
- FREQ** procedure 61
- FSVIEW** procedure
 - browsing data 75
 - updating data 76
- G**
- GCHART procedure 60
 - GETNAMES statement, ACCESS procedure 125, 126, 142, 144
 - GROUP BY clause 70
- H**
- HPFS format 120
- I**
- Import/Export facility 6, 51
 - ACCESS procedure and 12
 - DBF files and 97
 - DBF procedure and 33
 - DBLOAD procedure and 42
 - DIF files and 107
 - DIF procedure and 33
 - WKn files and 117
 - XLS files and 131
 - IMPORT procedure 6, 51, 53
 - Import Wizard 51
 - importing data
 - See also IMPORT procedure
 - See Import/Export facility
 - inserting data 82
 - interface
 - See SAS/ACCESS interface
 - interface view engine 5
- J**
- joining data 68
- L**
- LABEL statement, DBLOAD procedure 46
 - LABELS option, PROC DIF statement 37
 - labels, column names defaulting to 46
 - large files 32
 - LIMIT= statement, DBLOAD procedure 46
 - LIST statement
 - ACCESS procedure 22
 - DBLOAD procedure 46
 - LOAD statement, DBLOAD procedure 47

- M**
- MEANS procedure 62
 - Microsoft Excel files
 - See XLS files
 - missing values
 - DBF files 101
 - DIF files 38
 - WKn files 124
 - XLS files 134
 - MIXED statement, ACCESS procedure 124, 126, 142, 144
 - MODIFY statement 82
- O**
- observations, limiting number loaded 46
 - OUT= option
 - PROC ACCESS statement 14
 - PROC DBF statement 35
 - PROC DIF statement 37
- P**
- passwords 14, 70, 71
 - path specification
 - ACCESS procedure 23
 - PC files 48
 - PATH= statement
 - ACCESS procedure 23
 - DBLOAD procedure 48
 - PC files
 - altering 14
 - appending data 89
 - browsing data 75
 - calculating statistics 61
 - charting data 60
 - creating 6, 47
 - deleting data 81
 - dropping variables 44
 - in SAS programs, examples 57
 - inserting data 82
 - loading 6, 47
 - path specification 48
 - reading data, into SAS/AF applications 72
 - reading data, with SQL procedure 78
 - SAS Viewer and 77
 - selecting and combining data 66
 - subsetting data 50
 - updating SAS data files with 86
 - updating, with MODIFY statement 82
 - updating, with SAS/FSP procedures 75
 - updating, with SQL procedure 78
 - variables, reviewing 58
 - performance, and view descriptors 31
 - PREFIX= option, PROC DIF statement 37
 - PROC ACCESS statement 13
 - PROC DBF statement 34
 - PROC DBLOAD statement 43
 - PROC DIF statement 37
 - PUTNAMES statement, DBLOAD procedure 125, 129, 130, 142, 147
- Q**
- queries 70
 - QUIT statement
 - ACCESS procedure 24, 102, 113, 126, 144
 - DBLOAD procedure 48, 103, 115, 129, 146
- R**
- RANGE statement, ACCESS procedure 126, 144
 - ranges 119, 126, 134, 144
 - RANK procedure 65
 - reading data
 - into SAS/AF applications 72
 - with SQL procedure 78, 79
 - records 98
 - RENAME statement
 - ACCESS procedure 25
 - DBLOAD procedure 49
 - RESET statement
 - ACCESS procedure 26
 - DBLOAD procedure 50
 - rows, skipping
 - in DIF files 113
 - in WKn files 127
 - in XLS files 145
- S**
- sample data 6, 151
 - SAS/ACCESS interface 3
 - changing defaults 124
 - DBF files and 104
 - DIF files and 115
 - WKn files and 129
 - XLS files and 147
 - SAS/ACCESS software, overview 3
 - SAS/AF applications, reading PC files data into 72
 - SAS data files
 - creating 125
 - updating with PC files data 86
 - SAS data sets
 - converting to/from DBF files 6, 34
 - converting to/from DIF files 6, 37
 - transferring with DIF files 38
 - SAS/FSP procedures, browsing and updating data 75
 - browsing with FSVIEW procedure 75
 - SAS Viewer and 77
 - updating with FSVIEW procedure 76
 - SAS programs, PC files in 57
 - SAS Viewer 77
 - SCANTYPE statement, ACCESS procedure 127, 145
 - SCL (Screen Control Language) 72
 - security
 - extracting data and 32
 - passwords 14
 - SELECT statement, ACCESS procedure 27
 - selecting and combining data 66
 - with SQL procedure 68
 - with WHERE statement 66
 - SKIP= option, PROC DIF statement 37
 - SKIPROWS statement, ACCESS procedure 113, 127, 145
 - sorted data 32
 - sorting data
 - WKn files 130
 - XLS files 148
 - spreadsheet files 108, 118, 133
 - SQL procedure
 - creating columns with GROUP BY clause 70
 - deleting data 81
 - inserting data 82
 - joining data from various sources 68
 - reading data 78, 79
 - selecting and combining data 68
 - updating data 78, 80
 - SS_MISS NULLS environment variable 124
 - SS_MIXED environment variable 121, 123, 124, 135, 140, 142
 - SS_NAMES environment variable 124, 126, 129, 142
 - SS_SCAN environment variable 125, 142
 - statistics, calculating 61
 - with FREQ procedure 61
 - with MEANS procedure 62
 - with RANK procedure 65
 - SUBSET statement, ACCESS procedure 28
 - subsetting data 50, 126, 144
- T**
- time values
 - DIF files 110
 - WKn files 121
 - XLS files 135
 - TYPE statement
 - ACCESS procedure 114, 127, 145
 - DBLOAD procedure 104
- U**
- UNIQUE statement, ACCESS procedure 28
 - UPDATE statement, ACCESS procedure 29
 - updating data
 - updating SAS data files with PC files data 86

with FSVIEW procedure 76
 with MODIFY statement 82
 with SAS/FSP procedures 75
 with SQL procedure 78, 80

V

variable names
 as first row of DIF files 37, 113
 automatic generation of 17
 based on column names 28, 124, 126, 144
 modifying 25
 prefix for 37

variables
See also environment variables
 attributes of 58
 converting DBF fields to 35
 converting DIF variables to SAS variables 38
 converting to DBF fields 35
 dropping 44
 listing 46

VERSION= statement, DBLOAD procedure 103, 147

view descriptors 4
 creating 19, 125
 extracting data 31
 in SAS/AF applications 72
 passwords 14
 performance and 31
 selection criteria 28
 updating 29

VIEWDESC= option, PROC ACCESS statement 13

W

WHERE clause 81

WHERE statement
 DBLOAD procedure 50
 selecting and combining data 66

wizard 51

WKn files 118
 ACCESS procedure for 125
 accessing data 129
 column names 129
 creating 130
 data types 120, 124, 125, 126, 127
 date values 121
 DBLOAD procedure for 128
 generating SAS formats 127
 Import/Export facility and 117
 loading 130
 naming conventions 120
 OS/390 users 117
 SAS/ACCESS interface and 129
 skipping rows 127
 sorting data 130
 subsetting worksheets 126
 time values 121
 UNIX users 117
 worksheet specification 128

WKn tables, creating 128

WORKSHEET statement, ACCESS procedure 128, 146

X

XLS files 132
 ACCESS procedure for 143
 accessing 147
 column names 147
 column width 142
 creating 148
 data conversions, ACCESS procedure 136
 data conversions, DBLOAD procedure 140
 data types 134, 144, 145
 date values 135
 DBLOAD procedure for 146
 environment variables, setting 142
 hidden format 139
 Import/Export facility and 131
 loading 148
 missing values 134
 naming conventions 134
 OS/390 users 131
 SAS/ACCESS interface and 147
 skipping rows 145
 sorting data 148
 subsetting worksheets 144
 text format 139
 time values 135
 UNIX users 131
 version number of Excel product 147
 worksheet specification 146