

Index

- A**
- ACCDESC= option, ACCESS procedure 62
 - access descriptors 5
 - See also ADABAS descriptors
 - ADLIB.CUSTOMER (example) 155
 - effects of ADABAS changes 111
 - for ADABAS files 5
 - for DDMs 5
 - MYLIB.CUSTS (example) 156
 - MYLIB.EMPLOYEE (example) 157
 - MYLIB.INVOICE (example) 157
 - MYLIB.ORDER (example) 157
 - passwords 63
 - updating 90
 - updating (examples) 64
 - access descriptors, creating
 - See also ACCESS procedure
 - CREATE statement 69
 - examples 64
 - ACCESS member type 5
 - ACCESS= option 62
 - ACCESS procedure 3, 59
 - ACCDESC= option 62
 - access descriptors, creating 69
 - access descriptors, creating (examples) 64
 - access descriptors, updating 90
 - access descriptors, updating (examples) 64
 - ACCESS= option 62
 - AD= option 62
 - ADABAS files, accessing 66
 - ADABAS files, cipher codes 66
 - ADABAS files, database identifiers 66
 - ADABAS files, file numbers 66
 - ADBFIL statement 66
 - ASSIGN statement 67
 - BY keys, specifying 76
 - case sensitivity 60
 - CONTENT statement 68
 - CONTENT subcommand 82
 - CREATE statement 69
 - data conversion 98
 - DATASETS procedure 63
 - date formats, specifying 68
 - DBMS columns, changing formats 74
 - DBMS columns, changing informats 75
 - DBMS columns, dropping from view descriptors 73
 - DBMS columns, listing information about 73, 76, 78
 - DBMS columns, resetting to defaults 85
 - DBMS columns, selecting 88
 - DBMS= option 62
 - DDM= statement 72
 - DDM system files, cipher codes 89
 - DDM system files, database identifiers 89
 - DDM system files, file numbers 89
 - DDM system files, parameters 89
 - DROP statement 73
 - DROP subcommand 81
 - elementary data fields, BY keys 76
 - EXTEND statement 73
 - FORMAT statement 74
 - FORMAT subcommand 82
 - formats 98
 - INFORMAT statement 75
 - INFORMAT subcommand 82
 - informats 98
 - KEY statement 76
 - library identifiers, specifying 83
 - LIST statement 76
 - LISTINFO statement 78
 - LISTOCC statement 79
 - multiple-value fields 101
 - multiple-value fields, changing DB content attribute 82
 - multiple-value fields, changing formats 82
 - multiple-value fields, changing informats 82
 - multiple-value fields, dropping 81
 - multiple-value fields, listing occurrences of 79
 - multiple-value fields, modifying occurrences of 80
 - multiple-value fields, renaming SAS variables 82
 - multiple-value fields, resetting attributes 81
 - multiple-value fields, selecting 81
 - multiple-value fields, specifying a range of 81
 - MVF statement 80, 98
 - NATURAL DDM name, specifying 72
 - NATURAL SECURITY options, specifying 83
 - NATURAL SECURITY system file, parameters 87
 - NSS statement 83
 - OCCURS subcommand 81
 - OUT= option 62
 - passwords, access descriptor 63
 - passwords, ADABAS files 66
 - passwords, DDM system files 89
 - passwords, NATURAL SECURITY 83
 - passwords, SAS files 63
 - passwords, view descriptor 63
 - periodic group data fields 101
 - phonetic descriptor fields 101
 - PROC ACCESS statement 62
 - QUIT statement 83
 - RENAME statement 84
 - RENAME subcommand 82
 - RESET statement 85
 - RESET subcommand 81
 - SAS variable names, generating automatically 67
 - SECFIL statement 87
 - security specifications, enforcing 87
 - SECURITY statement 87
 - SELECT statement 88
 - SELECT subcommand 81
 - subdescriptor fields 101
 - subfields, data conversion 99
 - SUBSET statement 89
 - superdescriptor fields 99, 101
 - syntax 60
 - SYSFIL statement 89
 - system options 115
 - terminating 83
 - time formats 68
 - UPDATE statement 90
 - user identifiers 83
 - variable length 68
 - variable names, renaming 84
 - VD= option 62
 - view descriptors, creating 69
 - view descriptors, creating (examples) 64
 - view descriptors, selection criteria 89
 - view descriptors, updating 90
 - view descriptors, updating (examples) 64
 - VIEWDESC= option 62
 - AD= option, ACCESS procedure 62
 - ADABAS data
 - and SAS observations 106
 - appending 52
 - mapping to SAS observations 101
 - ADABAS data fields
 - elementary 11
 - formats of 13
 - group 11
 - grouping in ADABAS files 11
 - length of 13
 - mapping to SAS System 12
 - multiple-value 11

- periodic group field 12
 - subfield 12
 - superfield 12
 - ADABAS data in SAS programs
 - calculating statistics 22
 - CHART procedure 20
 - charting 20
 - combining data 25, 27
 - CONTENTS procedure 18
 - DATASETS procedure 18
 - FIRSTOBS= option 20
 - FREQ procedure 22
 - GROUP BY clauses 32
 - KEEP= data set option 26
 - means, calculating 22
 - OBS= option 19
 - observations 17
 - percentages, calculating 22
 - performance 36
 - printing 19
 - rank order, calculating 25
 - RANK procedure 25
 - selecting data 25
 - SQL procedure 27
 - transaction data 33
 - updating SAS data files 33
 - variables, creating 32
 - variables, reviewing 18
 - variables, terminology 17
 - WHERE statements 26
 - ADABAS data, adding
 - SAS/FSP procedures 43
 - SQL procedure 45
 - ADABAS data, browsing and updating 40
 - FSBROWSE procedure 40
 - FSEDIT procedure 40
 - FSVIEW procedure 40
 - permanent WHERE clauses 41
 - SAS/FSP procedures 39
 - SQL procedure 45
 - WHERE command 41
 - WHERE statement 41, 52
 - ADABAS data, deleting
 - SAS/FSP procedures 43
 - SQL procedure 45
 - ADABAS database identifiers
 - See* database identifiers
 - ADABAS databases
 - Associator system file 8
 - Data Storage system file 8
 - database identifiers 8
 - database names 8
 - Work Storage system file 8
 - ADABAS DBMS
 - ADABAS SECURITY file system 14
 - ADASCR utility 14
 - cipher codes 15
 - data fields 8
 - definition 8
 - LINKS 15
 - logical records 8
 - NATURAL file objects 15
 - NATURAL library objects 15
 - NATURAL security 15
 - NATURAL user objects 15
 - null values 14
 - passwords 14
 - security options 14
 - ADABAS descriptors 8
 - See also* access descriptors
 - See also* view descriptors
 - designating key fields 10
 - inverted lists 10
 - phonetic descriptors 11
 - subdescriptors 10
 - superdescriptors 11
 - ADABAS file numbers 66
 - ADABAS files 66, 120
 - DDM system file 89, 121
 - NATURAL SECURITY system file 121
 - ADABAS files
 - access descriptors 5
 - accessing without a DDM 112
 - cipher codes 120
 - CUSTOMERS (example) 138
 - data field names 9
 - definition 9
 - effects of changing 111
 - EMPLOYEE (example) 145
 - file numbers 9
 - internal sequence numbers (ISNs) 9
 - INVOICE (example) 147
 - level numbers 9
 - logical record ISN 9
 - ORDER (example) 149
 - ADABAS files, accessing
 - cipher codes 66
 - database identifiers 66
 - file numbers 66
 - passwords 66
 - ADABAS interface view engine 106
 - ADABAS L3 command 120
 - ADABAS passwords 14
 - access descriptors 63
 - ADABAS DBMS 14
 - ADABAS files 66, 121
 - DDM system files 89, 121
 - NATURAL SECURITY 83, 121
 - NATURAL SECURITY system file 121
 - SAS files 63
 - view descriptors 63
 - ADABAS performance 115
 - ADABAS SECURITY file system 14
 - ADABAS Security, and interface view engine 112
 - ADASCR utility 14
 - ADBAUSE system options 116
 - adbbymd system option 116
 - ADBCC= data set option 120
 - ADBDBID= data set option 120
 - adbdbmd system option 116
 - ADBDDM= data set option 120
 - adbdefw system option 116
 - ADBDEL= data set option 120
 - adbdel system option 116
 - adbdelim system option 116
 - ADBEUSE system options 116
 - ADBFIL= data set option 120
 - ADBFIL statement, ACCESS procedure 66
 - adbfmtl system option 116
 - adbisnl system option 116
 - ADBL3= data set option 120
 - adbmaxm system option 116
 - adbminm system option 116
 - ADBNATAP= data set option 121
 - adbnatap system option 116
 - ADBNATPW= data set option 121
 - adbnatpw system option 116
 - ADBNATUS= data set option 121
 - adbnatus system option 116
 - ADBPW= data set option 121
 - adbrecl system option 116
 - adbschl system option 116
 - ADBSE user exit 114
 - ADBSECC= data set option 121
 - adbseccc system option 116
 - ADBSECDB= data set option 121
 - adbsecdb system option 116
 - ADBSECF= data set option 121
 - adbsecl system option 116
 - ADBSECPW= data set option 121
 - adbsecpw system option 116
 - ADBSYSCC= data set option 121
 - adbsyscc system option 116
 - ADBSYSDB= data set option 121
 - ADBSYSFL= data set option 121
 - adbsysfl system option 116
 - ADBSYSPW= data set option 121
 - adbsyspw system option 116
 - ADBTRACE= data set option 121
 - ADBTRACE option 115
 - adbuisn system option 116
 - adbupd system option 116
 - adbvall system option 116
 - ADLIB.CUSTOMER access descriptor (example) 155
 - APPEND procedure 52
 - ASSIGN statement, ACCESS procedure 67
 - Associator system file 8
 - authorizations 114
- ## B
- browsing ADABAS data 40
 - See* ADABAS data, browsing and updating
 - BY keys
 - examples 123
 - for elementary data fields 76
 - resolving ambiguous inserts 122

view descriptor considerations 125

C

calls

- made by SAS procedures 107
- on behalf of ACCESS procedure 107

case sensitivity, ACCESS procedure 60

character fields, specifying values in 93

CHART procedure 20

charting ADABAS data 20

cipher codes

- ADABAS DBMS 15
- ADABAS files 66, 120
- DDM system files 89, 121

definition 15

- NATURAL SECURITY system files 121

comparison operators 92

competitive updating 110

conditions, specifying with SPANS operator 93

CONTENT statement, ACCESS procedure 68

CONTENT subcommand, ACCESS procedure 82

CONTENTS procedure 18

CREATE statement, ACCESS procedure 69

CUSTOMERS ADABAS file (example) 138

CUSTOMERS DDM (example) 153

D

data conversion 98

data field names 10

data fields 8

data locks 114

data redundancy, reducing 122

data security 112

data set options 120

- ADBCC= 120
- ADBDBID= 120
- ADBDDM= 120
- ADBDEL= 120
- ADBFILE= 120
- ADBL3= 120
- ADBNATAP= 121
- ADBNATPW= 121
- ADBNATUS= 121
- ADBPW= 121
- ADBSECC= 121
- ADBSECDB= 121
- ADBSECFL= 121
- ADBSECPW= 121
- ADBSYSCC= 121
- ADBSYSDB= 121
- ADBSYSFL= 121
- ADBSYSPW= 121
- ADBTRACE= 121

Data Storage system file 8

database administrators

- access descriptors, effects of ADABAS changes 111
- ACCESS procedure, system options 115
- ADABAS data and SAS observations 106
- ADABAS files, accessing without a DDM 112
- ADABAS files, effects of changing 111
- ADABAS interface view engine 106
- ADABAS performance 115
- ADABAS Security, and interface view engine 112
- ADBAUSE system options 116
- ADBEUSE system options 116
- ADBSE user exit 114
- ADBTRACE option 115
- authorizations 114
- calls made by SAS procedures 107
- calls on behalf of ACCESS procedure 107
- competitive updating 110
- data locks 114
- data security 112
- debugging 115
- interface view engine, security 112
- interface view engine, system options 115
- Internal Sequence Numbers (ISNs) 106
- logical transaction recovery 110
- NATURAL DDM files, effects of ADABAS changes 111
- NATURAL SECURITY System (NSS), and interface view engine 112
- retrieval processing 107
- SAS/ACCESS interface to ADABAS 106
- SAS System security 113
- security options, effects of changing 114
- sorting criteria, omitting 108
- sorting criteria, specifying 109
- update processing 110
- view descriptors, effects of ADABAS changes 111
- WHERE clauses, omitting 108
- WHERE clauses, specifying 108

database identifiers 8

- ADABAS databases 8
- ADABAS files 66, 120
- DDM system files 89, 121
- NATURAL SECURITY system files 121

database names 8

DATASETS procedure 18, 63

date formats, specifying 68

dates, specifying 94

DBMS column names, generating SAS variables from 67

DBMS columns

- changing formats 74
- changing informats 75
- dropping from view descriptors 73
- listing information about 73, 76, 78
- resetting to defaults 85

- selecting 88

DBMS= option, ACCESS procedure 62

DBMS tables, invalidating descriptor files 62, 69

DDM access descriptors 5

DDM file name 10

DDM= statement, ACCESS procedure 72

DDM system files

- cipher codes 89
- database identifiers 89
- file numbers 89
- parameters 89
- passwords 89

debugging 115

DELETE statement 45

DROP statement, ACCESS procedure 73

DROP subcommand, ACCESS procedure 81

E

elementary data fields 11, 76

EMPLOYEE ADABAS file (example) 145

EMPLOYEE DDM (example) 153

example data

- access descriptors 155
- ADABAS files 138
- ADLIB.CUSTOMER access descriptor 155
- CUSTOMERS ADABAS file 138
- CUSTOMERS DDM 153
- EMPLOYEE ADABAS file 145
- EMPLOYEE DDM 153
- INVOICE ADABAS file 147
- INVOICE DDM 154
- LIB6.BIRTHDAY file 161
- MYDATA.OUTOFSTK file 160
- MYDATA.SASEMPS file 161
- MYLIB.CUSTS access descriptor 156
- MYLIB.EMPLOYEE access descriptor 157
- MYLIB.INVOICE access descriptor 157
- MYLIB.ORDER access descriptor 157
- NATURAL DDMs 152
- ORDER ADABAS file 149
- ORDER DDM 155
- SAS data files 160
- view descriptors 158
- VLIB.ADAEMPS view descriptor 158
- VLIB.ALLEMP view descriptor 158
- VLIB.ALLORDR view descriptor 158
- VLIB.CUSORDR view descriptor 158
- VLIB.CUSPHON view descriptor 158
- VLIB.EMPINFO view descriptor 158
- VLIB.EMPS view descriptor 159
- VLIB.FORINV view descriptor 159
- VLIB.INV view descriptor 159
- VLIB.USACUST view descriptor 160
- VLIB.USAINV view descriptor 160
- VLIB.USAORDR view descriptor 160

expressions, specifying 93

EXTEND statement, ACCESS procedure 73

F

file numbers 66
 ADABAS files 66, 120
 DDM system file 89, 121
 NATURAL SECURITY system file 121
 FIRSTOBS= option 20
 FORMAT statement, ACCESS procedure 74
 FORMAT subcommand, ACCESS procedure 82
 formats 98
 FREQ procedure 22
 FSBROWSE procedure 40
 FSEDIT procedure 40
 FSVIEW procedure 40

G

GROUP BY clauses 32
 group data fields 11

I

INFORMAT statement, ACCESS procedure 75
 INFORMAT subcommand, ACCESS procedure 82
 informats 98
 INSERT statement 45
 interface view engine 3
 overriding default values 120
 security 112
 systems options 115
 Internal Sequence Numbers (ISNs) 106
 INVOICE ADABAS file (example) 147
 INVOICE DDM (example) 154
 ISNs (Internal Sequence Numbers) 106

K

KEEP= data set option 26
 KEY statement, ACCESS procedure 76

L

LIB6.BIRTHDAY file (example) 161
 library identifiers, specifying 83
 LINKS 15
 LIST statement, ACCESS procedure 76
 LISTINFO statement, ACCESS procedure 78
 LISTOCC statement, ACCESS procedure 79
 logical operators 92
 logical records 8
 logical transaction recovery 110

M

MEANS procedure 22

means, calculating 22
 multiple-value fields 11
 and SAS variables 101
 changing DB content attribute 82
 changing formats 82
 changing informats 82
 dropping 81
 in selection criteria 127
 limiting occurrences of 98
 listing occurrences of 79
 mapping to SAS observations 101
 modifying occurrences of 80
 renaming SAS variables 82
 resetting attributes 81
 selecting 81
 specifying a range of 81
 specifying values in 96
 MVF statement, ACCESS procedure 80, 98
 MYDATA.OUTOFSTK file (example) 160
 MYDATA.SASEMPS file (example) 161
 MYLIB.CUSTS access descriptor (example) 156
 MYLIB.EMPLOYEE access descriptor (example) 157
 MYLIB.INVOICE access descriptor (example) 157
 MYLIB.ORDER access descriptor (example) 157

N

NATURAL applications 4
 NATURAL data definition modules 10
 data field names 10
 DDM file name 10
 NATURAL DDM files, effects of ADABAS changes 111
 NATURAL DDM name, specifying 72, 120
 NATURAL DDMs (example) 152
 NATURAL file objects 15
 NATURAL libraries 4
 NATURAL library objects 15
 NATURAL SECURITY 15
 options, specifying 83
 password, specifying 121
 user identifier, specifying 121
 NATURAL SECURITY library identifier, specifying 121
 NATURAL SECURITY System (NSS), and interface view engine 112
 NATURAL SECURITY system file, parameters for 87
 NATURAL user objects 15
 NSS (NATURAL SECURITY System), and interface view engine 112
 NSS statement, ACCESS procedure 83
 null values 14

numeric values, specifying 94

O

OBS= option 19
 observations
 adding 122
 deleting 121
 in ADABAS data 17
 null values 126
 OCCURS subcommand, ACCESS procedure 81
 ORDER ADABAS file (example) 149
 ORDER DDM (example) 155
 OUT= option, ACCESS procedure 62

P

passwords 14
 access descriptors 63
 ADABAS DBMS 14
 ADABAS files 66, 121
 DDM system files 89, 121
 NATURAL SECURITY 83, 121
 NATURAL SECURITY system file 121
 SAS files 63
 view descriptors 63
 percentages, calculating 22
 performance, ADABAS data 36
 periodic group fields 12
 adding 122
 and SAS variables 101
 in selection criteria 129
 mapping to SAS observations 101
 specifying values in 96
 permanent WHERE clauses 41
 phonetic descriptor fields 101
 printing ADABAS data 19
 PROC ACCESS statement 62

Q

QUIT statement, ACCESS procedure 83

R

rank order, calculating 25
 RANK procedure 25
 RENAME statement, ACCESS procedure 84
 RENAME subcommand, ACCESS procedure 82
 RESET statement, ACCESS procedure 85
 RESET subcommand, ACCESS procedure 81
 retrieval processing 107

- S**
- SAS/ACCESS interface to ADABAS 106
 - SAS/ACCESS software
 - effects on ADABAS data 101
 - interface overview 3
 - purpose of 3
 - Version 7 changes and enhancements 4
 - SAS data files
 - LIB6.BIRTHDAY (example) 161
 - MYDATA.OUTOFSTK (example) 160
 - MYDATA.SASEMPS (example) 161
 - ORDER ADABAS (example) 149
 - updating 33
 - SAS file passwords 63
 - SAS/FSP procedures
 - adding ADABAS data 43
 - browsing ADABAS data 39
 - deleting ADABAS data 43
 - updating ADABAS data 39
 - SAS procedures
 - See also* ACCESS procedure
 - APPEND 52
 - CHART 20
 - CONTENTS 18
 - DATASETS 18, 63
 - FREQ 22
 - FSBROWSE 40
 - FSEDIT 40
 - FSVIEW 40
 - MEANS 22
 - RANK 25
 - SQL 27, 45
 - SAS System security 113
 - SAS variable names, generating automatically 67
 - SAS WHERE clauses 132
 - See also* WHERE clauses
 - See also* view WHERE clauses
 - conditions acceptable to ADABAS 133
 - conditions not acceptable to ADABAS 134
 - in selection criteria 132
 - multiple-value fields in selection criteria 127
 - periodic group fields in selection criteria 129
 - referencing descriptor data fields 135
 - specifying selection criteria 135
 - periodic group fields in 133
 - SECFILE statement, ACCESS procedure 87
 - security
 - See also* passwords
 - ADABAS 14
 - ADABAS Security, and interface view engines 112
 - data security 112
 - interface view engines 112
 - NATURAL 15
 - NATURAL SECURITY options, specifying 83
 - NATURAL SECURITY System (NSS), and interface view engines 112
 - NATURAL SECURITY system file, parameters for 87
 - SAS System security 113
 - security specifications, enforcing 87
 - SECURITY statement 87
 - security options 14, 114
 - security specifications, enforcing 87
 - SECURITY statement, ACCESS procedure 87
 - SELECT statement, ACCESS procedure 45, 88
 - SELECT subcommand, ACCESS procedure 81
 - selecting ADABAS data 25
 - SORT clauses 97
 - examples 97
 - sorting efficiency 98
 - syntax 97
 - sorting criteria
 - omitting 108
 - specifying 109
 - SQL procedure
 - adding ADABAS data 45
 - combining data from multiple sources 27
 - deleting ADABAS data 45
 - variables, creating with GROUP BY clause 32
 - statistics, calculating 22
 - subdescriptor fields
 - and SAS variables 101
 - specifying values in 95
 - subfield data fields 12
 - subfields, data conversion 99
 - SUBSET statement, ACCESS procedure 89
 - superdescriptor fields
 - and SAS variables 101
 - data conversion 99
 - specifying values in 94
 - superfield data fields 12
 - SYSFILE statement, ACCESS procedure 89
 - system options
 - adbbymd 116
 - adbdbmd 116
 - adbdefw 116
 - adbdel 116
 - adbdelim 116
 - adbfmtl 116
 - adbisnl 116
 - adbmaxm 116
 - adbminm 116
 - adbnatp 116
 - adbnatpw 116
 - adbnatus 116
 - adbrecl 116
 - adbschl 116
 - adbseccc 116
 - adbsecdb 116
 - adbsecl 116
 - adbsecpw 116
 - adbsyscc 116
 - adbsysfl 116
 - adbsyspw 116
 - adbuisn 116
 - adbupd 116
 - adbvall 116
- T**
- time formats, specifying 68
 - trace options, specifying 121
 - transaction data 33
- U**
- update processing 110
 - UPDATE statement, ACCESS procedure 45, 90
 - updating ADABAS data 40
 - See* ADABAS data, browsing and updating
 - user identifiers, specifying 83
- V**
- variable length, specifying 68
 - variable names, renaming 84
 - variables (ADABAS)
 - creating 32
 - reviewing 18
 - terminology 17
 - VD= option 62
 - view descriptors 5
 - See also* ADABAS descriptors
 - effects of ADABAS changes 111
 - invalidating 62, 69
 - multiple 121
 - passwords 63
 - performance considerations 36
 - selection criteria 89
 - updating 90
 - updating (examples) 64
 - using efficiently 98
 - VLIB.ADAEMPS (example) 158
 - VLIB.ALLEMP (example) 158
 - VLIB.ALLORDR (example) 158
 - VLIB.CUSORDR (example) 158
 - VLIB.CUSPHON (example) 159
 - VLIB.EMPINFO (example) 159
 - VLIB.EMPS (example) 159
 - VLIB.FORINV (example) 159
 - VLIB.INV (example) 159
 - VLIB.USACUST (example) 160
 - VLIB.USAINV (example) 160
 - VLIB.USAORDR (example) 160
 - view descriptors, creating
 - See also* ACCESS procedure
 - CREATE statement 69
 - examples 64
 - view descriptors, selecting records for
 - See also* SAS WHERE clauses
 - See also* WHERE clauses
 - See* view WHERE clauses

- view descriptors, sorting
 - See* SORT clauses
- VIEW member type 5
- view WHERE clauses 92
 - See also* SAS WHERE clauses
 - See also* WHERE clauses
 - character fields, specifying values in 93
 - comparison operators 92
 - conditions, specifying with SPANS operator 93
 - dates, specifying 94
 - examples 93
 - expressions, specifying 93
 - logical operators 92
 - multiple-value fields, specifying values in 96
 - numeric values, specifying 94
 - periodic group fields, specifying values in 96
 - specifying selection criteria 135
 - subdescriptor fields, specifying values in 95
 - superdescriptor fields, specifying values in 94
 - syntax 92
- VIEWDESC= option, ACCESS procedure 62
- VLIB.ADAEMPS view descriptor (example) 158
- VLIB.ALLEMP view descriptor (example) 158
- VLIB.ALLORDR view descriptor (example) 158
- VLIB.CUSORDR view descriptor (example) 158
- VLIB.CUSPHON view descriptor (example) 158
- VLIB.EMPINFO view descriptor (example) 159
- VLIB.EMPS view descriptor (example) 159
- VLIB.FORINV view descriptor (example) 159
- VLIB.INV view descriptor (example) 159
- VLIB.USACUST view descriptor (example) 160
- VLIB.USAINV view descriptor (example) 160
- VLIB.USAORDR view descriptor (example) 160

W

- WHERE clauses 108
 - See also* SAS WHERE clauses
 - See also* view WHERE clauses
 - omitting 108
 - specifying 108
- WHERE command 41
- WHERE statement 26, 41, 52
- Work Storage system file 8