

# Index

## A

AF command 53  
 application-options 58  
 options 54  
 passing options to applications 61  
 requirement 54  
 syntax 54  
 AF window commands 65  
 AFAPPLICATION command 59  
 compared with AF command 60  
 passing options to applications 61  
 syntax 59  
 AFSYS command 66  
 application windows, general attributes for 50  
 application workspace (AWS) 55  
 applications  
   *See* SAS/AF applications  
 ATTR argument, PRINT statement (BUILD) 14  
 attributes 30  
 AUTO option, frame indicators 25  
 AUTORECALL= option, AF command 55  
 AUTOSAVE= option, AF command 55  
 AUTOTERM= option, AF command 55  
 AWS (application workspace) 55  
 AWS= option, AF command 55  
 AWS window, title for 58

## B

BACKWARD command 72  
 banners 50  
 BATCH option, PROC BUILD statement 5  
 BOTTOM command 72  
 branch option, feedback indicators 29  
 BROWSE option, PROC BUILD statement 5  
 BUILD command 18  
 BUILD procedure 3  
 batch mode 5  
 BUILD command 18  
 COMPILE statement 7  
 CROSSREF statement 8  
 MERGE statement 11  
 MLINK statement 13  
 PRINT statement 14  
 PROC BUILD statement 5  
 SYNC statement 17  
 syntax 4  
 windows 19

BUILD sessions, initiating 18

## C

C option, feedback indicators 28  
 CALL DISPLAY routine, executing SCL entries 49  
 CANCEL command 67  
 CATALOG= argument, MERGE statement (BUILD) 11  
 catalog entries  
   browsing 5  
   printing 14  
 catalog entry types 22  
   application windows, general attributes for 50  
   CBT entries 22  
   CLASS entries 30  
   FRAME entries 31  
   HELP entries 32  
   INTRFACE entries 32  
   LIST entries 33  
   MENU entries 34  
   PROGRAM entries 35  
   RANGE entries 46  
   RESOURCE entries 47  
   SCL entries 48  
 CATALOG= entry, PROC BUILD statement 5  
 CATALOG= option, AF command 56  
 catalog references 67  
 catalog search rule 9  
 catalogs, combining 56  
 CATNAME command 67  
 CATNAME= option, AF command 56  
 CBT entries 22  
   child attribute 30  
   displays 23  
   general attributes 29  
   query frames 24  
   restarting 58  
   scrolling controls 23  
   starting frame for CBT applications 57  
   storing name of, at exit 56  
 CHECKLAST= option, AF command 56  
 child attribute, CBT entries 30  
 choice groups 36  
 CLASS entries 30  
 class properties 30  
 classes 30  
   storing for FRAME entries 47

CLEAR command 68  
 command list, values in 61  
 command macros 63  
 command menu 51  
 commands  
   AF 53  
   AF window commands 65  
 AFAPPLICATION 59  
 AFSYS 66  
 BACKWARD 72  
 BOTTOM 72  
 BUILD 18  
 CANCEL 67  
 CATNAME 67  
 CLEAR 68  
 DEBUG 68  
 DUP 68  
 END 68  
 FIND 68  
 FONT 73  
 FORMNAME 73  
 FORMNAME CLEAR 73  
 FORWARD 72  
 HELP 50, 69  
 HSCROLL 72  
 ID 69  
 KEYFIELD 70  
 LEFT 73  
 LOCATE 70  
 =menu-options 66  
 MUSIC 71  
 PREVIEW 70  
 printing commands 73  
 PRTFILE 74  
 PRTFILE CLEAR 74  
 QCAN 70  
 QEND 70  
 QSTACK 71  
 RECALL 71  
 RETURN 71  
 RIGHT 73  
 SAVE 71  
 scrolling commands 72  
 SOUND 71  
 SPRINT 74  
 SPRINT CLEAR 74  
 TOP 73  
 TYPE 71  
 VSCROLL 73  
 window management commands 66

WREGION 72  
 WREGION CLEAR 72  
 WSIZE 72  
 COMPILE statement, BUILD procedure 7  
 controls 31  
 CORRECT= option, frame indicators 26  
 cross references, printing 17  
 CROSSREF statement, BUILD procedure 8

**D**

data collection  
 Coverage Analyzer 58  
 Performance Analyzer 58  
 Static Analyzer 8  
 DEBUG command 68  
 DEBUG option  
 COMPILE statement (BUILD) 7  
 PROC BUILD statement 6  
 DEBUG= option, AF command 56  
 DETAIL= option, CROSSREF statement (BUILD) 9  
 DIALOG attribute 52  
 DIALOG BOX attribute 52  
 DISPLAY argument, PRINT statement (BUILD) 14  
 DUP command 68

**E**

END command 68  
 entry types  
 See catalog entry types  
 ENTRYTYPE= option  
 MERGE statement (BUILD) 11  
 PRINT statement (BUILD) 15  
 PROC BUILD statement 6  
 SYNC statement (BUILD) 17  
 event handlers 31  
 events 31  
 EXCLUDE= option  
 COMPILE statement (BUILD) 7  
 CROSSREF statement (BUILD) 9  
 MERGE statement (BUILD) 11  
 MLINK statement (BUILD) 13  
 PRINT statement (BUILD) 15  
 SYNC statement (BUILD) 17  
 execution stack, printing report of 71  
 Explorer window, default behavior 6  
 extended tables 37, 51

**F**

feedback indicators 28  
 options 28  
 syntax 28

field values  
 recalling 55  
 saving 55, 71  
 validating 33  
 fields, in PROGRAM entries 36  
 FIND command 68  
 FONT command 73  
 FONT window 73  
 FORM entries 15  
 default 73  
 FORM= option, PRINT statement (BUILD) 15  
 FORMNAME CLEAR command 73  
 FORMNAME command 73  
 FORWARD command 72  
 FRAME entries 31  
 control of FRAME objects 66  
 RESOURCE entry associated with 6  
 storing classes for 47  
 \_term method for objects 55  
 updating 17  
 frame indicators 24  
 options for 25  
 syntax 25  
 FRAME= option  
 AF command 57  
 feedback indicators 29  
 frames 23  
 function keys 50

**G**

GRAPH= option, frame indicators 26  
 graphs, displaying in frames 26

**H**

HELP attribute 52  
 HELP command 50, 69  
 HELP entries 32  
 HELP= option, feedback indicators 29

**I**

ICON= option, AF command 57  
 ID command 69  
 interfaces 31, 32  
 INTRFACE entries 32

**K**

KEYFIELD command 70

**L**

LABEL= option, AF command 57  
 LEFT command 73  
 LEFT option, PRINT statement (BUILD) 15  
 LEVELS= option, MLINK statement (BUILD) 13  
 LINENUM option, PRINT statement (BUILD) 16  
 links, re-establishing 17  
 LIST attribute 52  
 LIST entries 33  
 LISTDIR argument, PRINT statement (BUILD) 15  
 LOCATE command 70  
 LOCK option, frame indicators 26  
 lookup data sets 51

**M**

macros, command 63  
 MENU entries 34  
 displays 34  
 general attributes 34  
 selection attributes 34  
 menu links 13  
 MENU= option, feedback indicators 29  
 menu, command 51  
 =menu-options command 66  
 MERGE statement, BUILD procedure 11  
 meta class 30  
 methods 30  
 MLINK statement, BUILD procedure 13  
 models 31  
 MUSIC command 71  
 MUSIC= option  
 feedback indicators 29  
 frame indicators 27

**N**

n option, feedback indicators 28  
 NAME= option, frame indicators 26  
 NO EXIT attribute 51  
 NOAUTO option, frame indicators 25  
 NODIR option, PROC BUILD statement 6  
 NOEDIT option, MERGE statement (BUILD) 11  
 NOPAGEBREAK option, PRINT statement (BUILD) 16  
 NOSOURCE option, MERGE statement (BUILD) 11

**O**

options, passing to applications 61  
 OUTLIB= option, CROSSREF statement (BUILD) 9

- P**
- PADCHAR= option, PROC BUILD statement 6
  - page breaks 16
  - parent attributes 52
  - parent class 30
  - Performance Analyzer, data collection phase 58
  - PMENU facility, turning off in applications 57
  - PMENU= option, AF command 57
  - PREVIEW command 70
  - PRINT statement, BUILD procedure 14
  - printing
    - catalog entries 14
    - commands for 73
    - cross references 17
    - excluding entries 15, 16
    - execution stack report 71
    - FORM entry for output 15
    - line numbers 16
    - output file for 16
    - page breaks 16
    - selecting entries 15, 16
  - PROC BUILD statement 5
  - PROGRAM entries 35
    - choice groups 36
    - displays 36
    - extended tables 37
    - field attributes 37
    - field types 42
    - fields 36
    - general attributes 37
    - SCL programs 45
    - selection lists 37
  - PROJECT= argument, CROSSREF statement (BUILD) 9
  - prompt character 51
  - PRTFILE CLEAR command 74
  - PRTFILE command 74
  - PRTFILE= option, PRINT statement (BUILD) 16
- Q**
- QCAN command 70
  - QEND command 70
  - QSTACK command 71
  - query frames, CBT entries 24
  - QUIZ= option, frame indicators 26, 27
- R**
- RANGE entries 46
  - RECALL command 71
  - recalling field values 55
  - REPLACE option, MERGE statement (BUILD) 11
  - RESIDENT attribute 51
  - RESIDENT= option, AF command 57
  - RESOURCE entries 47
    - associated with FRAME entries 6
    - updating 17
  - RESOURCE= option
    - BUILD command 19
    - PROC BUILD statement 6
  - resources 47
  - RESTART= option, AF command 58
  - RETURN command 71
  - RIGHT command 73
- S**
- SAS/AF applications
    - See also* BUILD procedure
    - creating 3
    - passing options to 61
    - running multiple applications 59
    - sharing data between multiple applications 60
    - storing 35
  - SAS/AF applications, executing
    - AF command 53
    - AFAPPLICATION command 59
    - catalog entry for 56
    - passing options to applications 61
    - running multiple applications 59
    - suppressing SAS windows when applications open 63
  - SAS/AF software 1
  - SAS windows, suppressing when applications open 63
  - save, automatic 55
  - SCL code, storing 48
  - SCL debugger 6, 7, 56
  - SCL entries 48
    - calling from other SAS/AF programs 49
    - executing SCL routines 49
    - executing with CALL DISPLAY 49
    - resident in memory 57
  - SCL program labels 57
  - SCL programs, storing in PROGRAM entries 45
  - SCL routines, executing 49
  - SCLPROF= option, AF command 58
  - scroll bar attributes 52
  - scrolling commands 72
  - scrolling, CBT entries 23
  - SEARCH= option, CROSSREF statement (BUILD) 9
  - SELECT= option
    - COMPILE statement (BUILD) 7
    - CROSSREF statement (BUILD) 9
    - feedback indicators 29
    - MERGE statement (BUILD) 11
    - MLINK statement (BUILD) 13
    - PRINT statement (BUILD) 15
    - SYNC statement (BUILD) 17
  - selection lists 33, 37
  - sharing data, between multiple applications 60
  - SOUND command 71
  - SOUND= option
    - feedback indicators 29
    - frame indicators 27
  - SOURCE argument, PRINT statement (BUILD) 15
  - source programs, compiling 7
  - SPRINT CLEAR command 74
  - SPRINT command 74
  - STANDARD attribute 52
  - Static Analyzer, data collection phase 8
  - submenus, linking 13
  - SYNC statement, BUILD procedure 17
  - system options attribute 51
- T**
- \_term method, FRAME entries 55
  - TESTAF option, PROC BUILD statement 6
  - TEXTLENGTH= option, PROC BUILD statement 6
  - TITLE= option, AF command 58
  - TOP command 73
  - traffic lighting 46
  - TYPE command 71
- U**
- UPCASE option, MERGE statement (BUILD) 12
- V**
- VERBOSE option, MLINK statement (BUILD) 13
  - VSCROLL command 73
- W**
- window attributes 50
  - window commands 65
  - window management commands 66
  - window type attributes 52
  - windows
    - application windows, general attributes for 50
    - BUILD procedure windows 19
    - capturing current contents 74
    - iconizing 57
    - moving 52
    - position of 72
    - resizing 52
    - size of 72
    - suppressing SAS windows when applications open 63
    - switching 51
  - WREGION CLEAR command 72

WREGION command 72

WRONG= option, frame indicators 28

WSIZE command 72

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., *SAS/AF<sup>®</sup> Software Procedure Guide, Version 8*, Cary, NC: SAS Institute Inc., 1999.

**SAS/AF<sup>®</sup> Software Procedure Guide, Version 8**

Copyright © 1999 by SAS Institute Inc., Cary, NC, USA.

ISBN 1-58025-516-7

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, by any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute, Inc.

**U.S. Government Restricted Rights Notice.** Use, duplication, or disclosure of the software by the government is subject to restrictions as set forth in FAR 52.227-19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

1st printing, October 1999

SAS<sup>®</sup> and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. <sup>®</sup> indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

The Institute is a private company devoted to the support and further development of its software and related services.