

# Index

## A

- actuarial method
  - See survival analysis, life-table method
- adding rows, 34
- agreement, 197
- air quality data set, 206
- alphabetical order, 73
- alternative hypothesis, 157
- analysis of variance, 205
  - factorial ANOVA, 206, 218
  - linear models, 206, 223
  - mixed models, 206
  - multiple classification variables, 218
  - nonparametric one-way ANOVA, 206
  - one-way ANOVA, 205, 208
  - power analysis, 224, 226
  - quantitative variables, 223
  - repeated measures, 206
  - specifying interactions, 219, 223
- analysis results, printing, 62
- ANOVA, 17
  - See analysis of variance
- association, 2×2 table, 181
- axis lines, 77

## B

- Bandaid data set, 181
- bar charts
  - analysis variables, 88
  - bar values, 88
  - colors, 89
  - creating, 87
  - fonts, 89
  - frame options, 91
  - frequency counts, 137, 139
  - number of bars, 88

- reference lines, 91
- statistics, 88, 90
- three-dimensional, 87
- two-dimensional, 87
- variables, 91

- barcharts
  - titles, 91
- bars, options, 76
- between-subject effects, 327
- box-and-whisker plots
  - distributions, 143, 146
  - one-way ANOVA, 211, 213
  - paired *t*-test, 165–166
  - summary statistics, 140–141
  - two-sample test for variances, 172–173
- browse mode, 29
- Bthdth92 data set, 136, 158, 163

## C

- canonical coefficients, 291
- canonical correlations, 18, 279, 287, 292
  - eigenvalues, 288, 290
  - likelihood ratios, 288, 291
  - plots, 289, 293
- canonical variables, 291
- catalog entries, saving, 60
- censored observations, 300
- changing titles, 78
- charts
  - bar, 87
  - pie, 97
- classification variables, 36
  - distributions, 146
  - summary statistics, 139
- code
  - copying to Program Editor, 58

- editing, 58
  - printing, 62
  - saving, 58
  - source, 73
  - submitting, 58
  - viewing, 57
  - color
    - in bar charts, 89
    - in pie charts, 99
    - in scatter plots, 106
  - columns
    - classes, 126
    - deleting, 32
    - displaying labels, 33
    - duplicating, 32
    - hiding, 30
    - holding, 31
    - inserting, 31
    - menu, 29
    - merging, 39
    - moving, 30
    - properties of, 33
    - sorting, 32
    - splitting, 41
  - combining tables, 38
  - commands, toolbar, 349
  - component loadings, 286
  - component plots, principal components, 283, 285
  - computing new variables, 35
  - concatenating rows, 38
  - confidence intervals
    - one-sample *t*-test, 160, 162
    - power calculations, 259, 271
    - sample size calculations, 259, 271
  - continuous variables, 36
  - Coronary2 data set, 243
  - correlations, 17, 136, 146
    - repeated measures analysis, 327, 342
    - scatter plots, 149, 152
    - types of, 136, 146
  - covariance estimates, mixed models, 316, 321
  - covariance matrix, principal components, 281
  - covariance types
    - first-order autoregressive, 342–343
    - repeated measures analysis, 337, 341–342
  - Cox regression, 297–298, 306
    - See also proportional hazards regression
  - creating projects, 55
  - Cronbach's alpha, 136
  - cumulative frequencies and percentages, 136, 138
  - customizing toolbar, 71, 347
- D**
- data
    - sorting, 34
  - data files, large, 72
  - Data menu, 13
    - computing log transformations, 38
    - computing new variables, 35
    - generating random variates, 38
    - recoding ranges, 36
  - data sets
    - air quality, 206
    - bandaid, 181
    - birth and infant mortality rates, 136, 158, 163
    - cereal judging, 43
    - coronary, 243
    - fitness, 147, 237
    - gym, 185
    - height, 318
    - houses, 232
    - infant mortality, 136, 158, 163
    - jobs, 288
    - opening, 21
    - protein, 279
    - rats survival, 299, 303
    - search algorithm, 168
    - split plot, 310
    - taste test, 43
    - test score, 171
    - weightlifting, 329
  - data table, 12
    - edit mode, 72
    - font, 72
    - modifying, 28

- size of, 71
- data views, opening, 21
- data, editing, 29
- deleting
  - columns, 32
  - project nodes, 57
  - projects, 57
  - rows, 34
- Delimited files, opening, 24
- descriptive statistics, 135
  - correlations, 136, 146
  - distributions, 136, 142
  - frequency counts, 136
  - summary statistics, 135, 139
- distributions, 17, 136, 142
  - box-and-whisker plots, 143, 146
  - classification variables, 146
  - goodness of fit, 143, 145
  - histograms, 143, 146
- duplicating
  - columns, 32
  - rows, 34

**E**

- Edit menu, 13
- edit mode, 29, 72
- editing code, 58
- editing data, 29
- eigenvalues
  - canonical correlation, 288, 290
  - principal components, 282, 284
- eigenvectors, principal components, 282, 284
- equivalence tests, sample size and power, 262–263
  - additive model, 262, 274
  - equivalence bounds, 264
  - multiplicative model, 263, 274
  - power calculations, 263
- exact test, 184, 190
- Excel files, opening, 21, 23
- exponential, 35
- Exposed data set, 299
- expressions, 35

**F**

- factorial ANOVA, 206, 218
  - means plots, 220, 222
  - specifying interactions, 219
- fifth report style, 126
- File menu, 13
- file size, 72
- files
  - local, 21
  - opening, 21
- first report style, 122
- Fitness data set, 147, 237
- fixed effects
  - See mixed models
- folders
  - project, 11
  - renaming, 56
- fonts, 72
- format, listing report, 116
- fourth report style, 126
- frequency counts, 17, 136, 138

**G**

- goodness of fit, distributions, 143, 145
- Gpa data set, 171
- graph files, saving, 59
- graph output, 73
- Graph Settings, 74
- graphs
  - axis lines, 77
  - bar options, 76
  - point display, 74
  - printing, 61
  - rectangle options, 76
  - text options, 77
  - types of, 15
- Graphs menu, 13
- Gym data set, 185

**H**

- Heights data set, 318
- Help menu, 13
- help, accessing, 14
- hiding columns, 30
- histograms, distributions, 143, 146
- Hoeffding's D statistic, 136

holding columns, 31  
 homogeneity tests, survival analysis, 298, 302  
 Houses data set, 232  
 HTML output, 73  
 hypothesis tests, 17, 157  
   alternative hypothesis, 157  
   one-sample *t*-test, 158  
   paired *t*-test, 163  
   power calculations, 270  
   sample size calculations, 270  
   two-sample test for proportions, 168  
   two-sample test for variances, 171

**I**

icons, 347  
 index, 13  
 inserting columns, 31

**J**

Jobs data set, 288  
 JRATING data sets, 43

**K**

Kaplan-Meier method  
   See survival analysis, product-limit method  
 Kendall's tau-*b*, 136

**L**

labels  
   displaying, 33  
   variables, 73  
 large data files, 72  
 least-squares means  
   defined, 313  
   mixed models, 317  
 life table method, 18, 298, 300, 302  
 likelihood ratios, canonical correlation, 288, 291  
 linear models, 206, 223  
   power analysis, 224, 226  
   scatter plots, 225, 227  
   specifying interactions, 223  
 linear regression, 18  
 lines, in scatter plots, 106

listing reports  
   creating, 115  
   format, 116  
   variables, 118  
 log transformations, 38  
 logarithm, 38  
 logistic regression, 18, 243  
   See also regression  
   specifying interactions, 246  
 longitudinal data, repeated measures analysis, 327  
 Lotus files, opening, 21

**M**

means comparison test  
   one-way ANOVA, 210, 212  
   Tukey's studentized range test, 210, 212  
 means plots  
   factorial ANOVA, 220, 222  
   mixed models, 319, 321  
   paired *t*-test, 165, 167  
 menu  
   column, 29  
   Data, 13  
   Edit, 13  
   File, 13  
   Graphs, 13  
   Help, 13  
   Reports, 13  
   Statistics, 13  
   Tools, 13  
   View, 13  
 merging columns, 39  
 mixed models, 206, 309  
   clustered data, 318  
   compared to standard linear model, 309  
   covariance estimates, 316, 321  
   estimation methods, 310  
   fixed effects, 309  
   least-squares means, 313, 317  
   means plots, 319, 321  
   plots available, 310  
   random effects, 309  
   restricted maximum likelihood (REML)  
     estimation, 310, 315  
   specifying, 311, 318

- split plot design, 310
- moving columns, 30
- multiple linear regression, 237
  - See also regression
  - collinearity analysis, 239, 241
  - confidence limits, 238, 241
  - residuals, 240
  - scatter plots, 239, 242
- multiple output, 73
- multivariate analysis, 279

**N**

- names of variables, 73
- nodes, 11–12, 57
- nonparametric one-way ANOVA, 206

**O**

- one-sample  $t$ -test, 158
  - $t$  distribution plots, 161–162
  - confidence intervals, 160, 162
- one-sample test for a proportion, 174
- one-sample test for a variance, 174
- one-sample Z-test for a mean, 158, 174
- one-way ANOVA, 205, 208
  - box-and-whisker plots, 211, 213
  - means comparison test, 210, 212
  - power calculations, 267, 269, 271
  - sample size calculations, 267, 271
- opening
  - delimited files, 24
  - Excel files, 21, 23
  - local files, 21
  - Lotus files, 21
  - projects, 57
  - SAS data sets, 21, 26
  - SAS data views, 21, 26
  - SPSS files, 21, 26
- options
  - copying, 354
  - resetting, 354
  - saving, 77, 354
- output
  - graphs, 73
  - HTML, 73
  - multiple, 73

**P**

- paired  $t$ -test, 163
  - box-and-whisker plots, 165–166
  - means plots, 165, 167
- paired samples, defined, 163
- partial correlation, principal components, 281
- Pearson correlations, 136
- pie charts
  - colors, 99
  - creating, 97
  - fonts, 99
  - frequency, 98
  - labels, 99
  - line width, 99
  - number of slices, 97
  - percent, 98
  - slice values, 98
  - three-dimensional, 97
  - titles, 101
  - two-dimensional, 97
  - variables, 101
- point display, 74
- power analysis, defined, 224
- power calculations, 253
  - confidence intervals, 259, 271
  - details, 270
  - equivalence tests, 263, 273
  - hypothesis tests, 255, 258, 270
  - one-way ANOVA, 267, 269, 271
  - precision, defined, 259
- power of a test, defined, 253
- principal components, 18, 279
  - component plots, 283, 285
  - eigenvalues, eigenvectors, 282, 284
  - partial correlation, 281
  - scree plots, 282, 285
  - the covariance matrix, 281
- printing
  - code results, 62
  - graphs, 61
  - results, 61
- probability plots, 136
- project tree, size of, 71
- projects, 10

- creating, 55
- deleting, 57
- deleting nodes, 57
- folder, 11
- node, 11–12
- opening, 57
- renaming, 56
- saving, 56
- saving under another name, 56
- tree, 10

proportional hazards regression, 18, 297, 303, 306

- model selection techniques, 298

Protein data set, 279

**Q**

- quantile-quantile plots, 136
- Query window, 26

**R**

- random effects
  - See mixed models
- random sample, 35
- random variates, 38
- ranges, recoding, 36
- ranking, 35
- Rats data set, 303
- reciprocal, 35
- recode values, example, 332
- recoding ranges, 36
- recoding values, 35
- rectangles, options, 76
- regression, 231
  - collinearity analysis, 239, 241
  - confidence limits, 234, 238, 241
  - cubic model, 233
  - linear, 18
  - logistic, 18, 243
  - multiple linear, 237
  - quadratic model, 233
  - residuals, types of, 240
  - restricted maximum likelihood (REML) estimation, 310
  - scatter plots, 234–235, 239, 242
  - simple linear, 232
- renaming

- folders, 56
- projects, 56

repeated measures analysis, 206, 327

- between-subject effects, 327
- compound symmetry, 327, 339
- covariance types, 337, 341
- data format, 329
- model specification, 335
- plots available, 328
- selecting appropriate covariance structure, 343
- within-subject effects, 327

report styles

- fifth, 126
- first, 122
- fourth, 126
- second, 124
- third, 125

reports

- analysis variables, 123
- column classes, 126
- listing, 115
- tabular, 121
- titles, 118
- types of, 15

Reports menu, 13

requirements, Analyst Application, iii

restricted maximum likelihood (REML) estimation, 310, 315

results

- printing, 61
- saving, 58

rotation angle, of scatter plots, 107

row classes, 125

rows

- adding, 34
- concatenating, 38
- deleting, 34
- duplicating, 34

**S**

- sample size, 18
- sample size calculations, 253
  - confidence intervals, 259, 271
  - equivalence tests, 263, 273
  - hypothesis tests, 255, 258, 270

- one-way ANOVA, 267, 271
- SAS data sets, opening, 21, 26
- SAS data views, opening, 21, 26
- saving
  - catalog entries, 60
  - code, 58
  - graph files, 59
  - options, 77
  - projects, 56
  - results, 58
  - text files, 59
- scatter plots
  - connecting lines, 106
  - correlations, 149, 152
  - creating, 105
  - linear models, 225, 227
  - multiple linear regression, 239, 242
  - point appearance, 107
  - point color, 106
  - predicted versus observed, 225, 227
  - rotation angle, 107
  - simple linear regression, 234–235
  - three-dimensional, 105
  - tick marks, 106–107
  - tilt angle, 107
  - titles, 108
  - two-dimensional, 105
  - variables, 108
- scree plots, principal components, 282, 285
- Search data set, 168
- second report style, 124
- shared edit mode, 29
- simple linear regression, 232
  - See also regression
  - confidence limits, 234
  - cubic model, 233
  - quadratic model, 233
  - scatter plots, 234–235
- size, of data files, 72
- software requirements, iii
- sorting
  - columns, 32
  - data, 34
  - variables, 73
- source code, 73
- Spearman correlations, 136
- Split data set, 310
- splitting columns, 41
- SPSS files, opening, 21, 26
- SQL query, 26
- square, 35
- square root, 35
- stack columns, example, 330
- standardization, 35
- statistical tasks
  - ANOVA, 17, 205
  - canonical correlation, 18, 287
  - correlations, 17, 146
  - descriptive, 17, 135
  - distributions, 17, 142
  - frequency counts, 17, 136
  - hypothesis tests, 17, 157
  - life tables, 18, 298
  - linear regression, 18, 232–233, 237
  - logistic regression, 18, 243
  - multivariate, 18, 279
  - power, 254
  - principal components, 18, 279
  - proportional hazards, 18, 297
  - repeated measures, 327
  - sample size, 18, 254
  - summary statistics, 17, 139
  - survival, 18, 297
  - table analysis, 17
  - types of, 17
- Statistics menu, 13
- styles
  - fifth report, 126
  - first report, 122
  - fourth report, 126
  - second report, 124
  - third report, 125
- submitting code, 58
- subsetting data, 42
- summarizing data, 35
- summary statistics, 17, 135, 139
  - box-and-whisker plots, 140–141
  - classification variables, 139
- survival analysis, 18, 297
  - censored observations, 297, 300

- component lifetimes, 297
- hazards ratio, 306
- life table method, 298, 300, 302
- Mantel-Haenszel test, 306
- plots available, 298
- product limit method, 297–298
- proportional hazards regression, 297, 303, 306
- risk ratio, 306
- SDF, survival distribution function, 297
- survivor function plot, 300, 303
- test for homogeneity, 298, 302
- survival distribution function (SDF), 297
- survivor function plot, 300, 303

**T**

- T distribution plots
  - one-sample *t*-test, 161–162
- table analysis, 17, 179
  - agreement, 198
  - association, 182, 187, 192
  - association in sets of tables, 190
  - chi-square test, 182, 187, 192
  - exact test, 188
  - Mantel-Haenszel statistics, 190
  - measures of association, 190
  - odds ratio, 190
- tables, 38, 121
- tabular reports
  - creating, 121
  - fifth report style, 126
  - first report style, 122
  - fourth report style, 126
  - second report style, 124
  - third report style, 125
- tasks
  - accessing from index, 13
  - accessing from toolbar, 14
  - statistical, 17
- text files, saving, 59
- text, in graphs, 77
- third report style, 125
- three-dimensional bar charts, 87
- tick marks, 106–107
- tilt angle, of scatter plots, 107
- titles

- changing, 78
- toolbar, 14
  - commands, 349
  - customizing, 71, 347
- toolbox, 14
- Tools menu, 13
  - Graph Settings, 74
  - Viewer Settings, 71
- tooltips, 347
- transposing data, 35
- Tukey's studentized range test, 210, 212
- two-dimensional bar charts, 87
- two-dimensional pie charts, 97
- two-sample *t*-test for means, 174
- two-sample test for proportions, 168
- two-sample test for variances, 171

**V**

- variable labels, displaying, 73
- variable names, displaying, 33, 73
- variables
  - adding and removing, 13
  - classification, 36
  - computing, 35
  - continuous, 36
  - converting type, 35
  - display of, 72
  - sorting, 73
- View menu, 13
- Viewer Settings, 71
- viewing code, 57

**W**

- Weights data set, 329
- window layout, 71
- within-subject effects, 327