



APPENDIX

2

Macintosh Platform Examples

Macintosh: TCP/IP Access Method 579

SAS/CONNECT 579

Local Host 579

Remote Host 579

SAS/SHARE 580

Client 580

Server 580

Macintosh: TCP/IP Access Method

CAUTION:

Support for Version 6 only. Beginning with Version 7, the Macintosh is not scheduled to be supported. However, information is included here for Version 6 users. Δ

SAS/CONNECT

Local Host

The following example illustrates the statements that you specify in a Macintosh local host SAS session to connect to a remote host with the TCP/IP access method.

```
filename rlink '!sasroot:misc:tcpos2.scr';
options comamid=tcp remote=rmtnode;
signon;
```

The first line identifies the script file that you use to sign on to a remote host. The script includes a prompt for a userid and a password that are valid on the remote host. The TCP/IP access method is declared with a connection to the remote host RMTNODE. The SIGNON statement performs the sign-on process.

Remote Host

SAS Institute does not provide support for connections to the Macintosh remote host with the TCP/IP access method.

SAS/SHARE

Client

The following example illustrates the statement that you specify in a Macintosh client CONFIG.SAS612 file to configure the server.

```
-set gsbm_server1 5015
```

The following example illustrates the statements that you specify in a Macintosh client SAS session to access a server with the TCP/IP access method:

```
options comamid=tcp;  
libname sasdata 'edc.prog2.sasdata'  
        server=rmthost.share1;
```

The first line declares the TCP/IP access method. The LIBNAME statement specifies the data library that is accessed through the server that is identified by the two-level name RMTHOST.SHARE1.

Server

The following example illustrates the statement that you specify in a Macintosh server CONFIG.SAS612 file to configure the server's service.

```
-set gsbm_server1 5015
```

The following example illustrates the statements that you specify in a SAS session on the Macintosh host at which you start a server:

```
options comamid=tcp;  
proc server id=share1;  
run;
```

The TCP/IP access method is declared and the server SHARE1 is started on the Macintosh host.

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., *Communications Access Methods for SAS/CONNECT and SAS/SHARE Software, Version 8*, Cary, NC: SAS Institute Inc., 1999. pp. 643.

Communications Access Methods for SAS/CONNECT and SAS/SHARE Software, Version 8

Copyright © 1999 by SAS Institute Inc., Cary, NC, USA.

ISBN 1-58025-479-9

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

U.S. Government Restricted Rights Notice. Use, duplication, or disclosure of the software by the government is subject to restrictions as set forth in FAR 52.227-19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

1st printing, September 1999

SAS® and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries.® indicates USA registration.

IBM®, ACF/VTAM®, AIX®, APPN®, MVS/ESA®, OS/®2®, OS/390®, VM/ESA®, and VTAM® are registered trademarks or trademarks of International Business Machines Corporation. ® indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

The Institute is a private company devoted to the support and further development of its software and related services.