

# Index

- A**
- Advanced Program-to-Program Communication  
*See* APPC access method
- ALLOW parameter 50
- APPC access method 4  
 macro variables for 449
- APPC access method, for CMS platform 22  
 SAS/CONNECT tasks 26  
 SAS/SHARE tasks 36  
 client example 37, 576  
 client tasks 36  
 communications directory file for 30  
 contention values 35  
 customizing PROFILE EXEC file 32  
 defining resources for 22  
 defining VTAM gateway 22  
 error messages 527  
 examples 575  
 IBM references for installation and configuration 35  
 local host example 28, 575  
 local host tasks 26  
 logon mode table entries 34, 43  
 remote host example 29, 576  
 remote host tasks 28  
 SAS/CONNECT examples 575  
 SAS/SHARE examples 576  
 security for connecting clients 36, 41  
 server example 39, 576  
 server security 37  
 server tasks 37
- \$SERVER\$\$ NAMES directory for 31
- session limits 35
- setting options at remote host 28
- setting SAS system options 23
- setting security 23
- setting security for local hosts 27
- signing on to remote host 27
- software requirements 22
- specifying APPC access method 27
- specifying APPC access method at client 36
- specifying APPC access method at server 38
- specifying remote host name 27, 28
- specifying server name 37, 39
- system communications directory file 40
- system configuration 29
- system configuration for SAS/SHARE 39
- system requirements 22
- tasks common to SAS/CONNECT and SAS/SHARE software 22
- user communications directory file 42
- VM directory entry 39
- VTAM gateway 42
- APPC access method, for OS/2 platform  
 SAS/CONNECT tasks 197  
 SAS/SHARE tasks 200
- Attach Manager for 207, 212
- authenticating connecting clients 202
- client example 201, 582
- client tasks 200
- communications modes 205
- configuration example 208
- configuring sessions on other workstations 207
- default communication specifications 211
- default communications parameters 205
- defining local control point 204, 208
- defining logical units 204, 208
- defining resources for 192
- error messages 531
- examples 582
- IBM network terminology 193
- identifying output in server output log 197
- local host example 198, 582
- local host tasks 197
- logical link definitions 208
- mode definitions 211
- NOXWAIT option 199
- partner logical unit definitions 209
- partner logical unit location definitions 210
- references for 212
- remote host example 200, 582
- remote host tasks 199
- SAS/CONNECT examples 582
- SAS/SHARE examples 582
- SASRMT transaction program 206, 211
- SASTP62 transaction program 206, 211
- security configuration 206
- security for connecting clients 200
- server example 203, 583
- server security 202
- server tasks 202
- setting options at remote host 199
- setting options in SAS 193
- signing on to remote host 198
- software requirements 192
- specifying APPC access method at client 200
- specifying APPC access method at host 197
- specifying APPC access method at server 202
- specifying communications mode 196
- specifying LU name 196
- specifying LU on MVS host 196
- specifying remote host name 197, 199
- specifying server name 201, 203
- syntax checking 199
- system configuration for 204
- system requirements 192
- tasks common to SAS/CONNECT and SAS/SHARE 192
- terminal associated with remote session 199
- variables for 196
- verifying userids and passwords 195
- APPC access method, for OS/390 platform 84  
 SAS/CONNECT tasks 89  
 SAS/SHARE tasks 98  
 APPCSEC option 87  
 class name for SASRMT transaction program 97  
 client example 99, 590  
 client LU pool 104  
 client tasks 98  
 configuring SAS/SHARE server 102  
 configuring OS/390 remote host 95  
 defining resources 84  
 error messages 543  
 examples 589  
 local host example 91, 589  
 local host tasks 89  
 logon mode table entries 94  
 LU pool, defining 93  
 LU, defining and activating 97  
 LU, defining for server 102  
 LU62MODE option 88  
 LUFIRST option 88  
 LULAST option 88  
 LUNAME option 89  
 LUPPOOL option 89  
 LUPREFIX option 88  
 MVS host as remote host 91  
 NO\$SYNTAXCHECK option 92  
 NOTERMINAL option 92  
 references for 97, 104  
 remote host example 92, 590  
 remote host name 90, 91  
 SAS/CONNECT examples 589  
 SAS/SHARE examples 590  
 SAS SVC routine, installing 100  
 security 85

- security for connecting clients 98
- server as cross-domain resource 103
- server example 102, 590
- server name 99, 101
- server security 100
- server tasks 100
- setting options at remote host 92
- setting SAS options 85
- signing on to remote host 91
- software requirements 84
- specifying 98, 100
- specifying access method 90
- system configuration for SAS/CONNECT 93
- system configuration for SAS/SHARE 102
- system requirements 84
- tasks common to SAS/CONNECT and SAS/SHARE 84
- terminology 84
- transaction program profile 96
- VSAM transaction program profile data set 95
- APPC access method, for UNIX platform 266
  - SAS/CONNECT tasks 271
  - SAS/SHARE tasks 274
  - AIX system requirements 266
  - AIX, configuring communications environment for 277
  - APPCGATE variable 270
  - APPCLU variable 270
  - APPCMODE variable 271
  - APPCNET variable 271
  - APPCSEC variable 269
  - APPC\_LU variable 270
  - APPC\_MODE variable 271
  - APPC\_NET variable 271
  - APPC\_PARTNER\_COUNT variable 271
  - APPC\_SURROGATE\_LUNAME variable 271
  - APP\_GATEWAY variable 270
  - APP\_SECURE variable 269
  - client example 276, 596
  - client tasks 274
  - configuring 267
  - daemons, appropriateness of 287
  - error messages 553
  - examples 595
  - gateways, adding to network 287
  - HP-UX system requirements 266
  - HP-UX, configuring communications environment for 280
  - link components, installing and configuring 287
  - local host example 273, 595
  - local host tasks 271
  - remote host example 274, 596
  - remote host name, specifying 272
  - remote host, signing on to 273
  - SAS/CONNECT examples 595
  - SAS/SHARE examples 596
  - security 268
  - security, for connecting clients 274
  - server example 276, 596
  - server name, specifying 275
  - SNAPLUSAPI, configuring 281
  - SNAPLUSLINK, configuring 280
  - software requirements 266
  - Solaris system requirements 266
  - Solaris, configuring communications environment for 286
  - specifying 271, 274
  - system configuration for APPC communications environment 276
  - system requirements 266
  - tasks common to SAS/CONNECT and SAS/SHARE 266
  - terminology 267
  - variables, setting in SAS 267
- APPC access method, for VSE platform 318
  - SAS/CONNECT tasks 320
  - SAS/SHARE tasks 323
  - APPCAPPL option 320
  - APPCLOGM option 320
  - APPL definition for configuring VSE environment 326
  - APPSEC option 319
  - client example 324, 604
  - client tasks 323
  - error messages 559
  - examples 603
  - local host example 321, 603
  - local host tasks 320
  - logon mode table entries 327
  - NO\$SYNTAXCHECK option 322
  - NOTERMINAL option 322
  - references for 328
  - remote host example 323, 603
  - remote host name 320, 322
  - remote host task 322
  - resources for 318
  - SAS/CONNECT examples 603
  - SAS/SHARE examples 604
  - server example 326, 604
  - server name 324, 325
  - server security 325
  - server tasks 325
  - server userid and password 323
  - setting SAS options 318
  - signing on to remote host 321
  - software requirements 318
  - specifying access method at client 323
  - specifying access method at local host 320
  - specifying access method at server 325
  - specifying options at remote host 322
  - syntax checking 322
  - system configuration 326
  - system requirements 318
  - tasks common to SAS/CONNECT and SAS/SHARE 318
  - terminal associated with remote session 322
- APPC access method, for Windows platform 332
  - SAS/CONNECT tasks 338
  - SAS/SHARE tasks 341
  - APPC\_DEPLU variable 337
  - APPC\_LU62MODE option 337
  - APPC\_LUNAME option 337
  - APPC\_PARTNER\_COUNT option 337
  - APPC\_SURROGATE\_LUNAME variable 337
  - APPC\_USER variable 337
  - client example 343, 607
  - client tasks 341
  - communications mode properties, defining 348
  - error messages 561
  - examples 606
  - local host example 339, 606
  - local host tasks 338
  - logical units, configuring 348
  - LU-LU pairs, defining 348
  - NO\$SYNTAXCHECK option 340
  - NOTERMINAL option 340
  - NOXWAIT option 340
  - options, setting at remote host 340
  - remote host example 341, 606
  - remote host name, specifying 338, 340
  - remote host tasks 340
  - remote host, signing on to 339
  - SAS/CONNECT examples 606
  - SAS options, setting 333
  - SAS/SHARE examples 607
  - security 334
  - security, configuring APPC conversation security 343
  - security, for connecting clients 341
  - server example 345, 607
  - server name, specifying 342, 344
  - server tasks 343
  - SNA client, configuring 349
  - SNA Server Gateway, configuring 333, 346
  - SNA server terminology 333
  - SNA server, configuring 347
  - SNA server, installing 347
  - software requirements 332
  - specifying 338, 342
  - specifying, at server 344
  - system requirements 332
  - tasks common to SAS/CONNECT and SAS/SHARE 332
  - variables, for SAS/CONNECT 337
  - variables, for SAS/SHARE 337
- APPCPASS statement 26
  - specifying in user's VM directory 42
- APPCSEC system option 25
- APPC\_LU62MODE variable 196
- APPC\_LUNAME variable 196
- APPC\_SECURE variable 195
- APPC\_SURROGATE\_LUNAME variable 196
- APPC\_USER variable 197
- APPL statements 32
- AUTHENCR variable 56, 64, 174

- authentication program 495
  - compiling 496
  - examples 496
  - password information, obtaining 496
  - permissions, changing on executable file 497
  - storing 496
  - testing 497
  - userid and password pairs, verifying 495
  - writing 496
- B**
- BYPASS privilege 165
- C**
- client 7
- client identification
  - APPC access method for CMS 23
  - APPC access method for OS/2 194
  - APPC access method for OS/390 85
  - APPC access method for UNIX 268
  - APPC access method for Windows 334
  - DECnet access method for OpenVMS 156
  - DECnet access method for Windows 367
  - NetBIOS and MNetBIOS access methods for OS/2 222
  - TCP/IP access method for CMS 53, 54
  - TCP/IP access method for OpenVMS 171
  - TCP/IP access method for OS/2 245
  - TCP/IP access method for UNIX 295
  - TCP/IP access method for Windows 418
- CMS platform 52
  - See also* APPC access method, for CMS platform
  - See also* IUCV access method, for CMS platform
  - See also* TCP/IP access method, for CMS platform
  - options summary 487
  - variables summary 487
- CNOS command 35
- COMAMID option 36, 38, 46, 47, 58, 61, 64, 163, 166, 177, 180, 182
- COMAUX options 36, 38, 46, 48, 61, 64, 163, 166, 180, 183
- Common Programming Interface for Communications
  - See* CPIC access method
- communications access methods 3
  - program-to-program communications 4
  - supported methods by platform 7
  - terminal-based communications 5
  - types of 4
- CONFIG.SAS file 73
  - TCP/IP access method for Macintosh 76, 79
- CONFIG.SAS6xx file 71
- configuration files
  - naming conventions for 129
- connections
  - connecting hosts with protocol gateway service 7
  - connecting SAS sessions with SAS/CONNECT and SAS/SHARE software 6
  - worksheet for 12
- CPIC access method 4
- CPIC access method, for Windows 32s
  - error messages 563
- CPIC access method, for Windows platform 353
  - SAS/CONNECT tasks 359
  - connections, configuring 362
  - CPIC 2.0 requirements 358
  - CPIC properties, configuring 363
  - CPIC\_CONFORMANCE option 357
  - CPIC\_LU62MODE option 356
  - CPIC\_NET option 357
  - CPIC\_PARTNER\_COUNT option 357
  - CPIC\_SECURE option 356
  - CPIC\_SURROGATE\_LUNAME option 358
  - examples 607
  - local host example 361, 607
  - local host tasks 359
  - logical units, configuring 362, 363
  - modes, configuring 362, 363
  - network properties, configuring 362
  - remote host example 361, 608
  - remote host, signing on to 360
  - remote node name, specifying 360
  - SAS/CONNECT examples 607
  - SAS options, setting 355
  - SNA server terminology 354
  - SNA subsystem, configuring 354
  - software requirements 354
  - specifying 359
  - system requirements 354
  - tasks common to SAS/CONNECT and SAS/SHARE 354
  - Wall Data APPC engine, configuring 361
- Cross-Memory Services
  - See* XMS access method
- D**
- DECnet access method 4
- DECnet access method, for Open VMS platform
  - server example 166
- DECnet access method, for OpenVMS platform 155
  - SAS/CONNECT tasks 158
  - SAS/SHARE tasks 162
  - assigning privileged accounts to server 165
  - client example 165, 600
  - client tasks 162
  - error messages 549
  - examples 599
  - local host example 161, 599
  - local host tasks 158
  - proxy access 159
  - remote host example 162, 600
  - remote host tasks 161
  - SAS/CONNECT examples 599
  - SAS/SHARE examples 600
  - SAS\$CONN.COM command file for signing on 161
  - security for 165
  - security for SAS/SHARE server 158
  - security for connecting clients 163
  - server example 600
  - server tasks 165
  - setting options at remote host 162
  - setting variables in SAS 156
  - signing on to remote host 160
  - software requirements 156
  - specifying DECnet access method at client 163
  - specifying DECnet access method at host 159
  - specifying DECnet access method at server 166
  - specifying remote host name 159
  - specifying server name 164, 166
  - system requirements 156
  - tasks common to SAS/CONNECT and SAS/SHARE 155
- DECnet access method, for Windows platform 365
  - SAS/CONNECT tasks 369
  - SAS/SHARE tasks 375
  - client example 377, 609
  - client tasks 375
  - error messages 565
  - examples 608
  - local host example 373, 608
  - local host tasks 369
  - network drive restrictions, for Windows NT 373
  - NO\$SYNTAXCHECK option 374
  - NOTERMINAL option 374
  - NOXWAIT option 374
  - options, setting at remote host 373
  - remote host example 374, 608
  - remote host name, specifying 371
  - remote host tasks 373
  - remote host, signing on to 372
  - rights, assigning for a secure server 377
  - rights, assigning for connecting clients 375
  - SAS/CONNECT examples 608
  - SAS options, setting 366
  - SAS/SHARE examples 609
  - SASSECUR option 368
  - security 367
  - security, for Windows 32s 370
  - security, for Windows NT 370
  - security, setting DECnet access method security 378
  - security, setting for connecting clients 375
  - server example 379, 609
  - server name, specifying 376, 379

server tasks 377  
 software requirements 366  
 specifying 371, 375  
 specifying, at server 378  
 system requirements 366  
 tasks common to SAS/CONNECT and SAS/SHARE 366

Digital Equipment Corporation networking architecture  
*See* DECnet access method

DOMAIN server  
 SAS/CONNECT tasks 447, 451  
 SAS/SHARE tasks 447  
 client tasks 447  
 configuring 445  
 configuring in SERVICES file 445  
 examples 453  
 for cross-access method communication 443  
 local host tasks 447  
 local host tasks, SAS/CONNECT only 451  
 protocol gateway service 7  
 putting sign-on scripts on 451  
 remote node name 451  
 security 451  
 server name at client 452  
 setting SAS macro variables 447  
 signing on to remote host 451  
 specifying inbound access method 450  
 specifying outbound access method 446  
 starting 445  
 supported access methods 445  
 system requirements 445  
 tasks performed at 445

**E**

EHELLAPI access method 6  
 EHELLAPI access method, for OS/2 platform 213  
 SAS/CONNECT tasks 213  
 assigning DLL name to VQDLLNAME option 214  
 error messages 537  
 examples 583  
 identifying DLL modules 215  
 local host example 216, 583  
 local host tasks 214  
 remote host example 217, 583  
 SAS/CONNECT examples 583  
 script file for signing on and off 216  
 setting options in SAS 214  
 signing on to remote host 216  
 software requirements 213  
 specifying EHELLAPI access method 215  
 specifying remote host name 215  
 system requirements 213  
 VQDLLNAME variable 214

EHELLAPI access method, for Windows platform 381  
 SAS/CONNECT tasks 381

DLL modules, identifying 383  
 DLL modules, Windows 32s 384  
 DLL modules, Windows 95 383  
 DLL modules, Windows NT 383  
 error messages 567  
 examples 609  
 local host example 386, 609  
 local host tasks 383  
 remote host example 386, 610  
 remote host name, specifying 385  
 remote host, signing on to 386  
 SAS/CONNECT examples 609  
 SAS options, setting 382  
 scripts for signing on and off 385  
 software requirements 382  
 specifying 384  
 system requirements 382  
 VQDLLNAME variable 383  
 Windows 32s requirements 382  
 Windows 95 requirements 382  
 Windows NT requirements 382

encryption 56  
 error messages 13  
 APPC access method for CMS 527  
 APPC access method for OS/2 531  
 APPC access method for OS/390 543  
 APPC access method for UNIX 553  
 APPC access method for VSE 559  
 APPC access method for Windows 561  
 CPIC access method for Windows 32s 563  
 DECnet access method for OpenVMS 549  
 DECnet access method for Windows 565  
 EHELLAPI access method for OS/2 537  
 EHELLAPI access method for Windows 567  
 IUCV access method for CMS 528  
 NetBIOS access method for OS/2 538  
 NetBIOS access method for Windows 568  
 SPC access method for OS/2 540  
 SPX access method for Windows 569  
 TCP/IP access method for CMS 528  
 TCP/IP access method for OpenVMS 551  
 TCP/IP access method for OS/2 541  
 TCP/IP access method for OS/390 545  
 TCP/IP access method for UNIX 556  
 TCP/IP access method for Windows 571  
 TELNET access method for OpenVMS 551  
 TELNET access method for OS/2 541  
 TELNET access method for OS/390 545  
 TELNET access method for UNIX 556  
 TELNET access method for Windows 571  
 VTAM LU 0 access method for OS/390 547  
 XMS access method for OS/390 547

ETC high-level qualifier 130  
 examples 13  
 Extended High-Level Language Applications Programming Interface  
*See* EHELLAPI access method

**G**

GRPPRV privilege 165

**H**

HLLAPI access method 6  
 hosts  
   connecting hosts with protocol gateway service 7  
   local host 7  
   remote host 7  
 HOSTS file 128, 176, 186  
   search order for 128

**I**

IBM TCP/IP network configuration files 126  
 Inter-User Communications Vehicle  
   *See* IUCV access method  
 Interlink TCP/IP network configuration files 126  
 Internetwork Packet Exchange (IPX) packets 5  
 IPX (Internetwork Packet Exchange) packets 5  
 IUCV access method 5  
 IUCV access method, for CMS platform 45  
   client example 47, 576  
   client tasks 46  
   defining resources for 45  
   error messages 528  
   examples 576  
   for SAS/SHARE 45  
   maximum connections 49  
   SAS/SHARE examples 576  
   server example 48, 577  
   server tasks 47  
   software requirements 45  
   specifying IUCV access method at client 46  
   specifying IUCV access method at server 47  
   specifying server name 47, 48  
   system configuration for SAS/SHARE 49  
   system requirements 45  
   VM directory entry 49  
   VM directory entry for the server 49

**L**

LIBNAME statement  
   specifying server name 37, 47, 62, 164, 180  
 local host 7  
 local LU 193  
 LOGCMS.SCR script 513  
 logon mode table entries 34, 43  
 LU (logical unit) 84, 193  
   specifying name of 196  
 LU 0 protocol 5  
 LU 6.2 protocol 4  
 LU alias 193

LU pool 85

## M

Macintosh platform

*See also* TCP/IP access method, for Macintosh platform

options summary 488

variables summary 488

MAXCONN value 49

MNetBIOS access method, for OS/2 platform

*See* NetBIOS and MNetBIOS access methods, for OS/2 platform

MSGLIMIT parameter 50

MVS platform

*See also* APPC access method, for OS/390 platform

*See* TCP/IP access method, for OS/390 platform

## N

name server 176, 186

NetBIOS access method 4

macro variables for 449

NetBIOS access method, for OS/2 platform

client example 584

error messages 538

examples 583

local host example 583

remote host example 584

SAS/CONNECT examples 583

SAS/SHARE examples 584

server example 584

NetBIOS access method, for Windows platform 388

SAS/CONNECT tasks 394

SAS/SHARE tasks 397

client example 399

client tasks 397

error messages 568

local host example 395

local host tasks 394

NO\$SYNTAXCHECK option 396

NOTERMINAL option 396

NOXWAIT option 396

options, setting at remote host 396

remote host example 397

remote host name, specifying 394

remote host tasks 396

remote host userid and password, setting 394

remote host, signing on to 395

rights, for connecting clients 397

rights, for secure server 400

SAS options, setting 388

SASPASS option 223, 391

SASSECUR= option 391

SASUSER option 223, 391

security 389

security, setting for NetBIOS access method 400

security, setting userids and passwords for connecting clients 398

server example 401

server name, specifying 399, 401

server tasks 400

software requirements 388

spawner program, starting 396

specifying 394, 398

specifying, at server 400

system requirements 388

tasks common to SAS/CONNECT and SAS/SHARE 388

VQADAPTR option 393

VQCAMLEN option 393

VQMCONVS option 393

VQMLINKS option 392

VQPPNAME option 393

Windows 32s requirements 388

Windows 95 requirements 388

Windows NT requirements 388

NetBIOS access method, Windows platform

client example 611

examples 610

local host example 610

remote host example 610

SAS/CONNECT examples 610

SAS/SHARE examples 611

server example 611

NetBIOS and MNetBIOS access methods, for

OS/2 platform 219

SAS/CONNECT tasks 224

SAS/SHARE tasks 228

access method buffer 222

client example 229

client tasks 228

exiting OS/2 shell 227

local host example 226

local host tasks 224

NO\$SYNTAXCHECK option 226

NOTERMINAL option 227

NOXWAIT option 227

packet length 222

remote host example 227

remote host tasks 226

remote host userid and password 224

security 222

server example 230

server tasks 229

setting options at remote host 226

setting options in SAS 220

signing on to remote host 225

software requirements 220

specifying access method at client 228

specifying access method at host 224

specifying access method at server 229

specifying network adapter 221

specifying network name 222, 225

specifying number of active links 221

specifying number of conversations 222

specifying server name 228, 230

starting PC spawner program 226

syntax checking 226

system requirements 220

tasks common to SAS/CONNECT and SAS/SHARE

terminal associated with remote session 227

VQADAPTR option 221

VQCAMLEN option 222

VQMCONVS option 222

VQMLINKS option 221

VQNETNAME option 222

Network Basic Input/Output System

*See* NetBIOS access method

network configuration files

function of 126

naming conventions for 129

search order for locating 127

NO\$SYNTAXCHECK option 29, 162

APPC access method for OS/2 199

NOTERMINAL option 29, 162

APPC access method for OS/2 199

NOXWAIT option

APPC access method, for OS/2 platform 199

## O

OpenVMS Alpha spawner program

*See* spawner program, OpenVMS Alpha

OpenVMS platform

*See also* DECnet access method, for OpenVMS platform

*See also* SPX access method, for Windows platform

*See also* TCP/IP access method, for OpenVMS platform

options summary 490

variables summary 490

OPTIONS statement

specifying COMAUX options 166

options summary 487

CMS platform 487

Macintosh platform 488

OpenVMS platform 490

OS/2 platform 488

OS/390 platform 489

UNIX platform 491

VSE platform 492

Windows platform 493

OS/2 platform

*See also* EHLLAPI access method, for OS/2 platform

*See also* NetBIOS and MNetBIOS access methods, for OS/2 platform

*See also* SPX access method, for OS/2 platform

*See also* SPX access method, for Windows platform

*See also* TCP/IP access method, for OS/2 platform

*See also* TELNET access method, for OS/2 platform

options summary 488

variables summary 488

OS/390 platform

*See also* VTAM LU 0 access method, for OS/390 platform

*See also* XMS access method, for OS/390 platform

options summary 489

variables summary 489

OS/390 spawner program

*See* spawner program, OS/390

## P

passwords

encryption of 56

prompting user for 25

prompting users for 55

PC spawner program

*See* spawner program, PC

permission program 499

building 500

clients, access to SAS libraries or files 499

examples 500

testing 500

PORTFIRST variable 55, 174

PORTLAST variable 55, 174

PRIORITY parameter 50

PROC DOMAIN statement 445

PROC OPERATE statement

specifying server name 37, 47, 62, 164, 180

PROC SERVER command

specifying server name 164, 166

PROC SERVER statement 39, 48

specifying server name 65, 180

program-to-program communications 4

protocol gateway service 7

## R

remote host 7

script files for signing on and off 13

remote LU 193

REMOTE= option 177, 187, 59, 197

APPC access method for MVS 90

REMOTE= system option 30

requestor windows 29, 162

RESOLV.CONF file 129

search order for 129

resources, defining

APPC access method for CMS platform 22

APPC access method for OS/2 192

IUCV access method for CMS platform 45

TCP/IP access method for CMS 52

RLINK fileref 27, 160

## S

SAS/C Transient Library 124

error output, redirecting with SASCTCPE  
DDname 130

installing 125

reference for 131

search order for locating host names and Internet addresses 127

SAS/CONNECT software

available connections for 7

examples 13

making connections with 6

program-to-program methods supported by 4

script files for 13

terminal-based methods supported by 6

worksheet example 12

SAS sessions

connecting 6

connecting sessions without a common access method 7

SAS/SHARE software

available connections for 7, 8

examples 13

making connections with 6

program-to-program methods supported by 4, 5

worksheet example 13

SAS system options

APPCSEC 25

REMOTE= 30

setting , for APPC access method on CMS platform 23

SASSECUR macro 165

SASSECUR variable 158, 163, 165

SASTCPD command 459, 479

SCOMDIR NAMES file 26, 30, 40

script files 13, 56

*See also* spawner programs

signing on to remote host 27

TCP/IP access method for Macintosh 74

script files, for sign-on 505

LOGCMS.SCR script 506, 513

rules for writing statements 505

sample scripts 506

syntax 505

TCPMVS.SCR script 506, 520

TCPUNIX.SCR script 506, 508

TCPWIN.SCR script 506, 517

TSO.SCR script 506, 507

security

APPC access method for OS/2 194

APPC access method for OS/390 85

APPC access method for UNIX 268

APPC access method for Windows 334

DECnet access method for OpenVMS 156

DECnet access method for Windows 367

for APPC access method on CMS platform 23  
for TCP/IP access method on CMS platform 53

NetBIOS access method for Windows 389

NetBIOS and MNetBIOS access methods for OS/2 222

TCP/IP access method for OpenVMS 171

TCP/IP access method for OS/2 245

TCP/IP access method for UNIX 295

TCP/IP access method for Windows 418

Sequenced Packet Exchange

*See* SPX access method

server 7

servers

two-level server name 62, 164, 181

SERVICES file 128

configuring 485

configuring UNIX spawner service in 57

search order for 128

SERVNODE variable 181

SET command 32

sign-on script files

*See* script files, for sign-on

SIGNOFF command 27

SIGNOFF statement 27

SIGNON command 27

SIGNON statement 27, 60, 160, 178, 198

SNA networks 22

software requirements

APPC access method for CMS platform 22

APPC access method for MVS 84

APPC access method for OS/2 192

APPC access method for UNIX 266

APPC access method for VSE 318

APPC access method for Windows 332

CPIC access method for Windows 354

DECnet access method for Windows 366

DECnet access method, for OpenVMS 156

EHLAPI access method for OS/2 213

EHLAPI access method for Windows 382

host names, configuring 438

Internet addresses, configuring 438

IUCV access method for CMS platform 45

local host example 440

local host tasks 438

NetBIOS access method for Windows 388

NetBIOS and MNetBIOS access methods for OS/2 220

remote host example 440

remote host, signing on to 440

remote node name, specifying 439

script files for signing on and off 439

specifying 438

SPX access method for OS/2 234

SPX access method for Windows 404

TCP/IP access method for CMS 52

TCP/IP access method for Macintosh 70

TCP/IP access method for MVS 108

TCP/IP access method for OpenVMS 170

TCP/IP access method for OS/2 244

- TCP/IP access method for UNIX 294
- TCP/IP access method for Windows 416
- TELNET access method for OpenVMS 185
- TELNET access method for OS/2 259
- TELNET access method for UNIX 311
- TELNET access method for Windows 437
- VTAM LU 0 access method for OS/390 134
- XMS access method for OS/390 145
- SPAWNER command 471
- spawner program, OpenVMS Alpha 459
  - as background process 460
  - clients using scripts 462
  - clients with encryption 461
  - ending 463
  - examples 462
  - parameters list, printing 460
  - root privileges, running without 462
  - service for incoming results 460
  - shell, creating 462
  - signing on without a script 462
  - starting 459
- spawner program, OS/390 465
  - clients not supporting encryption 467
  - configuration parameters 465
  - encryption 466
  - encryption algorithm 466
  - encryption key length 467
  - ending 469
  - examples 468
  - hosts using scripts 467
  - inheritance 466
  - Message Authentication Codes (MACs) 467
  - service for incoming requests 468
  - sign-ons without a script 468
  - starting 465
- spawner program, PC 471
  - access method, specifying 472
  - adapter number 471
  - alternate port specification 477
  - driver specification 472
  - encryption 461, 474
  - encryption algorithm 460, 474
  - encryption key length 461, 475
  - encryption, users not supporting 476
  - ending 477
  - examples 477
  - executing SAS.EXE file 472
  - inheritance 473
  - installing as Windows NT service 474
  - Message Authentication Codes (MACs) 461, 475
  - network name specification 475
  - parameters list, printing 473
  - prompting for file name 473
  - removing spawner service 472
  - sign-ons with a script 476
  - starting 471
  - validation, database location for 472
  - Windows NT security subsystem 476
- spawner program, UNIX 479
  - as background process 480
  - clients not supporting encryption 481
  - clients using scripts 481
  - encryption 480
  - encryption algorithm 480
  - encryption algorithm, location of 482
  - encryption key length 481
  - ending 483
  - examples 482
  - inheritance 480
  - Message Authentication Codes (MACs) 481
  - parameters list, printing 480
  - root privileges, running without 482
  - service for incoming requests 482
  - shell, creating 482
  - sign-ons without a script 482
  - starting 479
- spawner programs 457
  - remote host connections, TCP/IP for OpenVMS 176
  - TCP/IP access method for Macintosh 73
- SPC access method, for Windows platform
  - software requirements 404
  - system requirements 404
  - tasks common to SAS/CONNECT and SAS/SHARE 404
- SPX access method 5
  - macro variables for 449
- SPX access method, for OS/2 platform 234
  - SAS/CONNECT tasks 235
  - SAS/SHARE tasks 239
  - buffer size 235
  - client example 240, 585
  - client tasks 239
  - error messages 540
  - examples 585
  - exiting DOS shell 238
  - local host example 237, 585
  - local host tasks 235
  - NO\$SYNTAXCHECK option 238
  - NOTERMINAL option 238
  - NOXWAIT option 238
  - remote host example 238, 585
  - remote host name 236
  - remote host tasks 237
  - remote host userid and password 236
  - SAS/CONNECT examples 585
  - SAS/SHARE examples 585
  - server example 241, 586
  - server tasks 240
  - setting options at remote host 238
  - setting options in SAS 234
  - signing on to remote host 236
  - software requirements 234
  - specifying access method at client 239
  - specifying access method at local host 236
  - specifying access method at server 240
  - specifying server name 239, 241
  - SPXMSGSIZE option 235
  - starting PC spawner program 237
  - syntax checking 238
  - system requirements 234
  - tasks common to SAS/CONNECT and SAS/SHARE 234
  - terminal associated with remote session 238
- SPX access method, for Windows platform 403
  - SAS/CONNECT tasks 407
  - SAS/SHARE tasks 410
  - client example 412, 612
  - client tasks 410
  - error messages 569
  - examples 611
  - local host example 408, 611
  - local host tasks 407
  - NO\$SYNTAXCHECK option 409
  - NOTERMINAL option 409
  - NOXWAIT option 409
  - options, setting at remote host 409
  - passwords, setting for connecting clients 411
  - remote host example 409, 612
  - remote host name, signing on to 408
  - remote host name, specifying 407
  - remote host tasks 408
  - remote host userid and password, setting 407
  - rights, for connecting clients 410
  - rights, for secure server 412
  - SAS/CONNECT examples 611
  - SAS options, setting 404
  - SAS/SHARE examples 612
  - SASPASS option 405
  - SASSECUR option 406
  - SASUSER option 405
  - security, setting for access method 412
  - server example 414, 612
  - server name, specifying 411, 413
  - server tasks 412
  - spawner program, starting 409
  - specifying 407, 411
  - specifying, at server 413
  - SPXMSGSIZE option 405
  - userid, setting for connecting clients 411
  - Windows 95 requirements 404
  - Windows NT requirements 404
- syntax checking 29, 162
- SYSPRV privilege 165
- system communications directory file 40
- system requirements
  - APPC access method for CMS platform 22
  - APPC access method for MVS 84
  - APPC access method for OS/2 192
  - APPC access method for UNIX 266
  - APPC access method for VSE 318
  - APPC access method for Windows 332
  - CPIC access method for Windows 354
  - DECnet access method for Windows 366
  - DECnet access method, for OpenVMS 156
  - DOMAIN server 445
  - EHLAPI access method for OS/2 213
  - EHLAPI access method for Windows 382
  - IUCV access method for CMS platform 45
  - NetBIOS access method for Windows 388

- NetBIOS and MNetBIOS access methods for OS/2 220
  - SPX access method for OS/2 234
  - SPX access method for Windows 404
  - TCP/IP access method for CMS 52
  - TCP/IP access method for Macintosh 70
  - TCP/IP access method for MVS 108
  - TCP/IP access method for OpenVMS 170
  - TCP/IP access method for OS/2 244
  - TCP/IP access method for UNIX 294
  - TCP/IP access method for Windows 416
  - TELNET access method for OpenVMS 185
  - TELNET access method for OS/2 259
  - TELNET access method for UNIX 311
  - TELNET access method for Windows 437
  - VTAM LU 0 access method for OS/390 134
  - XMS access method for OS/390 145
- T**
- TCP/IP access method 5
    - macro variables for 448
  - TCP/IP access method, for CMS platform 52
    - SAS/CONNECT tasks 57
    - SAS/SHARE tasks 61
      - client example 63, 578
      - client tasks 61
    - configuring server in SERVICES file 61, 63
    - configuring UNIX spawner service in SERVICES file 57
    - defining resources 52
    - defining TCP/IP server host 66
    - encryption of server userids and passwords 64
    - error messages 528
    - examples 577
    - full-screen 3270 TELNET protocol 56
    - local host example 60, 577
    - local host tasks 57
    - ports 55
    - remote host connections 57
    - remote host example 578
    - remote host tasks 60
    - SAS/CONNECT examples 577
    - SAS/SHARE examples 578
    - script file for signing on and off 59
    - security 53
    - security for connecting clients 61
    - server example 65, 578
    - server security 63
    - server tasks 63
    - SERVICES file 61, 63
    - setting security for local hosts 58
    - setting TCPSEC variable 58
    - setting variables in SAS 52
    - signing on to remote host 60
    - software requirements 52
    - spawner programs for connections 57
    - specifying remote node name 58
    - specifying server name 62, 65
      - specifying TCP/IP access method at client 61
      - specifying TCP/IP access method at server 64
      - specifying TCP/IP access method for SAS/CONNECT 58
      - system configuration 65
      - system requirements 52
      - tasks common to SAS/CONNECT and SAS/SHARE 52
  - TCP/IP access method, for Macintosh platform 70
    - SAS/CONNECT tasks 72
    - SAS/SHARE tasks 76
      - client example 77, 580
      - client tasks 76
    - configuring services in CONFIG.SAS6xx file 71
    - examples 579
      - local host example 75, 579
      - local host tasks 72
    - remote host example 75, 579
    - remote host sign-on 72, 75
    - remote node name, specifying 73
    - SAS/CONNECT examples 579
    - SAS options, setting 70
    - SAS/SHARE examples 580
    - script files 74
    - server example 79, 580
    - server name, specifying 76, 78, 79
    - server tasks 77
    - server, configuring in CONFIG.SAS file 76, 79
      - software requirements 70
      - specifying 73
      - specifying at client 76
      - specifying at server 78
      - system requirements 70
    - tasks common to SAS/CONNECT and SAS/SHARE 70
    - TCPSEC option 71
    - TCPSEC variable, setting 73
    - UNIX spawner, configuring in CONFIG.SAS file 73
  - TCP/IP access method, for OpenVMS platform 170
    - SAS/CONNECT tasks 175
    - SAS/SHARE tasks 179
      - client example 181
      - client tasks 179
    - configuring host names and Internet addresses 176
    - configuring server in SERVICES file 179
    - configuring server service in SERVICES file 182
    - configuring UNIX spawner service in SERVICES file 176
    - encrypted userids and passwords 174, 182
    - error messages 551
    - full-screen 3270 telnet protocol 174
    - local host example 179
    - local host tasks 175
      - on AXP 170
      - on VAX 170
    - ports 174
    - remote host connections 176
    - remote host example 179
    - script file for signing off and on 178
    - security for connecting clients 180
    - server example 183
    - server security 182
    - server tasks 182
    - setting TCPSEC variable at local host 176
    - setting variables in SAS 170
    - signing on to remote host 178
    - software requirements 170
    - specifying remote node name 177
    - specifying server name 180, 183
    - specifying TCP/IP access method at client 180
      - specifying TCP/IP access method at host 177
      - specifying TCP/IP access method at server 182
    - system requirements 170
    - tasks common to SAS/CONNECT and SAS/SHARE 170
    - userids and passwords with spawner programs 173
  - TCP/IP access method, for OpenVSM platform
    - client example 601
    - examples 600
      - local host example 600
      - remote host example 601
    - SAS/CONNECT examples 600
    - SAS/SHARE examples 601
    - server example 601
  - TCP/IP access method, for OS/2 platform 244
    - SAS/CONNECT tasks 249
    - SAS/SHARE tasks 254
      - client example 255, 586
      - client tasks 254
    - configuring server in SERVICES file 254
    - configuring server service in SERVICES file 256
    - configuring UNIX spawner service in SERVICES file 249
    - error messages 541
    - examples 586
      - host names and Internet addresses 250
      - local host example 253, 586
      - local host tasks 249
    - PORTFIRST option 247
    - PORTLAST option 247
    - ports 247
    - remote host connection considerations 249
    - remote host example 253, 586
    - remote host tasks 253
    - remote node name 250
    - SAS/CONNECT examples 586
    - SAS/SHARE examples 586
    - script file for signing on and off 251
    - script file for signing on to remote host 249



- security 245
- security, for connecting clients 254
- security, for server 256
- server example 257, 587
- server security 256
- server tasks 256
- setting options in SAS 244
- setting TCPSEC option at local host 249
- signing on to remote host 252
- software requirements 244
- spawner program with 249
- specifying access method at client 254
- specifying access method at local host 250
- specifying access method at server 256
- specifying server name 255, 257
- starting PC spawner program 253
- system requirements 244
- tasks common to SAS/CONNECT and SAS/SHARE 244
- TCPSEC option 247
- TCPTN3270 variable 248
- TCP/IP access method, for OS/390 platform 108
  - SAS/CONNECT tasks 115
  - SAS/SHARE tasks 120
  - AUTHENCR option 114
  - client example 121, 591
  - client tasks 120
  - configuring server in SERVICES file 122
  - configuring UNIX spawner service in SERVICES file 116
  - error messages 545
  - examples 591
  - ICSRSLV option 112
  - local host example 118, 591
  - local host tasks 115
  - logon procedure, installing on remote host 119
  - name resolution 109
  - name resolver 109
  - name server 109
  - PORTFIRST option 113
  - PORTLAST option 113
  - remote host connections 115
  - remote host example 119, 591
  - remote host tasks 118
  - remote node name 116
  - resources, defining 109
  - SAS/CONNECT examples 591
  - SAS/SHARE examples 591
  - SAS SVC routine, installing 122
  - SAS system options, setting 109
  - script file for signing on and off 117
  - server example 124, 592
  - server name 121, 124
  - server security 123
  - server tasks 122
  - server userid and password 120
  - server userid and password encryption 123
  - setting security at local host 116
  - signing on to remote host 118
  - software requirements 108
  - specifying 116
  - specifying at server 120, 123
  - system configuration for 124
  - system requirements 108
  - tasks common to SAS/CONNECT and SAS/SHARE 108
  - TCPIP MCH option 113
  - TCPIP PRF option 113
  - TCPSEC option 111
  - TCPTN3270 option 114
  - terminology 109
- TCP/IP access method, for UNIX platform 294
  - SAS/CONNECT tasks 299
  - AUTHENCR= option 298
  - authentication program for 308
  - client example 306, 597
  - client tasks 304
  - encryption, enforcing 307
  - error messages 556
  - examples 596
  - host names, configuring 300
  - Internet addresses, configuring 300
  - local host example 303, 596
  - local host tasks 299
  - options, for SAS/SHARE 298
  - permission program for 308
  - PORTFIRST variable 298
  - PORTLAST variable 298
  - remote host connections 299
  - remote host example 304, 597
  - remote host tasks 303
  - remote host, signing on to 302
  - remote node name, specifying 301
  - SAS/CONNECT examples 596
  - SAS/SHARE examples 597
  - script files for signing on and off 302
  - security 295
  - security, for connecting clients 304
  - security, for server 307
  - server example 309, 597
  - server name, specifying 305, 309
  - server security 307
  - server tasks 306
  - server, configuring in /etc/services file 307
  - server, configuring in SERVICES file 304
  - software requirements 294
  - spawner service, configuring in SERVICES file 300, 303
  - spawner service, starting at remote host 303
  - specifying 300, 304, 308
  - system requirements 294
  - tasks common to SAS/CONNECT and SAS/SHARE 294
  - TCPSEC option, setting at local host 300
  - TCPSEC variable 297
  - TCPTN3270 variable 298
  - user authorization, configuring 307
  - variables, for SAS/CONNECT 298
  - variables, setting in SAS 294
- TCP/IP access method, for Windows platform 416
  - SAS/CONNECT tasks 424
  - SAS/SHARE tasks 429
  - AUTHENCR option 423
  - client example 432, 613
  - client tasks 429
  - encryption of server userid and password 433
  - environment variables 421
  - error messages 571
  - examples 613
  - host names, configuring 425
  - Internet addresses, configuring 425
  - local host example 428, 613
  - local host tasks 424
  - PC spawner program, starting 428
  - PORTFIRST variable 421
  - PORTLAST variable 421
  - remote host connections 424
  - remote host example 429, 613
  - remote host tasks 428
  - remote host, signing on to 428
  - remote node name, specifying 426
  - rights, for connecting clients 429
  - rights, for secure server 433
  - SAS/CONNECT examples 613
  - SAS options, setting 417
  - SAS/SHARE examples 613
  - script files for signing on and off 427
  - security 418
  - security, setting for connecting clients 430
  - server example 435, 614
  - server name, specifying 431, 434
  - server security, setting 433
  - server tasks 432
  - server, configuring in SERVICES file 429, 433
  - software requirements 416
  - specifying 426, 430, 433
  - system requirements 416
  - tasks common to SAS/CONNECT and SAS/SHARE 416
  - TCPSEC option 419
  - TCPSEC option, setting at local host 425
  - TCPSEL option 420
  - TCPTN3270 variable 422
  - UNIX spawner service, configuring in SERVICES file 425
  - Windows 32s requirements 416
  - Windows 95 requirements 416
  - Windows NT requirements 416
- TCP/IP services file 485
- TCPIP default prefix 130
- TCPIP PRF option
  - setting to the TCPIP prefix value 130
- TCPIP\_MACH variable 66
- TCPMVS.SCR script 520
- TCPSEC option
  - TCP/IP access method for Macintosh 71

TCPSEC variable 54, 58, 173  
 remote host connections, TCP/IP for OpenVMS 176  
 TCP/IP access method for Macintosh 73  
 TCPTN3270 variable 56, 174  
 TCPUNIX.SCR script 508  
 TCPWIN.SCR script 517  
 TELNET access method 6  
 TELNET access method, for OpenVMS platform 185  
 SAS/CONNECT tasks 185  
 configuring host names and Internet addresses 186  
 error messages 551  
 examples 602  
 local host example 188, 602  
 local host tasks 186  
 remote host example 602  
 remote host tasks 188  
 SAS/CONNECT examples 602  
 script file for signing on and off 187  
 signing on to remote host 188  
 software requirements 185  
 specifying remote node name 187  
 specifying TELNET access method 186  
 system requirements 185  
 TELNET access method, for OS/2 platform 259  
 SAS/CONNECT tasks 259  
 error messages 541  
 examples 587  
 host names and Internet addresses 260  
 local host example 262, 587  
 local host tasks 260  
 remote host example 262, 587  
 remote node name 261  
 SAS/CONNECT examples 587  
 script file for signing on and off 261  
 signing on to remote host 262  
 software requirements 259  
 specifying access method 260  
 system requirements 259  
 TELNET access method, for OS/390 platform  
 error messages 545  
 TELNET access method, for UNIX platform 311  
 SAS/CONNECT tasks 311  
 error messages 556  
 examples 598  
 host names, configuring 312  
 Internet addresses, configuring 312  
 local host example 314, 598  
 local host tasks 312  
 remote host example 314  
 remote host, signing on to 314  
 remote node name, specifying 313  
 SAS/CONNECT examples 598  
 script files for signing on and off 313  
 software requirements 311  
 specifying 312  
 system requirements 311

TELNET access method, for Windows platform 437  
 SAS/CONNECT tasks 437  
 error messages 571  
 examples 614  
 local host example 614  
 SAS/CONNECT examples 614  
 software requirements 437  
 system requirements 437  
 terminal  
 associated with remote session 162  
 associating with remote session 29  
 terminal-based communications 5  
 Transmission Control Protocol/Internet Protocol  
*See* TCP/IP access method  
 troubleshooting 13  
 TSO.SCR script 507  
 two-level server names 62, 164, 181

## U

UCOMDIR NAMES file 26, 30, 42  
 UNIX platform  
*See also* APPC access method, for UNIX platform  
*See also* SPX access method, for Windows platform  
*See also* TCP/IP access method, for UNIX platform  
*See also* TELNET access method, for UNIX platform  
 options summary 491  
 variables summary 491  
 UNIX spawner program  
*See* spawner program, UNIX  
 user communications directory file 42  
 User Profile Management facility 196  
 userid  
 encryption of 56  
 prompting users for 55  
 userid security  
 prompting user for userid 25  
 userid-based security  
 APPC access method for OS/390 87  
 TCP/IP access method 55  
 TCP/IP access method for OpenVMS 173  
 TCP/IP access method for OS/2 247  
 TCP/IP access method for UNIX 297  
 TCP/IP access method for Windows 420

## V

variables summary 487  
 CMS platform 487  
 Macintosh platform 488  
 OpenVMS platform 490  
 OS/2 platform 488

OS/390 platform 489  
 UNIX platform 491  
 VSE platform 492  
 Windows platform 493  
 variables, setting  
 TCP/IP access method for CMS 52  
 Virtual Telecommunications Access Method  
*See* VTAM LU 0 access method  
 VM directory entry 39, 49, 66  
 VM hosts 22  
 VSE platform  
*See also* APPC access method, for VSE platform  
 options summary 492  
 variables summary 492  
 VTAM gateway 32, 42  
 parameters for 33  
 VTAM LU 0 access method 5  
 VTAM LU 0 access method, for OS/390 platform 133  
 SAS/SHARE tasks 134  
 APPCSEC= option 135  
 client example 138, 593  
 client tasks 137  
 clients, defining 141  
 cross-domain resources, defining 142  
 error messages 547  
 examples 593  
 LU0SEC= option 135  
 LUFIRST= option 136  
 LULAST= option 136  
 LUPREFIX= option 136  
 references for 144  
 resources, cross-domain 142  
 resources, defining 134  
 resources, defining within same domain 143  
 SAS/SHARE examples 593  
 SAS system options, setting 134  
 server example 139, 593  
 server name, specifying 137, 139  
 server tasks 138  
 server, defining 140  
 software requirements 134  
 specifying at client 137  
 specifying at server 138  
 system configuration for 140  
 system requirements 134  
 terminology 134

## W

Windows platform  
*See also* APPC access method, for Windows platform  
*See also* CPIC access method, for Windows platform  
*See also* DECnet access method, for Windows platform  
*See also* EHLAPI access method, for Windows platform

*See also* NetBIOS access method, for Windows platform  
*See also* SPX access method, for Windows platform  
*See also* TCP/IP access method, for Windows platform  
*See also* TELNET access method, for Windows platform  
 options summary 493  
 variables summary 493  
 WinHLLAPI access method 6  
 worksheet for connections 12

## X

XMS access method 5

XMS access method, for OS/390 platform 145  
 SAS/SHARE tasks 145  
 anchor point, defining 151  
 client example 148, 594  
 client tasks 147  
 error messages 547  
 examples 594  
 resources, defining 146  
 SAS options, setting 146  
 SAS/SHARE examples 594  
 SAS SVC routine, installing 148  
 SASVXMS load module, installing 150  
 server example 150, 594  
 server name, specifying 148, 150

server tasks 148  
 software requirements 145  
 specifying 147, 149  
 SUBSYSID system option 146  
 system configuration for 150  
 system requirements 145

## Numbers

3270 access method 6