

# Index

- A**
- `_abortAgentRun`, AGENT class method 443
  - `_acceptAttachment` method, SCL Cnction class 322
  - `_acceptAttachment` method, SCL Queue class 347
  - access control
    - SAS libraries 78
  - ACCESS= option 78
  - `_addMethodArgC` method 177
  - `_addMethodArgL` method 179
  - `_addMethodArgN` method 178
  - ADMIN procedure 419
  - administration tasks, for remote data sets (example) 39
  - administrator privileges, setting 419
  - AFTER= option, PROC DOWNLOAD statement 131
  - AFTER= option, PROC UPLOAD statement 109
  - AGENT class methods 433
    - `_abortAgentRun` 443
    - `_defineAgent` 435
    - `_deleteAgent` 447
    - `_getAgentProperties` 438
    - `_purgeAgentRunInfo` 446
    - `_retrieveAgentRunInfo` 443
    - `_runAgent` 440
    - `_setDomainInfo` 434
    - `_storeAgentRunInfo` 445
  - agent header information, retrieving 402
  - agent services 429
    - agents, running 449
    - CALL routine interface 449
    - conditional agent processing 430
    - definition 4
    - distributed agent processing 429
    - DOMAIN server, definition 416
    - examples 453
    - parallel agent processing 431
    - periodic agent processing 430
  - agent services, SCL interface 433
    - agent properties, getting 438
    - agent spools, purging 446
    - agent spools, retrieving 443
    - agent spools, storing 445
    - agents, aborting 443
    - agents, defining 435
    - agents, deleting 447
    - agents, running 440
      - DOMAIN server, initializing 434
    - AGENT\_RUN routine 449
    - applications from remote hosts (example) 37
    - ASCII character mnemonics 263
    - asynchronous remote processing (example) 42
    - asynchronous remote submits 17
    - asynchronous tasks
      - listing 35
      - waiting for completion 33
    - attachments
      - See message attachments
    - Attention Handler window 64
    - attributes, transferring data with (example) 160
    - autoexec file settings, starting/stopping SAS/CONNECT software 198
- B**
- `_beginMethod` method 177
  - BINARY option, PROC DOWNLOAD statement 132, 148
  - BINARY option, PROC UPLOAD statement 110, 125
  - break windows 63
    - Attention Handler window 64
    - Communication Services Break Handler window 64
    - handling host messages 66
  - buffer size, for data transmission 224
- C**
- CALL routine interface to indirect messaging
    - See indirect messaging, CALL routine interface
  - catalog attachments, receiving 367
  - catalog attachments, sending 360
  - catalog entry types, transferring (example) 156
  - CEDA (cross-environment data access)
    - See cross-environment data access (CEDA)
  - `_close` method, SCL Queue class 354
  - `_close` method, SCL Station class 306, 328
  - collection manager 214
  - collection services, initializing a DOMAIN server (example) 287
  - COMAMID= system option 214
  - COMAMID, SCL function 240
  - COMAMIDs, listing 240
  - combining data, from multiple remote sessions (example) 167
  - commands 21, 227
    - RDISPLAY 28
    - RGET 28
    - RSUBMIT 21
    - SIGNOFF 233
    - SIGNON 227
  - communication access methods, listing 240
  - communication access methods, specifying 214
  - Communication Services Break Handler window 64
  - compatibility, SAS/CONNECT versions
    - See SAS/CONNECT software, cross-version issues
  - compute services 4
    - combining with data transfer services, examples 55
    - examples 37, 55
    - macro variables, assigning from remote hosts 29
    - macro variables, creating on remote host 32
    - remote submits, displaying results of 28
    - remote submits, retrieving results of 28
    - SAS statements, submitting to remote host 21, 27
    - waiting for completion of asynchronous tasks 33
  - compute services, remote computing
    - See also RSUBMIT processing
    - See Remote SQL Pass-Through (RSPT)
  - conditional agent processing 430
  - CONNECT TO REMOTE statement, RSPT 49
  - connection instances (examples), loading 278
  - connection instances (examples), opening 278
  - connection objects, querying (example) 278
  - connections, establishing 193
    - communications access methods 195
    - local host-based sign-on script 194
    - MP CONNECT 194
    - remote host spawner 193
  - CONNECTREMOTE= option
    - SIGNOFF statement 233
    - SIGNON statement 228
  - CONNECTREMOTE= option, RDISPLAY command 28
  - CONNECTREMOTE= option, RDISPLAY statement 28
  - CONNECTREMOTE= option, RGET command 29

- CONNECTREMOTE= option, RGET statement 29
  - CONNECTREMOTE= option, RSUBMIT command 23
  - CONNECTREMOTE= option, RSUBMIT statement 23
  - CONNECTREMOTE= system option 220
  - CONNECTSTATUS= option, PROC DOWNLOAD statement 132
  - CONNECTSTATUS= option, PROC UPLOAD statement 110
  - CONNECTSTATUS= option, RSUBMIT command 24
  - CONNECTSTATUS= option, RSUBMIT statement 24
  - CONNECTSTATUS= option, SIGNON statement 229
  - CONNECTSTATUS= system option 221
  - CONNECTWAIT= option, RSUBMIT command 23
  - CONNECTWAIT= option, RSUBMIT statement 23
  - CONNECTWAIT= option, SIGNON statement 228
  - CONNECTWAIT= system option 222
  - CONSTRAINT= option, PROC DOWNLOAD statement 132
  - CONSTRAINT= option, PROC UPLOAD statement 110
  - copying data between machines
    - See data transfer services (DTS)
    - \_createRemoteInstance method 175
  - CREMOTE= option, RDISPLAY command 28
  - CREMOTE= option, RDISPLAY statement 28
  - CREMOTE= option, RGET command 29
  - CREMOTE= option, RGET statement 29
  - cross-environment data access (CEDA) 93
    - alternatives to 94
    - benefits of 93
    - considerations for 93
    - examples 99
    - files, creating in host format 97
    - OUTREP= option 97
    - translation tables, specifying 97
    - TRANTAB= option 97
  - CSCRIPT= option, SIGNOFF statement 234
  - CSCRIPT= option, SIGNON statement 25
  - CSTATUS= option, PROC DOWNLOAD statement 132
  - CSTATUS= option, PROC UPLOAD statement 110
  - CSYSRPUTSYNC= option, RSUBMIT command 24
  - CSYSRPUTSYNC= option, RSUBMIT statement 24
  - CWAIT= option, RSUBMIT command 23
  - CWAIT= option, RSUBMIT statement 23
- D**
- DATA= option, PROC DOWNLOAD statement 133
  - DATA= option, PROC UPLOAD statement 110
  - data set attachments, receiving 366
  - data set attachments, sending 358
  - data set options, transferring data with (example) 160
  - data transfer services (DTS) 4
    - benefits of 103
    - combining with compute services, examples 55
    - combining with RLS, examples 90
    - considerations for 104
    - definition 103
    - examples 55, 154
    - in client/server environment 6
  - data translation, RLS 74
  - data views
    - interpretation location, specifying 79
  - DB2 tables, querying (example) 51
  - DBMS= option, RSPT statements 49
  - DBMSARG= option, RSPT statements 49
  - \_defineAgent, AGENT class method 435
  - \_deleteAgent, AGENT class method 447
  - \_destroyRemoteInstance method 181
  - direct messages (examples), receiving 279
  - direct messages (examples), sending 279
  - direct messaging 273
    - application design 275
    - benefits of 274
    - examples 277
    - in the client/server environment 8
  - direct messaging, combining with indirect messaging 291
    - Application Development Manager (ADM), definition 291
    - Application Development Manager (ADM), server portion 297
    - checking in catalog entries 296
    - checking out catalog entries 292
    - query for broadcast messages 294
  - direct messaging, SCL interface 301
    - attachments, receiving 322
    - Cnction class methods 306
    - Cnction class overview 306
    - connection information, getting 324
    - connections, querying 303, 313
    - messages, receiving into SCL variables 315
    - messages, sending 309
    - parameters, receiving 319, 321
    - same-named instances, binding to 307
    - SCL lists, receiving 317
    - SCL lists, sending between bound sessions 311
    - session instance binding, severing 324
    - Station class methods 302
    - Station class overview 301
    - station interface instances, closing 306
    - station interface instances, opening 303
  - DISCONNECT FROM statement, RSPT 50
  - \_disconnect method, SCL Cnction class 324
  - distributed agent processing 429
  - DMR system option 223
  - DOMAIN registry 413
  - DOMAIN server 411
    - agent scheduling 416
    - DOMAIN registry 413
    - protocol gateway 417
    - queue management 412
  - DOWNLOAD procedure 129
    - attributes 140
    - BINARY option 148
    - data set options 140
    - ENTRYTYPE= option 146
    - example 90
    - EXCLUDE statement 141
    - MEMTYPE= option 145
    - PROC DOWNLOAD output 149
    - PROC DOWNLOAD statement 130
    - SELECT statement 142
    - Transfer Status window 147
    - TRANTAB statement 143
    - troubleshooting 468
    - usage tips 150
    - WHERE statement 141
  - downloading files 129
    - See also DOWNLOAD procedure
    - as binary 148
    - checking status 147
    - compiling PROGRAM entries 146
    - data set naming conventions 138
    - entry types, specifying 146
    - excluding data 141
    - filerefs, defining 149
    - librefs, defining 149
    - member types, specifying 145
    - non-English keyboards 150
    - partitioned data sets, example 167
    - selecting data 142
    - translation tables 143
- E**
- encryption services 487
    - algorithms 489
    - communications access methods support 488
    - examples 491
    - international packages 488
    - North American packages 488
    - options 490
    - SAS Proprietary services 488
    - system and software requirements 487
    - terminology 487
  - ENDRSUBMIT statement, compute services 27
  - engines, remote
    - passing options to 80
  - ENTRYTYPE= option, PROC DOWNLOAD statement 133, 146

- ENTRYTYPE= option, PROC UPLOAD statement 111, 123
- error handling  
See break windows
- ET= option, PROC DOWNLOAD statement 133
- ET= option, PROC UPLOAD statement 111
- ETYPE= option, PROC DOWNLOAD statement 133
- ETYPE= option, PROC UPLOAD statement 111
- EXCLUDE statement, DOWNLOAD procedure 141
- EXCLUDE statement, UPLOAD procedure 119
- EXECUTE statement, RSPT 50
- EXTENDSN= option, PROC DOWNLOAD statement 133
- EXTENDSN= option, PROC UPLOAD statement 111
- ## F
- FILENAME statement 236
- files, creating in foreign host format 79
- files, creating in host format 97
- files, distributing to multiple hosts (example) 165
- FROM CONNECTION TO statement, RSPT 50
- FTP data transfer (example) 99
- functions, SCL 239  
COMAMID 240  
RLINK 240  
RSESSION 241  
RSTITLE 242
- ## G
- GEN= option, PROC DOWNLOAD statement 134
- GEN= option, PROC UPLOAD statement 111
- generations of data sets, transferring (example) 158
- \_getAgentProperties, AGENT class method 438
- \_getConnectionInfo method, SCL Cnction class 324
- \_getField method, SCL Cnction class 319
- \_getField method, SCL Queue class 345
- \_getList method, SCL Cnction class 321
- \_getList method, SCL Queue class 346
- \_getprop method, SCL Queue class 348
- \_getsec method, SCL Queue class 352
- graphics, remote processing (example) 40
- graphics, rotating 467
- GRLINK device driver requirements 467
- ## H
- host messages, handling 66
- host-not-active message, troubleshooting 464
- ## I
- IBM 3274 controller 466
- IN= option, PROC DOWNLOAD statement 134
- IN= option, PROC UPLOAD statement 112
- INCAT= option, PROC DOWNLOAD statement 134
- INCAT= option, PROC UPLOAD statement 111
- INDD= option, PROC DOWNLOAD statement 134
- INDD= option, PROC UPLOAD statement 112
- INDEX= option, PROC DOWNLOAD statement 134
- INDEX= option, PROC UPLOAD statement 112
- indirect messaging 281  
agent header information, retrieving 402  
application design 285  
benefits of 284  
collection manager 214, 328  
concepts 282  
examples 287  
in client/server environment 9  
many-to-one relationships 284  
message attachments, checking for 398, 400, 401  
message attachments, defining 385  
message attachments, receiving 347  
message attachments, subsetting 387  
message queue header information, getting 394  
message queue header information, setting 384  
message queue instances, opening 330  
message queue permissions, getting 407  
message queue permissions, setting 408  
message queue properties, getting 348, 404  
message queue properties, setting 350, 406  
message queue security information, getting 352, 407  
message queue security information, setting 353, 408  
message queues, closing 354, 409  
message queues, defining parameters 382, 383  
message queues, opening 378  
message queues, querying 338, 391  
message queues, receiving messages 395, 397  
message queues, sending messages 333, 390  
message queues, sending SCL lists to 335  
messages, receiving into SCL variables 341  
one-to-many relationships 283  
one-to-one relationships 283  
parameters, receiving 345, 346  
permanent queues 284  
queue manager 282  
SAS message queuing 282
- SCL lists, receiving 343  
station interfaces, closing 328, 378  
station interfaces, opening 328, 377  
temporary queues 284
- indirect messaging, CALL routine interface 375  
QUEUE\_ACCEPT 400  
QUEUE\_ATTOPT 387  
QUEUE\_CLOSE 409  
QUEUE\_COMPLETE 401  
QUEUE\_GETAGENT 402  
QUEUE\_GETATT 398  
QUEUE\_GETFLD 397  
QUEUE\_GETHDR 394  
QUEUE\_GETPROP 404  
QUEUE\_GETSEC 407  
QUEUE\_OPEN 378  
QUEUE\_PARMTYPE 383  
QUEUE\_QUERY 391  
QUEUE\_RECV 395  
QUEUE\_SEND 390  
QUEUE\_SETATT 385  
QUEUE\_SETHDR 384  
QUEUE\_SETPARM 382  
QUEUE\_SETPROP 406  
QUEUE\_SETSEC 408  
STATION\_CLOSE 378  
STATION\_OPEN 377
- indirect messaging, combining with direct messaging 291  
Application Development Manager (ADM), definition 291  
Application Development Manager (ADM), server portion 297  
checking in catalog entries 296  
checking out catalog entries 292  
query for broadcast messages 294
- indirect messaging, SCL interface 328, 329
- INFILE= option, PROC DOWNLOAD statement 134
- INFILE= option, PROC UPLOAD statement 112
- INLIB= option, PROC DOWNLOAD statement 134
- INLIB= option, PROC UPLOAD statement 112
- instance stations, closing (example) 290
- integrity constraints, transferring (example) 161
- \_invokeMethod method 180
- ## K
- key mnemonics, 3270 264
- ## L
- LIBNAME statement  
ACCESS= option 78  
example 80  
OUTREP= option 79

RMTVIEW= option 79  
 ROPTIONS= option 80  
 SERVER= option 78  
 SLIBREF= option 79  
 syntax 78

LIBNAME statement, RLS 78  
 librefs, specifying 79  
 LINEWAIT script statement 254  
 links, checking status of 240  
 LISTTASK statement, compute services 35  
 local and remote processing (example) 56  
 local area networks, under OS/2 466  
 local transaction data sets (example) 84  
 long member names 157, 160

## M

macros 59, 473  
 MACVAR= option  
   SIGNOFF statement 234  
   SIGNON statement 228  
 MACVAR= option, RSUBMIT command 23  
 MACVAR= option, RSUBMIT statement 23  
 many-to-one messaging relationships 284  
 member types, transferring (example) 155  
 MEMTYPE= option, PROC DOWNLOAD statement 135, 145  
 MEMTYPE= option, PROC UPLOAD statement 113, 123  
 merging data (example) 58  
 message attachments 357  
   checking for 398, 400, 401  
   defining 385  
   subsetting 387  
 message attachments, error handling 370, 371  
 message attachments, receiving 347  
   catalog attachments 367  
   data set attachments 366  
   external file attachments 369  
 message attachments, SCL interface 357  
   catalog attachments, receiving 367  
   catalog attachments, sending 360  
   data set attachments, receiving 366  
   data set attachments, sending 358  
   external file attachments, receiving 369  
   external file attachments, sending 362  
 message attachments, sending 358  
   accepting 364  
   catalog attachments 360  
   data set attachments 358  
   external file attachments 362  
   utility attachments 364  
 message queues 282  
   closing 290, 354, 409  
   defining parameters 382, 383  
   header information 384, 394  
   opening 288, 330, 378  
   permissions 408  
   properties 350, 404, 406

querying 289, 338, 391  
 receiving messages 289, 395, 397  
 security information 352, 353, 407, 408  
 sending messages to 289, 333, 390  
 sending SCL lists to 335

messaging services  
*See also* direct messaging  
*See* indirect messaging

methods  
*See also* AGENT class methods  
*See also* SCL Cnction class methods, direct messaging  
*See also* SCL Queue class methods, indirect messaging  
*See also* SCL Station class methods, direct messaging  
*See also* SCL Station class methods, indirect messaging  
*See* SCL methods, for remote objecting services

mixed-type variables, RLS restrictions 74  
 MP CONNECT 18, 45, 194  
   command for invoking session for 223  
 MT= option, PROC DOWNLOAD statement 135  
 MT= option, PROC UPLOAD statement 113  
 MTYPE= option, PROC DOWNLOAD statement 135  
 MTYPE= option, PROC UPLOAD statement 113  
 Multi-Process (MP) CONNECT 18  
 multi-processing 45

## N

NETENCRYPT= system option 490  
 NETENCRYPTALGORITHM= system option 490  
 NETENCRYPTKEYLEN= system option 491  
 NETMAC system option 491  
 NOCSCRIPT option  
   SIGNOFF statement 234  
   SIGNON statement 229  
 NONENCRYPT= system option 490  
 NONETMAC system option 491  
 NOSCRIPT option  
   SIGNOFF statement 234  
   SIGNON statement 229  
 numerics, transferring (example) 162

## O

ODS (Output Delivery System) 18  
   compute services 43  
 one-to-many messaging relationships 283  
 one-to-one messaging relationships 283  
 \_open method, SCL Cnction class 307  
 \_open method, SCL Queue class 330

\_open method, SCL Station class 303, 328  
 OPT= option, TRANTAB statement 122, 145  
 OS/2 operating environment 465  
 OUT= option, PROC DOWNLOAD statement 135, 137  
 OUT= option, PROC UPLOAD statement 113, 114  
 OUTCAT= option, PROC DOWNLOAD statement 136  
 OUTCAT= option, PROC UPLOAD statement 114  
 OUTDD= option, PROC DOWNLOAD statement 137  
 OUTDD= option, PROC UPLOAD statement 114  
 OUTFILE= option, PROC DOWNLOAD statement 136  
 OUTFILE= option, PROC UPLOAD statement 114  
 OUTLIB= option, PROC DOWNLOAD statement 137  
 OUTLIB= option, PROC UPLOAD statement 114  
 Output Delivery System (ODS) 18  
   compute services 43  
 OUTREP= option 79  
 OUTREP= option, CEDA 97, 100

## P

packet-failure messages, troubleshooting 463  
 parallel agent processing 431  
 parallel processing 18  
 PASSWORD= option, SIGNON statement 229  
 periodic agent processing 430  
 permanent queues 284  
 permissions  
   *See* security  
 PROC DOWNLOAD statement 130  
 PROC SQL views and RLS 75  
 PROC UPLOAD statement 108  
 procedures 129  
   ADMIN 419  
   DOWNLOAD, example 90  
   DOWNLOAD, syntax 129  
   DOWNLOAD, troubleshooting 468  
   UPLOAD, example 90  
   UPLOAD, syntax 107  
   UPLOAD, troubleshooting 468  
 PROCESS= option  
   SIGNOFF statement 233  
   SIGNON statement 228  
 Program Editor window, starting/stopping SAS/CONNECT software 197  
 protocol gateway 417  
 PT2DBPW= option, RSPT statements 49  
 \_purgeAgentRunInfo, AGENT class method 446  
 PWD= option, SIGNON statement 229

- Q**
- \_query method, SCL Cnction class 313
  - \_query method, SCL Queue class 338
  - \_query method, SCL Station class 303
  - querying DB2 tables (example) 51
  - queue management 412
  - queue manager 282
  - QUEUE\_ACCEPT, CALL routine 400
  - QUEUE\_ATTOPT, CALL routine 387
  - QUEUE\_CLOSE, CALL routine 409
  - QUEUE\_COMPLETE, CALL routine 401
  - QUEUE\_GETAGENT, CALL routine 402
  - QUEUE\_GETATT, CALL routine 398
  - QUEUE\_GETFLD, CALL routine 397
  - QUEUE\_GETHDR, CALL routine 394
  - QUEUE\_GETPROP, CALL routine 404
  - QUEUE\_GETSEC, CALL routine 407
  - QUEUE\_OPEN, CALL routine 378
  - QUEUE\_PARMTYPE, CALL routine 383
  - QUEUE\_QUERY, CALL routine 391
  - QUEUE\_RECV, CALL routine 395
  - QUEUE\_SEND, CALL routine 390
  - QUEUE\_SETATT, CALL routine 385
  - QUEUE\_SETHDR, CALL routine 384
  - QUEUE\_SETPARM, CALL routine 382
  - QUEUE\_SETPROP, CALL routine 406
  - QUEUE\_SETSEC, CALL routine 408
  - queuing messages
    - See indirect messaging
- R**
- RDISPLAY command 28
  - RDISPLAY statement 28
  - \_recv method, SCL Cnction class 315
  - \_recv method, SCL Queue class 341
  - \_recvlist method, SCL Cnction class 317
  - \_recvlist method, SCL Queue class 343
  - remote computing
    - See RSUBMIT processing
  - remote data, accessing locally
    - See remote library services (RLS)
  - REMOTE engine distribution 462
  - remote engines
    - passing options to 80
  - remote graphics processing (example) 40
  - remote host spawner 193
  - remote library services (RLS) 4, 71, 463
    - benefits of 72
    - combining with data transfer services, examples 90
    - considerations for 72
    - data translation 74
    - data types supported 73
    - examples 81
    - in client/server environment 7
    - LIBNAME statement, syntax 78
    - mixed-type variables, restrictions 74
    - reducing network traffic 76
    - server librefs, defining 78
    - short numeric restrictions 74
    - WHERE statements 76
    - with PROC SQL views 75
    - with SAS views 73, 75
  - remote objecting services 4, 173
    - examples 183
  - remote objecting services, SCL methods 175
    - \_addMethodArgC 177
    - \_addMethodArgL 179
    - \_addMethodArgN 178
    - \_beginMethod 177
    - \_createRemoteInstance 175
    - \_destroyRemoteInstance 181
    - \_invokeMethod 180
  - REMOTE= option, RDISPLAY command 28
  - REMOTE= option, RDISPLAY statement 28
  - REMOTE= option, RGET command 29
  - REMOTE= option, RGET statement 29
  - REMOTE= option, RSUBMIT command 23
  - REMOTE= option, RSUBMIT statement 23
  - REMOTE= option, SIGNOFF statement 233
  - remote SAS data, subsetting (example) 52
  - remote session ids, specifying
    - SERVER= option 78
  - Remote SQL Pass-Through (RSPT) 49
    - and compute services 6, 47
    - examples 51
  - remote submits 222, 470
  - reports 81, 90
  - requested-link-not-found message, troubleshooting 465
  - \_retrieveAgentRunInfo, AGENT class method 443
  - RGET command 28
  - RGET statement, compute services 28
  - RLINK, SCL function 240
  - RLS (remote library services)
    - See remote library services (RLS)
  - RMTVIEW= option, LIBNAME statement definition 79
  - ROPTIONS= option 80
  - RSA BSAFE Crypto-C Toolkit 487
  - RSESSION, SCL function 241
  - RSPT (Remote SQL Pass-Through) 49
    - and compute services 6, 47
    - examples 51
  - RSTITLE, SCL function 242
  - RSUBMIT command 21
    - example 26
    - username naming conventions 25
  - RSUBMIT processing 15
    - asynchronous remote submits 17, 22
    - considerations for 16
    - in client/server environment 5
    - introduction to 15
    - MP CONNECT 18
    - synchronous remote submits 17, 22
  - RSUBMIT statement 21
    - example 26
    - username naming conventions 25
  - \_runAgent, AGENT class method 440
- S**
- SAPW= option, RSPT statements 49
  - SAS/CONNECT servers, naming
    - SERVER= option 78
  - SAS/CONNECT software 3
    - connecting SAS sessions 10
    - definition 461
    - in a client/server environment 3
    - versus SAS/SHARE software 462
  - SAS/CONNECT software, cross-version issues 479
    - accessing catalogs 484
    - accessing data files 482
    - accessing data views 483
    - compatibility 480
    - limitations on data access 479
    - mixing data files in a library 481
  - SAS/CONNECT software, starting/stopping 193
    - autoexec file settings 198
    - in Program Editor window 197
    - in SAS windowing environment 195
    - multiple SAS sessions 199
    - SIGNOFF command 233
    - SIGNOFF statement 233
    - SIGNON command 227
    - SIGNON statement 227
    - system options for 214
    - with script files 202, 204
  - SAS/GRAPH software 466
    - changing background color 467
    - graphics adapter 467
    - GRLINK device driver requirements 467
    - IBM 3274 controller 466
    - rotating graphics 467
  - SAS libraries
    - user access, controlling 78
  - SAS licenses 463
  - SAS/SECURE software 487
  - SAS sessions 10
    - remote connections 220
    - remote, returning information about 241
    - remote, saving descriptions of 242
  - SAS/SHARE software 462
  - SAS/SHARE software, versus SAS/CONNECT software 462
  - SAS startup messages missing, troubleshooting 464
  - SAS system options
    - See system options
  - SAS utility files, transferring (example) 163
  - SAS views, and RLS 73, 75
  - SAS windowing environment 195, 223
  - SASCMD= option, SIGNON statement 230
  - SASCMD= system option 223

- SCL Cnction class methods, direct messaging 306
    - \_acceptAttachment 322
    - \_disconnect 324
    - \_getConnectionInfo 324
    - \_getField 319
    - \_getList 321
    - \_open 307
    - \_query 313
    - \_recv 315
    - \_recvlist 317
    - \_send 309
    - \_sendlist 311
  - SCL functions 239
    - COMAMID 240
    - RLINK 240
    - RSESSION 241
    - RSTITLE 242
  - SCL interface to agent services
    - See agent services, SCL interface
  - SCL interface to direct messaging
    - See direct messaging, SCL interface
  - SCL interface to indirect messaging 328, 329
  - SCL interface to message attachments
    - See message attachments, SCL interface
  - SCL methods, for remote objecting services 175
    - \_addMethodArgC 177
    - \_addMethodArgL 179
    - \_addMethodArgN 178
    - \_beginMethod 177
    - \_createRemoteInstance 175
    - \_destroyRemoteInstance 181
    - \_invokeMethod 180
  - SCL Queue class methods, indirect messaging 327
    - \_acceptAttachment 347
    - \_close 354
    - \_getField 345
    - \_getList 346
    - \_getprop 348
    - \_getsec 352
    - \_open 330
    - \_query 338
    - \_recv 341
    - \_recvlist 343
    - \_send 333
    - \_sendlist 335
    - \_setprop 350
    - \_setsec 353
  - SCL Station class methods, direct messaging 301
    - \_close 306
    - \_open 303
    - \_query 303
  - SCL Station class methods, indirect messaging 327
    - \_close 328
    - \_open 328
  - script files 194, 201
    - basic functions 202
    - debugging 211
    - for EHLLAPI connections, example 204
    - for TCP/IP connections, example 207
    - starting or stopping SAS/CONNECT software 202, 204
    - syntax 203
    - when to use 201
  - SCRIPT= option, SIGNON statement 229
  - script statements 247
    - LINEWAIT 254
    - summary table 247
  - scripts 247
    - wait time 254
  - security 487
    - administrator privileges, setting 419
    - encryption 195, 487
    - message queue permissions, getting 407
    - message queue permissions, setting 408
  - SELECT statement, DOWNLOAD procedure 142
  - SELECT statement, UPLOAD procedure 120
  - \_send method, SCL Cnction class 309
  - \_send method, SCL Queue class 333
  - \_sendlist method, SCL Cnction class 311
  - \_sendlist method, SCL Queue class 335
  - SERVER= option
    - syntax 78
  - SERVER= option, RSPT statements 49
  - \_setDomainInfo, AGENT class method 434
  - \_setprop method, SCL Queue class 350
  - \_setsec method, SCL Queue class 353
  - short numerics, RLS restrictions 74
  - sign-on scripts 194
  - signing on, troubleshooting 463
  - SIGNOFF command 233
  - SIGNOFF statement 233
  - SIGNON command 227
  - SIGNON statement 227
    - username and password naming conventions 230
  - signon window 195
  - SLIBREF= option 79
  - sorting data (example) 58
  - spawner programs 193
  - statements 49
    - CONNECT TO REMOTE, RSPT 49
    - DISCONNECT FROM, RSPT 50
    - ENDRSUBMIT, compute services 27
    - EXECUTE, RSPT 50
    - FILENAME 236
    - FROM CONNECTION TO, RSPT 50
    - LIBNAME, RLS 78
    - LISTTASK, compute services 35
    - RDISPLAY, compute services 28
    - RGET, compute services 28
    - RSUBMIT 21
    - SIGNOFF 233
    - SIGNON 227
    - %SYSLPUT, compute services 32
    - %SYSRPUT, compute services 29
    - WAITFOR, compute services 33
  - station instances, direct messages (examples) 277, 279
  - station instances, indirect messages (examples) 287, 288
  - station interfaces, closing 378
  - station interfaces, opening 377
  - stations, querying (example) 278
  - STATION\_CLOSE, CALL routine 378
  - STATION\_OPEN, CALL routine 377
  - STATUS= option, PROC DOWNLOAD statement 132
  - STATUS= option, PROC UPLOAD statement 110
  - STATUS= option, RSUBMIT command 24
  - STATUS= option, RSUBMIT statement 24
  - STATUS= option, SIGNON statement 229
  - status window, default settings for displaying 221
  - \_storeAgentRunInfo, AGENT class method 445
  - subsetting remote SAS data (example) 52
  - synchronous processing 17
  - synchronous remote submits 17
  - %SYSLPUT statement, compute services 32
  - %SYSRPUT statement, compute services 29
  - system options 214
    - COMAMID= 214
    - CONNECTREMOTE= 220
    - CONNECTSTATUS= 221
    - CONNECTWAIT= 222
    - DMR 223
    - for starting or stopping SAS/CONNECT software 214
    - local and remote hosts, summary table 214
    - NETENCRYPT= 490
    - NETENCRYPTALGORITHM= 490
    - NETENCRYPTKEYLEN= 491
    - NETMAC 491
    - NONETENCRYPT= 490
    - NONETMAC 491
    - SASCMD= 223
    - TBUFSIZE= 224
    - TRANTAB= 224
- ## T
- TBUFSIZE= system option 224
  - temporary queues 284
  - token ring networks, under OS/2 466
  - TRANIN= option, PROC DOWNLOAD statement 137
  - TRANIN= option, PROC UPLOAD statement 115
  - TRANNET= option, PROC DOWNLOAD statement 137
  - TRANNET= option, PROC UPLOAD statement 115
  - TRANOUT= option, PROC DOWNLOAD statement 137

TRANOUT= option, PROC UPLOAD statement 115

transferring data (examples) 160

- catalog entry types 156
- generations of data sets 158
- integrity constraints 161
- long member names 160
- member types 155
- numerics 162
- SAS utility files 163
- with attributes 160
- with data set options 160
- with WHERE statements 154

translation tables, changing 226

translation tables, specifying 97, 224

TRANTAB= option, CEDA 97, 100

TRANTAB statement, DOWNLOAD procedure 143

TRANTAB statement, UPLOAD procedure 121

TRANTAB= system option 224

troubleshooting 468

- DOWNLOAD procedure 468
- host-not-active message 464
- macros 473
- packet-failure messages 463
- remote submit events 470
- requested-link-not-found message 465
- SAS startup messages missing 464
- signing on 463
- UPLOAD procedure 468

TYPE= option, TRANTAB statement 122, 144

## U

UID= option, SIGNON statement 229

UPLOAD procedure 107

- See also* uploading files
- attributes 118
- BINARY option 125
- data set options 118
- ENTRYTYPE= option 123
- example 90
- EXCLUDE statement 119
- MEMTYPE= option 123
- PROC UPLOAD output 126
- PROC UPLOAD statement 108
- SELECT statement 120
- Transfer Status window 124
- TRANTAB statement 121
- troubleshooting 468
- usage tips 128
- WHERE statement 118

uploading catalogs, containing graphics (example) 166

uploading files 107

- See also* UPLOAD procedure
- as binary 125
- checking status 124
- compiling PROGRAM entries 124
- data set naming conventions 116
- entry types, specifying 123
- excluding data 119
- filerefs, defining 127

- librefs, defining 127
- member types, specifying 123
- non-English keyboards 127
- selecting data 120
- translation tables 121

USER option, RSUBMIT command 24

USER option, RSUBMIT statement 24

USER= option, SIGNON statement 229

utility attachments, sending 364

## V

V6TRANSPORT= option, PROC DOWNLOAD statement 138

V6TRANSPORT= option, PROC UPLOAD statement 115

## W

WAIT= option, SIGNON statement 228

WAITFOR statement, compute services 33

WHERE statement 82

- accessing remote data, example 82
- and RLS 76
- DOWNLOAD procedure 141
- in SCL programs, example 83
- transferring data with, example 154
- UPLOAD procedure 118