

Index

- A**
- ACCDESC= statement, DBLOAD procedure
 - DB2 under UNIX and PC hosts 22
 - ACCESS procedure, DB2 under UNIX and PC hosts 19
 - data conversions 28
 - statements 19
 - ACCESS= statement, DBLOAD procedure (DB2 under UNIX and PC hosts) 22
 - AD= statement, DBLOAD procedure (DB2 under UNIX and PC hosts) 22
 - AUTOCOMMIT= connection argument
 - DB2 under UNIX and PC hosts 24
 - AUTOCOMMIT= connection option
 - DB2 under UNIX and PC hosts 4
- C**
- COMPLETE= connection argument
 - DB2 under UNIX and PC hosts 24
 - COMPLETE= connection option
 - DB2 under UNIX and PC hosts 4
 - CONNECT statement, SQL Pass-Through Facility
 - DB2 under UNIX and PC hosts 23
 - CURSOR_TYPE= data set option
 - DB2 under UNIX and PC hosts 11
 - CURSOR_TYPE= option, SAS/ACCESS LIBNAME statement
 - DB2 under UNIX and PC hosts 5
- D**
- data conversions
 - DB2 under UNIX and PC hosts, ACCESS procedure 28
 - DB2 under UNIX and PC hosts, DBLOAD procedure 29
 - DB2 under UNIX and PC hosts, LIBNAME statement 29
 - data set options
 - DB2 under UNIX and PC hosts 10
 - data types
 - DB2 under UNIX and PC hosts 12, 13, 26
 - Database 2
 - See DB2 under UNIX and PC hosts
 - DATABASE= connection argument
 - DB2 under UNIX and PC hosts 24
 - DATABASE= statement, ACCESS procedure
 - DB2 under UNIX and PC hosts 20
 - DATABASE= statement, DBLOAD procedure
 - DB2 under UNIX and PC hosts 21
 - DATASRC= connection argument (DB2 under UNIX and PC hosts) 24
 - DATASRC= connection option
 - DB2 under UNIX and PC hosts 3
 - date informats and formats
 - DB2 under UNIX and PC hosts 16
 - datetime values
 - DB2 under UNIX and PC hosts 27
 - DB2 under Microsoft Windows
 - See DB2 under UNIX and PC hosts
 - DB2 under OS/2
 - See DB2 under UNIX and PC hosts
 - DB2 under PC hosts
 - See DB2 under UNIX and PC hosts
 - DB2 under UNIX and PC hosts 1
 - ACCESS procedure 19
 - connections 23
 - cursor type 11
 - data conversions, ACCESS procedure 28
 - data conversions, DBLOAD procedure 29
 - data conversions, LIBNAME statement 29
 - data set options 10
 - data types 12, 13, 26
 - date formats 16
 - DBLOAD procedure 20
 - indexes 11
 - isolation levels 14, 17
 - locks 15, 19
 - naming conventions 25
 - NULL values 12, 28
 - query time limits 13
 - rowset size 16
 - SAS/ACCESS LIBNAME statement 2
 - schemas 17
 - SQL Procedure Pass-Through Facility 23
 - Versions 7 and 8 2
 - DBINDEX= data set option
 - DB2 under UNIX and PC hosts 12
 - DBINDEX= option, SAS/ACCESS LIBNAME statement
 - DB2 under UNIX and PC hosts 5
 - DBLOAD procedure, DB2 under UNIX and PC hosts 20
 - data conversions 29
 - examples 22
 - statements 21
 - DBNULL= data set option
 - DB2 under UNIX and PC hosts 12
 - DBSASTYPE= data set option
 - DB2 under UNIX and PC hosts 12
 - DBTYPE= data set option
 - DB2 under UNIX and PC hosts 13
 - DS= connection argument (DB2 under UNIX and PC hosts) 24
 - DSN= connection argument (DB2 under UNIX and PC hosts) 24
 - DSN= statement, DB2 under UNIX and PC hosts
 - ACCESS procedure 20
 - DBLOAD procedure 21
- E**
- engine connection options
 - DB2 under UNIX and PC hosts 3
- I**
- IN= statement, ACCESS procedure (DB2 under UNIX and PC hosts) 20
 - IN= statement, DBLOAD procedure
 - DB2 under UNIX and PC hosts 21
 - indexes
 - DB2 under UNIX and PC hosts 11
 - isolation levels
 - DB2 under UNIX and PC hosts 14, 17
- L**
- locks
 - DB2 under UNIX and PC hosts 15, 19
- N**
- naming conventions
 - DB2 under UNIX and PC hosts 25
 - NOPROMPT= connection argument (DB2 under UNIX and PC hosts) 24
 - NOPROMPT= connection option
 - DB2 under UNIX and PC hosts 4
 - NULL values
 - DB2 under UNIX and PC hosts 12, 28

numeric data

DB2 under UNIX and PC hosts 27

P

PASSWORD= connection argument

DB2 under UNIX and PC hosts 24

PASSWORD= connection option

DB2 under UNIX and PC hosts 3

PASSWORD= statement, DBLOAD procedure

DB2 under UNIX and PC hosts 22

PRESERVE_COL_NAMES= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 5

PRESERVE_TAB_NAMES= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 6

PROMPT= connection argument

DB2 under UNIX and PC hosts 24

PROMPT= connection option

DB2 under UNIX and PC hosts 4

PWD= connection argument (DB2 under UNIX and PC hosts) 24

PWD= statement, DBLOAD procedure (DB2 under UNIX and PC hosts) 22

Q

QUERY_TIMEOUT= data set option

DB2 under UNIX and PC hosts 13

QUERY_TIMEOUT= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 6

R

READ_ISOLATION_LEVEL= data set option

DB2 under UNIX and PC hosts 14

READ_ISOLATION_LEVEL= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 6

READ_LOCK_TYPE= data set option

DB2 under UNIX and PC hosts 15

READ_LOCK_TYPE= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 7

REQUIRED= connection argument

DB2 under UNIX and PC hosts 25

REQUIRED= connection option

DB2 under UNIX and PC hosts 4

RIL= data set option

DB2 under UNIX and PC hosts 14

ROWSET_SIZE= data set option

DB2 under UNIX and PC hosts 16

ROWSET_SIZE= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 7

S

SAS/ACCESS LIBNAME statement, DB2 under UNIX and PC hosts 2

data conversions 29

engine connection options 3

example 10

options 4

specifying 10

SASDATEFMT= data set option

DB2 under UNIX and PC hosts 16

SCHEMA= data set option

DB2 under UNIX and PC hosts 17

SCHEMA= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 8

schemas

DB2 under UNIX and PC hosts 17

SPOOL= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 8

SQL Procedure Pass-Through Facility

CONNECT statement, DB2 under UNIX and PC hosts 23

DB2 under UNIX and PC hosts 23

string data

DB2 under UNIX and PC hosts 26

STRINGDATES= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 8

T

TABLE= statement, ACCESS procedure

DB2 under UNIX and PC hosts 20

TABLE= statement, DBLOAD procedure

DB2 under UNIX and PC hosts 22

TIMEOUT= data set option (DB2 under UNIX and PC hosts) 14

TRACE= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 8

TRACEFILE= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 8

U

UID= connection argument (DB2 under UNIX and PC hosts) 24

UID= statement, DBLOAD procedure (DB2 under UNIX and PC hosts) 21

UIL= data set option

DB2 under UNIX and PC hosts 17

UPDATE_ISOLATION_LEVEL= data set option

DB2 under UNIX and PC hosts 17

UPDATE_ISOLATION_LEVEL= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 8

UPDATE_LOCK_TYPE= data set option

DB2 under UNIX and PC hosts 19

UPDATE_LOCK_TYPE= option, SAS/ACCESS LIBNAME statement

DB2 under UNIX and PC hosts 10

USER= connection argument

DB2 under UNIX and PC hosts 24

USER= connection option

DB2 under UNIX and PC hosts 3

USER= statement, DBLOAD procedure

DB2 under UNIX and PC hosts 21

USING= connection argument

DB2 under UNIX and PC hosts 24

USING= statement, DBLOAD procedure (DB2 under UNIX and PC hosts) 22