

Index

- A**
- ADD command
 - FSEDIT window 30
 - FSVIEW window 110
 - ADD option, PROC FSEDIT statement 12
 - Allow ADD/DUP command parameter field 60
 - Allow DELETE command parameter field 60
 - applications
 - See also* FSEDIT applications
 - FSBROWSE applications 5
 - FSVIEW applications 139
 - ATTR command, FSLETTER window 76
 - AUTOADD command, FSVIEW window 110
 - AUTOADD option, PROC FSVIEW statement 95
 - Autoadd parameter 138
 - AUTOADD text editor parameter 88
 - AUTOSAVE command
 - FSEDIT window 30
 - FSVIEW window 111
 - Autosave value parameter 138
 - Autosave value parameter field 61
 - AUTOWRAP text editor parameter 89
- B**
- Background parameter field 59
 - BACKWARD command
 - FSEDIT Names window 49
 - FSEDIT New window 41
 - FSEDIT window 30
 - FSLETTER ATTR window 84
 - FSVIEW NEW window 130
 - FSVIEW window 111
 - Banner parameter field 59
 - BFIND command, FSLETTER ATTR window 84
 - BLOCATE command, FSLETTER ATTR window 84
 - Border parameter field 59
 - BOTTOM command
 - FSEDIT Names window 49
 - FSEDIT New window 41
 - FSEDIT window 30
 - FSLETTER ATTR window 84
 - FSVIEW NEW window 130
 - FSVIEW window 111
 - BRONLY option, PROC FSVIEW statement 95
 - BROWSE command
 - FSLETTER window 77
 - FSVIEW window 111
 - BROWSEONLY option, PROC FSVIEW statement 95
 - browsing
 - SAS data sets 5, 9, 93, 95, 106
 - SCL program statements 53
- C**
- CANCEL command
 - EDPARMS window 91
 - FSEDIT New window 41
 - FSEDIT window 30
 - FSLETTER ATTR window 84
 - FSLETTER SEND window 87
 - FSLETTER window 77
 - FSVIEW Define window 135
 - FSVIEW NEW window 130
 - FSVIEW Parameters window 139
 - FSVIEW window 112
 - CAPS field attribute 56
 - CAPS text editor parameter 89
 - catalog entries 71, 72, 144
 - CLOSE command, FSLETTER window 77
 - Color and Attribute parameter 137
 - Color and Attribute parameter field 59
 - Color and Attribute text editor parameter 89
 - COLOR command, FSVIEW window 112
 - column spacing, FSEDIT procedure 17
 - Command parameter field 59
 - commands
 - concurrent window commands 144
 - EDPARMS window 91
 - FSBROWSE 6
 - FSEDIT 9, 21
 - FSEDIT Identify window 51
 - FSEDIT Modify window 46
 - FSEDIT Names window 48
 - FSEDIT New window 40
 - FSEDIT window 28
 - FSLETTER 68
 - FSLETTER ATTR window 83
 - FSLETTER SEND window 87
 - FSLETTER window 76
 - FSVIEW 102
 - FSVIEW Define window 135
 - FSVIEW NEW window 129
 - FSVIEW Parameters window 139
 - FSVIEW REVIEW window 136
 - FSVIEW window 108
 - global commands 141
 - printing commands 145
 - procedure environment commands 142
 - text editor 91
 - versus parameter settings 61
 - COMPILE command, FSVIEW Define window 135
 - concurrent window commands 144
 - control levels 27, 107
 - COPY command, FSLETTER window 77
 - CREATE command, FSVIEW window 113
 - CURSOR command
 - FSEDIT window 30
 - FSVIEW window 113
 - Cursor variable parameter 139
- D**
- DATA command, FSLETTER window 77
 - DATA= option
 - PROC FSEDIT statement 12
 - PROC FSLETTER statement 67
 - PROC FSVIEW statement 95
 - DDNAME= option
 - PROC FSEDIT statement 16
 - PROC FSLETTER statement 67
 - DEAR field attribute 81
 - DEBUG command 142
 - DEBUG option
 - PROC FSEDIT statement 12
 - PROC FSVIEW statement 95
 - DEFINE command
 - FSEDIT Identify window 52
 - FSVIEW window 113
 - DELETE command
 - FSEDIT window 31
 - FSVIEW window 114
 - DELETE field attribute 82
 - DES command, FSLETTER window 77
 - documents 65
 - catalog entries for 71, 72
 - color attributes 75
 - copying 13, 16
 - creating 71, 73
 - editing 71, 73, 87
 - field attributes 72, 80

- fields in 74
- filling fields in 67, 86
- forms for 74
- highlighting attributes 75
- named fields in 65
- printing 72, 86
- writing to external files 16, 67

DROP command, FSVIEW window 115

DUP command

- FSEDIT window 31
- FSVIEW window 115

E

EATTR field attribute 56

ECOLOR field attribute 56, 58

EDIT command

- FSEDIT window 31
- FSLETTER window 78
- FSVIEW window 116

EDIT option, PROC FSVIEW statement 95

EDPARMS command, FSLETTER window 78

EDPARMS window 88

- commands 91

END command

- EDPARMS window 91
- FSEDIT Identify window 52
- FSEDIT Names window 49
- FSEDIT New window 41
- FSEDIT window 31
- FSLETTER ATTR window 84
- FSLETTER SEND window 87
- FSLETTER window 78
- FSVIEW Define window 135
- FSVIEW NEW window 130
- FSVIEW Parameters window 139
- FSVIEW window 116

ENTER key 143

entry types 144

environment commands 142

external files, writing documents to 16, 67

F

FATTR field attribute 56

FCOLOR field attribute 56, 58

FIND command

- FSEDIT window 31
- FSLETTER ATTR window 84

FIND@ command, FSEDIT window 33

FLOW AFTER field attribute 82

FLOW BEFORE field attribute 82

FLOW LINE field attribute 82

FONT command 145

FORM command, FSLETTER window 78

FORM entry, default 145

FORMAT command, FSVIEW window 116

FORMAT statement

- FSEDIT procedure 17

FSVIEW procedure 97

formats

- FSEDIT procedure 17
- FSVIEW procedure 97

FORMNAME CLEAR command 145

FORMNAME command 145

forms, for documents 74

FORMULA command, FSVIEW window 117

FORMULA entries 139

- creating 140
- loading 140
- updating 140

FORMULA= option, PROC FSVIEW statement 95

formulas

- defining 132
- defining, in FSVIEW Define window 133
- evaluating 132
- reviewing definitions 135
- SCL in 133

FORWARD command

- FSEDIT Names window 49
- FSEDIT New window 41
- FSEDIT window 33
- FSLETTER ATTR window 85
- FSVIEW NEW window 130
- FSVIEW window 118

FSBROWSE applications 5

FSBROWSE command 6

FSBROWSE procedure 1, 5, 7

- syntax 6

FSBROWSE window 5

FSEDIT applications 9, 42

- color for 47
- creating 42
- customizing 44
- field attributes 53
- fields, changing from unwanted to identified 51
- fields, creating 45
- fields, defining 47
- fields, identifying 50
- fields, unidentified 50
- highlighting for 47
- including SCL programs 9
- key definitions 62
- modifying the display 45
- parameter fields 59
- parameter settings 58
- protecting 44
- SCL programs for 53
- SCREEN entries, creating or modifying 43
- special fields 46, 48
- storing customization information 42

FSEDIT Attribute window 53

- attribute frame descriptions 55
- frames in 54
- scrolling 54

FSEDIT command 9, 21

FSEDIT Identify window 50

- commands 51
- exiting 52

FSEDIT Menu window 14

- closing 44
- opening 43

FSEDIT Modify window 45

- commands 46
- exiting 47

FSEDIT Names window 47

- commands 48
- exiting 50

FSEDIT New window

- closing 40
- commands 40
- creating data sets 39
- defining variables in 40
- opening 39

FSEDIT Parmis window 58

FSEDIT procedure 1, 9

- criteria for displaying variables 20

FORMAT statement 17

INFORMAT statement 18

LABEL statement 19

- ordering variables 20
- printing FSEDIT display for each observation 15

PROC FSEDIT statement 12

- selecting variables to display 20
- syntax 10
- VAR statement 20
- WHERE statement 20
- windows 26
- writing documents to external files 16

FSEDIT window 9

- adding observations to data sets 28
- column width for 14
- commands 28
- editing observations 26
- fields, identifying with variable labels 13
- height, in rows 15
- leftmost column position 17
- number of observations to display in 15
- screens 28
- scrolling 28
- suppressing borders 15
- top row position 17
- variable values, entering and editing 28
- viewing observations 26

FSLETTER ATTR window 80

- assigning attributes 81
- commands 83

FSLETTER command 68

FSLETTER procedure 1, 65

- calling, from an FSBROWSE session 5
- calling, from an FSEDIT session 9
- conditions for filling variable fields 68
- creating documents 71, 73
- editing documents 73
- field attributes, assigning 80

- printing documents 86
 - PROC FSLETTER statement 66
 - selecting catalog entries 72
 - syntax 65
 - WHERE statement 68
 - windows 71
 - FSLETTER SEND window
 - commands 87
 - final editing 87
 - opening 86
 - printing documents from 86
 - FSLETTER window
 - borders 67
 - commands 76
 - opening 68
 - setting text editor parameters 87
 - FSVIEW applications
 - creating 139
 - customizing 93
 - FORMULA entries 139
 - FSVIEW command 102
 - FSVIEW Define window 133
 - commands 135
 - FSVIEW NEW window
 - closing 129
 - commands 129
 - creating SAS data sets 127
 - opening 127
 - FSVIEW Parameters window 136
 - commands 139
 - FSVIEW procedure 1, 93
 - creating applications 139
 - customizing environment 136
 - FORMAT statement 97
 - formulas, defining 132
 - ID statement 98
 - INFORMAT statement 99
 - observations, identifying in FSVIEW window 98
 - PROC FSVIEW statement 95
 - SAS data sets, browsing 106
 - SAS data sets, creating 127
 - SAS data sets, duplicating 131
 - SAS data sets, editing 106
 - syntax 94
 - VAR statement 100
 - variables, conditions for displaying 101
 - variables, ordering 100
 - variables, selecting 100, 131
 - WHERE statement 101
 - windows 105
 - FSVIEW REVIEW window 135
 - commands 136
 - FSVIEW window 106
 - commands 108
 - identifying observations in 98
 - opening 93, 95
 - opening multiple windows 108
 - suppressing borders 96
 - function keys 12
- G**
- global commands 141
- H**
- Help information source 143
 - HI command, FSVIEW window 118
 - HSCROLL command
 - FSLETTER ATTR window 85
 - FSVIEW window 119
 - Hscroll text editor parameter 89
 - Hscroll value parameter 138
- I**
- ID statement, FSVIEW procedure 98
 - INDENT text editor parameter 89
 - INFORMAT command, FSVIEW window 119
 - INFORMAT statement
 - FSEDIT procedure 18
 - FSVIEW procedure 99
 - informats
 - FSEDIT procedure 18
 - FSVIEW procedure 99
 - INITIAL command, FSVIEW window 120
 - INITIAL field attribute 55
 - Initial obs parameter 138
- J**
- JUSTIFY field attribute 57
- K**
- key definitions, application-specific 62
 - KEYFIELD command, FSLETTER ATTR window 85
 - KEYS command
 - FSEDIT Identify window 52
 - FSEDIT Names window 49
 - FSEDIT New window 41
 - FSEDIT window 33
 - FSVIEW window 120
 - KEYS entries 12
 - Keys name parameter field 60
 - KEYS= option, PROC FSEDIT statement 12
- L**
- LABEL option, PROC FSEDIT statement 13
 - LABEL statement, FSEDIT procedure 19
 - labels, FSEDIT procedure 19
 - LASTNAME field attribute 82
- LEFT command
 - FSEDIT Identify window 52
 - FSEDIT New window 41
 - FSEDIT window 34
 - FSLETTER ATTR window 85
 - FSVIEW NEW window 130
 - FSVIEW window 121
 - LETTER command, FSEDIT window 34
 - LETTER entries 13, 16
 - LETTER= option, PROC FSEDIT statement 13
 - letters
 - See documents
 - LIKE= option
 - PROC FSEDIT statement 14
 - PROC FSVIEW statement 96
 - LOCATE command
 - FSEDIT window 34
 - FSLETTER ATTR window 85
 - LOCATE: command, FSEDIT window 35
 - LOG window 142
- M**
- MAXIMUM field attribute 55
 - member-level control 108
 - menu bars 143
 - menu definitions 143
 - Message parameter field 59
 - MINIMUM field attribute 55
 - MODIFY command
 - FSEDIT window 35
 - FSVIEW window 121
 - MODIFY option
 - PROC FSEDIT statement 14
 - PROC FSVIEW statement 95
 - Modify password parameter field 61
 - MOVE command, FSVIEW window 121
 - MSG command 142
- N**
- n command
 - FSEDIT window 30
 - FSVIEW window 110
 - =n command, FSEDIT window 30
 - Name command variable parameter field 61
 - NAME command, FSEDIT window 35
 - named fields 65
 - NC= option, PROC FSEDIT statement 14
 - NEW command, FSVIEW window 122, 128
 - NEW= option
 - PROC FSEDIT statement 14
 - PROC FSVIEW statement 96, 128
 - NOADD option
 - PROC FSEDIT statement 14
 - PROC FSVIEW statement 96

NOAUTOBLANK field attribute 57
 NOAUTOSKIP field attribute 57
 NOBORDER option
 PROC FSEDIT statement 15
 PROC FSLETTER statement 67
 PROC FSVIEW statement 96
 NODEL option, PROC FSEDIT statement 15
 NODELETE option, PROC FSVIEW statement 97
 NONDISPLAY field attribute 57
 NR= option, PROC FSEDIT statement 15
 NUMS ON text editor parameter 89

O

OBS command, FSVIEW window 122
 OBS= option, PROC FSEDIT statement 15
 observations
 adding 28
 creating 12
 editing 26
 identifying, in FSVIEW window 98
 variable values, entering and editing 28
 viewing 26
 OVERRIDE command, FSEDIT window 36
 Override on errors parameter field 60
 Override on required parameter field 61

P

PAD field attribute 56
 parameter settings
 FSEDIT applications 58
 FSVIEW procedure 136
 text editor 87, 91, 92
 versus commands 61
 PARS command, FSVIEW window 122
 PMENUs 143
 PRINTALL option, PROC FSEDIT statement 15
 PRINTFILE= option
 PROC FSEDIT statement 16
 PROC FSLETTER statement 67
 printing
 capturing windows 146
 commands for 145
 default FORM entry 145
 documents 72, 86
 fonts 145
 FSEDIT display for each observation 15
 output destination 146
 PROC FSEDIT statement 12
 PROC FSLETTER statement 66
 PROC FSVIEW statement 95
 procedure environment commands 142
 PROTECT command, FSVIEW window 122
 PROTECT field attribute 57
 Protected parameter field 59

PRTFILE CLEAR command 146
 PRTFILE command 146
 PRTFILE= option
 PROC FSEDIT statement 16
 PROC FSLETTER statement 67
 pull-down menus 143

R

record-level control 107
 RENAME command, FSVIEW window 123
 REPEAT command, FSEDIT Names window 49
 REQUIRED field attribute
 FSEDIT procedure 55
 FSLETTER procedure 83
 REREAD command, FSEDIT window 36
 RESET command, FSVIEW window 123
 REVIEW command, FSVIEW window 123
 RFIN command
 FSEDIT window 36
 FSLETTER ATTR window 85
 RIGHT command
 FSEDIT Identify window 52
 FSEDIT New window 41
 FSEDIT window 36
 FSLETTER ATTR window 86
 FSVIEW NEW window 130
 FSVIEW window 123
 RIGHT JUSTIFY field attribute 83
 RLOCATE command, FSLETTER ATTR window 86
 Rows and columns parameter field 61

S

SAS Component Language (SCL) 53
 SAS data sets
 adding observations 28
 browsing 5
 browsing, with FSEDIT procedure 9
 browsing, with FSVIEW procedure 93, 95, 106
 control levels 27, 107
 creating, from a copied structure 14, 96, 129
 creating, with FSBROWSE procedure 5
 creating, with FSEDIT New window 39
 creating, with FSEDIT procedure 9, 14
 creating, with FSVIEW NEW window 127
 creating, with FSVIEW procedure 93, 96
 defining variables 40
 displaying as a table 93
 duplicating 131
 editing, with FSBROWSE procedure 5
 editing, with FSEDIT procedure 12
 editing, with FSVIEW procedure 93, 95, 106
 editing, with member-level control 108
 editing, with record-level control 107
 preventing deleted observations 15, 97
 preventing editing 95
 preventing new observations 14, 96
 printing FSEDIT display for each observation 15
 updating 5
 SAS/FSP procedures 1
 FSBROWSE 1, 5
 FSEDIT 1, 9
 FSLETTER 1, 65
 FSVIEW 1, 93
 guide to 1
 SAS text editor 87, 91
 SAS variable aliases (field attribute) 83
 SAVE command
 FSEDIT window 36
 FSLETTER window 79
 FSVIEW window 124
 SAVE FORMULA command, FSVIEW window 124
 SCL (SAS Component Language) 53
 SCL debugger 12, 95, 142
 SCL programs
 for FSEDIT applications 53
 including in FSEDIT applications 9
 SCL, in formulas 133
 SCREEN entries 16, 43
 SCREEN= option, PROC FSEDIT statement 16
 screens, FSEDIT window 28
 scrolling, FSEDIT window 28
 SEARCH command, FSEDIT window 36
 SEARCH@ command, FSEDIT window 37
 SELECT command, FSEDIT Names window 49
 Select Table Variables window 131
 SEND command
 FSEDIT window 37
 FSLETTER window 79
 SEND= option, PROC FSEDIT statement 16
 SETCR command 143
 SETHelp key 143
 SETPMENU command 143
 SETWDATA command 144
 SETWNAME command 144
 SETWSZ command, FSVIEW window 124
 SHOW command, FSVIEW window 124
 SHOWTYPE command 144
 SMOOTH command, FSVIEW window 125
 Smooth scrolling parameter 138
 SORT command, FSVIEW window 126
 SPELL ALL command 47
 spell checking 47
 SPRINT command 146
 SPRINT FREE command 146
 STCOL= option, PROC FSEDIT statement 17
 String command variables parameter field 61
 STRING command, FSEDIT window 38
 STROW= option, PROC FSEDIT statement 17
 SWAP command 144

- T**
- TAB= option, PROC FSEDIT statement 17
 - tables
 - displaying SAS data sets as 93
 - Select Table Variables window 131
 - Tabs text editor parameter 90
 - text editor 87
 - text editor commands 91
 - title bars 144
 - TOP command
 - FSEDIT Names window 50
 - FSEDIT New window 41
 - FSEDIT window 38
 - FSLETTER ATTR window 86
 - FSVIEW window 126
 - TYPE command 144
- U**
- Unprotected parameter field 59
 - UNWANTED command, FSEDIT Identify window 52
- UPDATE** command
- FSEDIT window 38
 - FSVIEW window 121, 126
- V**
- VAR statement
- FSEDIT procedure 20
 - FSVIEW procedure 100
- =variable command
- FSEDIT Identify window 52
 - FSEDIT window 30
 - FSVIEW window 110
- variable labels, identifying fields with 13
 - variable values, entering and editing 28
 - variables, defining 40
- VSCROLL command, FSVIEW window 126
- Vscroll text editor parameter 89
- Vscroll value parameter 138
- W**
- WANTED command, FSEDIT Identify window 52
- WHERE command
- FSEDIT window 38
 - FSLETTER window 80
 - FSVIEW window 127
- WHERE statement
- FSEDIT procedure 20
 - FSLETTER procedure 68
 - FSVIEW procedure 101
- windows
- capturing 146
 - concurrent commands 144
 - custom titles for 144
 - FSEDIT procedure 26
 - FSLETTER procedure 71
 - FSVIEW procedure 105
 - global commands 141
 - position of 144
 - size of 144
 - switching 144
 - title bars 144
- WREGION CLEAR command 144
- WREGION command 144
- WSIZE command 144

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., *SAS/FSP® Software Procedures Guide, Version 8*, Cary, NC: SAS Institute Inc., 1999.

SAS/FSP® Software Procedures Guide, Version 8

Copyright © 1999 by SAS Institute Inc., Cary, NC, USA.

ISBN 1-58025-517-5

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

U.S. Government Restricted Rights Notice. Use, duplication, or disclosure of the software and related documentation by the U.S. government is subject to the Agreement with SAS Institute and the restrictions set forth in FAR 52.227-19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

1st printing, October 1999

SAS® and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries.® indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

The Institute is a private company devoted to the support and further development of its software and related services.