

# Index

- A**
- ACROSS= option
    - DONUT statement 561
    - LEGEND statement 188
    - PIE/PIE3D statements 561
    - STAR statement 575
  - action statements 22
  - ActiveX controls 104
  - ADD statement, GDEVICE procedure
    - optional parameters 657
    - options 659
    - required arguments 659
    - required parameters 657
    - syntax 657
  - ADMGDF graphics option 305
  - AFTER argument, MOVE statement 937
  - Albers' equal-area projection
    - controlling projection criteria 884
    - purpose and use 877
    - specifying with PROJECT= option 883
    - using default projection specifications, example 886
  - ALL option, PROC GMAP statement 740
  - ALL argument
    - CDELETE statement 932
    - COPY statement 933
    - DELETE statement 933
    - LIST statement 662
    - PREVIEW statement 938
    - REPLAY statement 939
    - TDELETE statement 944
  - alternative hardware fonts 129
  - ANCHOR= option, ODS HTML statement 204
  - anchors 210
  - ANGLE= option
    - DONUT statement 561
    - PIE/PIE3D statements 561
    - STAR statement 575
    - TITLE, FOOTNOTE, and NOTE statements 253
  - ANGLE variable, Annotate facility 455
  - animating GIF files 105, 123
  - %ANNOMAC macro, Annotate facility 485
  - Annotate data sets 403, 405
    - Annotate functions 408
    - Annotate graphics 410
    - Annotate macros in DATA step 415
    - Annotate variables 407
    - comments in 434
    - creating 414
    - creating Annotate graphics 405
    - creating custom graphs 404
    - creating with DATA step 415
    - debugging 419, 435
    - displaying with GSLIDE procedure 960
    - displaying with GSLIDE procedure, example 965
    - drawing circle of stars 424
    - enhancing existing graphs 404
    - examples 419
    - graphics output from 416
    - labeling cities on map 419
    - labeling subgroups in vertical bar chart 422
    - LIFO stack 418
    - missing values 416
    - order of graphic element processing 417
    - projecting for use with map data set, example 892
    - structure of 405
  - Annotate DATA step 23
  - Annotate facility 13
    - Annotate functions 429
    - Annotate macros 484
    - Annotate variables 455
    - BY-group processing 181, 417
    - compared with DATA Step Graphics Interface 1028
    - dictionary 428
    - internal coordinates 413, 433, 483
    - labeling states on U.S. map, example 786
    - purpose and use 403
  - Annotate functions 408, 429
    - dictionary 429
  - Annotate graphics 410
    - coordinate systems 411
    - coordinates 411
    - creating 405
    - displaying with GSLIDE procedure 960
    - displaying with GSLIDE procedure, example 965
    - graphics elements 410, 417
    - in drill-down graph 514
    - including with procedure output 416
    - producing multiple graphs, example 511
    - producing only Annotate graphics output 416
  - Annotate macro data set 20
  - Annotate macros 415
    - dictionary 484
    - in DATA step 415
    - making macros available 501
    - structure of 500
    - task summary 501
  - ANNOTATE= option
    - BLOCK statement (GCHART) 534
    - BLOCK statement (GMAP) 743
    - BUBBLE statement 811
    - DONUT statement 562
    - HBAR/HBAR3D statements 543
    - PIE/PIE3D statements 562
    - PLOT statement (G3D) 982
    - PLOT statement (GCONTOUR) 631
    - PLOT statement (GPLOT) 821
    - PRISM statement 754
    - PROC G3D statement 981
    - PROC GCHART statement 531
    - PROC GCONTOUR statement 628
    - PROC GMAP statement 740
    - PROC GPLOT statement 808
    - PROC GPRINT statement 861
    - SCATTER statement, G3D procedure 987
    - STAR statement 575
    - SURFACE statement 760
    - VBAR/VBAR3D statements 543
  - ANNOTATE= option, CHORO statement
    - purpose and use 750
  - ANNOTATE= option, PROC GANNO statement
    - required with GANNO procedure 505
  - ANNOTATE= option, PROC GSLIDE statement
    - displaying annotate graphics with GSLIDE procedure, example 965
    - purpose and use 961
  - Annotate variables 407
    - dictionary 455
  - applets 104
  - ARC operator, GDRAW function
    - associated attributes, table 1042
    - attributes capable of bundling, table 1047
    - syntax and description 1115
    - vertical angling of text in DSGI graphics, example 1058
  - ARCHIVE= option, ODS HTML statement 204
  - area boundaries in map data sets, unmatched
    - GREDUCE procedure 897
    - REMOVE procedure 907
  - AREA= option, BLOCK statement (GMAP)
    - purpose and use 743
  - AREAS= option, PLOT statement (GPLOT)
    - purpose and use 821

- ASCENDING option
    - DONUT statement 562
    - HBAR/HBAR3D statements 544
    - PIE/PIE3D statements 562
    - VBAR/VBAR3D statements 544
  - ASCII string, appending to data record 341
  - ASF operator, GASK routine 1078
  - ASF operator, GSET function
    - assigning attributes to bundles 1048
    - disassociating attributes from bundles 1050
    - syntax and description 1130
  - ASIS option, PROC GPROJECT statement 880
  - ASPECT device parameter 305
  - ASPECT= graphics option 305
  - ASPECT operator
    - GASK routine 1079
    - GSET function 1131
  - aspect ratio, maintaining 864
  - attributes, DSGI 1048
    - assigning to bundle 1048
    - assigning to bundle, example 1048
    - attributes capable of bundling for each graphics primitive 1047
    - bundling 1047
    - defining multiple bundles for graphics primitive 1049
    - disassociating attributes from bundle 1050
    - overriding of individual attributes by bundled attributes 1049
    - remaining in effect until end of DATA step 1045
    - selecting bundle 1049
    - selection of attribute values by DSGI 1049
    - setting attributes for graphics elements 1042
    - setting in several places 1045
  - AUTOCOPY device parameter 306
  - AUTOCOPY graphics option 306
  - AUTOFEED device parameter 307
  - AUTOFEED graphics option 307
  - AUTOHREF option
    - BUBBLE statement 811
    - PLOT statement (GCONTOUR) 631
    - PLOT statement (GPLOT) 822
  - AUTOLABEL= option, PLOT statement
    - purpose and use 631
  - AUTOREF option, HBAR/HBAR3D statements
    - purpose and use 544
  - AUTOREF option, VBAR/VBAR3D statements
    - purpose and use 544
  - AUTOSIZE graphics option 307
  - AUTOVREF option
    - BUBBLE statement 811
    - PLOT statement (GCONTOUR) 631
    - PLOT statement (GPLOT) 822
  - axes
    - color of 164
    - controlling with PLOT and SCATTER statement options 980
    - coordinates of the origin 170
    - labels 164
    - length of 165
    - line type for axis line 171
    - logarithmic 269, 807
    - offset distance 167
    - order of data values 168
    - reference-line labels 170
    - removing planes 167
    - reversing axis values for scatter plots 992
    - rotating and tilting plots 979
    - scaling, logarithmically 165
    - scatter plot variables for plotting 976
    - specifying order for contour plots 638
    - split character 171
    - suppressing brackets 167
    - surface plot variables for plotting 976
    - terminology 163
    - tick mark values, modifying 171
    - tick marks, major 166
    - tick marks, minor 167
    - width of axis line 172
  - AXIS definitions 177
    - avoiding out-of-range values 807
    - not supported by G3D procedure 979
  - axis labels for three-dimensional plots 979
  - AXIS= option
    - HBAR/HBAR3D statements 544, 555
    - VBAR/VBAR3D statements 544, 555
  - AXIS option, PROC GOPTIONS statement 797
  - AXIS statement 23, 162
    - assigning AXIS definitions 177
    - options 164
    - syntax 163
    - text description suboptions 172, 175
    - tick mark description suboptions 175
  - AXIS1= option, GRID statement
    - default interpolation method, example 1016
    - purpose and use 1014
    - spline interpolation, example 1022
  - AXIS2= option, GRID statement
    - default interpolation method, example 1016
    - purpose and use 1014
    - spline interpolation, example 1022
- ## B
- bar charts 521
    - chart statistic and response axis 557
    - controlling patterns and colors 558
    - controlling when patterns change 559
    - default patterns and outlines 558
    - labeling subgroups in 422
    - ordering and selecting midpoints 558
    - specifying logarithmic axes 557
    - specifying sum statistic, example 587
    - subgrouping 3D vertical bar chart, example 589
    - terms used with bar charts, illustration 523
    - user-defined patterns 559
    - with drill-down, for the Web 294, 597
  - BAR function, Annotate facility 431
  - %BAR macro, Annotate facility 485
  - BAR operator, GDRAW function
    - associated attributes, table 1042
    - attributes capable of bundling, table 1047
    - syntax and description 1116
  - %BAR2 macro, Annotate facility 485
  - BASE= option, ODS HTML statement 205
  - baseline of font 676
  - BASELINE= option, PROC GFONT statement 683
  - batch mode 28
  - BCOLOR= option
    - TITLE, FOOTNOTE, and NOTE statements 255
  - BEFORE argument, MOVE statement 937
  - BFONT= option, BUBBLE statement
    - purpose and use 811
  - BINDING graphics option 308
  - bivariate interpolation, G3GRID procedure 1010
  - BLABEL option, BUBBLE statement
    - purpose and use 811
  - BLANK= option
    - TITLE, FOOTNOTE, and NOTE statements 256
  - block charts 2
    - controlling text 540
    - default patterns and outlines 539
    - displaying negative or zero values 540
    - grouping and subgrouping, example 585
    - purpose and use 520
    - specifying sum statistic, example 583
    - user-defined patterns 540
    - when patterns change 540
  - block effects, for legends 199
  - block maps 9, 732, 792
    - assigning format to response variable, example 776
    - patterns 748
    - producing simple block map, example 771
    - specifying response levels in block map, example 774
  - BLOCK statement, GCHART procedure
    - appearance options 533
    - catalog entry description options 533
    - displaying negative or zero values 540
    - midpoint options 533
    - options 534
    - patterns and colors for block charts 539
    - purpose and use 532
    - required arguments 533
    - statistic options 533
    - syntax 533
    - text for block charts 540
  - BLOCK statement, GMAP procedure
    - appearance options 742
    - assigning format to response variable, example 776
    - description 742
    - description options 743

- legend options 742
  - mapping options 742
  - ODS options 743
  - options 743
  - producing simple block map, example 771
  - required arguments 743
  - specifying response levels in block map, example 774
  - syntax 742
  - BLOCKMAX= option, BLOCK statement (GCHART) 534
  - BLOCKSIZE= option, BLOCK statement (GMAP)
    - purpose and use 744
  - BMP files 57
  - body files 83
  - BODY= option, ODS HTML statement
    - generating drill-down graph in DSGI, example 1072
  - BORDER graphics option 309
  - BORDER option, PROC GSLIDE statement
    - drawing box around graphics output area 962
    - producing text slides, example 963
    - purpose and use 961
  - borders, drawing
    - annotate graphics, example 966
    - PROC GSLIDE statement options 962
    - producing text slides, example 964
  - BOX= option
    - TITLE, FOOTNOTE, and NOTE statements 256
  - box plots 229
    - creating 273
    - modifying 273
    - width of 227
  - BROWSE option, PROC GDEVICE statement 656
  - BSCALE= option, BUBBLE statement 811
  - BSIZE= option, BUBBLE statement
    - purpose and use 812
  - BSPACE= option
    - TITLE, FOOTNOTE, and NOTE statements 257
  - bubble plots 7
    - adding right vertical axis, example 838
    - controlling display of bubbles 815
    - default BUBBLE statement behavior 803
    - generating simple bubble plot, example 834
    - illustration 803
    - labeling and sizing plot bubbles, example 836
    - purpose and use 803
  - BUBBLE statement, GPLOT procedure
    - bubble appearance options 809
    - catalog entry description options 810
    - controlling display of bubbles 815
    - default behavior 803
    - description 809
    - horizontal axis options 810
    - options 811
    - plot appearance options 810
    - required arguments 810
    - syntax 809
    - vertical axis options 810
  - BUBBLE2 statement, GPLOT procedure
    - bubble appearance options 816
    - coordinating BUBBLE and BUBBLE2 plot requests 817
    - description 815
    - options 817
    - plot appearance options 816
    - required arguments 816
    - syntax 815
    - vertical axis options 816
  - bundling attributes 1047
    - See attributes, DSGI
  - BWIDTH= option, SYMBOL statement 227
  - BY lines 179
  - BY statement 22, 177
    - BY lines 179
    - BY-group processing 178
    - catalog entries, naming 179
    - options 178
    - required arguments 178
    - RUN-group processing 181
    - RUN-group processing with 29
    - syntax 178
    - with PATTERN definitions 181
    - with SYMBOL definitions 181
  - BY statement information
    - changing with MODIFY statement 936
    - displaying with BYLINE option 925
    - suppressing with NOBYLINE option 926
    - suppressing with NOBYLINE statement 938
  - BY statement, GREMOVE procedure
    - DESCENDING option 909
    - NONSORTED option 909
    - ordering observations with SORT procedure 909
    - required arguments 909
    - syntax 909
  - BY variables, specifying
    - creating outline map of Africa, example 917
    - removing state boundaries from U.S. map, example 914
  - BY-group processing 178
    - Annotate facility with 417
    - G3GRID procedure output data set 1016
    - generating a series of charts with 280
    - with Annotate facility 181
    - with FOOTNOTE statement 181
    - with GCHART procedure 180
    - with GMAP procedure 180
    - with GPLOT procedure 180
    - with NOTE statement 181
    - with TITLE statement 181
  - BYLINE= argument, MODIFY statement 936
  - BYLINE option, PROC GREPLAY statement 925
  - BYLINE statement GREPLAY procedure 929
- ## C
- capline of font 676
  - CAPLINE= option, PROC GFONT statement 683
  - carriage returns, inserting 341
  - carriage-control characters, omitting from text files 862
  - Cartesian coordinates 873
  - cartographic font 135
  - catalog entries 51
    - CMAP type 921
    - conventions for preventing duplicate names 922
    - copying from input to output catalog 932
    - deleting from input catalog 933
    - grouping 935
    - GRSEG type 921
    - listing 51
    - managing 51
    - managing with GREPLAY statements 949
    - names and descriptions 51
    - printing with LIST statement 936
    - rearranging with MOVE statement 937
    - replaying 950
    - selecting with REPLAY statement 939
    - selecting with TREPLAY statement 945
    - storing DSGI graphs 1031
    - TEMPLATE type 921
  - CATALOG operator, GASK routine 1080
  - CATALOG operator, GSET function
    - inserting existing graphs into DSGI graphics output 1053
    - storing DSGI graphs 1032
    - syntax and description 1132
  - CATALOG= option, PROC GDEVICE statement 657
  - CAXIS= option
    - HBAR/HBAR3D statements 544
    - PLOT statement (G3D) 983
    - PLOT statement (GCONTOUR) 631
    - VBAR/VBAR3D statements 544
  - CAXIS= option, BLOCK statement (GCHART)
    - controlling axis color 540
    - purpose and use 534
  - CAXIS= option, BUBBLE statement
    - purpose and use 812
  - CAXIS= option, PLOT statement (GPLOT)
    - purpose and use 822
  - CAXIS= option, SCATTER statement (G3D)
    - purpose and use 987
    - rotating scatter plot, example 1003
  - CBACK device parameter 309
  - CBACK= graphics option 309
    - overridden by DSGI functions 1032
    - setting default color 140
  - CBACK operator, GASK routine 1081
  - CBACK operator, GSET function 1133

- CBLOCK= option, BLOCK statement (GMAP)
  - purpose and use 744
- CBLOCK= option, LEGEND statement 188
- CBODY= option, SURFACE statement 760
- CBORDER= option, LEGEND statement 188
- CBORDER variable, Annotate facility 456
- CBOTTOM= option, PLOT statement (G3D)
  - purpose and use 983
  - rotating surface plot, example 996
- CBOX variable, Annotate facility 457
- cby= graphics option 310
  - setting default color 140
- CC argument
  - ? statement (GREPLAY) 928
  - LIST statement (GREPLAY) 936
- CC field, PROC GREPLAY window 922
- CC= option, PROC GREPLAY statement
  - assigning catalogs 922
  - purpose and use 925
- CC statement, GREPLAY procedure
  - assigning catalogs 922
  - required arguments 929
- CCOPY statement, GREPLAY procedure
  - copying color maps 930
  - required arguments 929
- CDEF statement, GREPLAY procedure
  - options 931
  - required arguments 931
  - syntax 931
- CDELETE statement, GREPLAY procedure 931
- CELL device parameter 310
- CELL= graphics option 310
- cells 31
  - controlling with AUTOSIZE graphics option 307
- CELLS unit
  - font creation 683
- CEMPTY= option
  - BLOCK statement 744
  - CHORO statement 750
  - PRISM statement 754
- CENTIMETERS option, PROC GOPTIONS statement 797
- CERROR= option
  - HBAR/HBAR3D statements 544
  - VBAR/VBAR3D statements 544
- CFILL= option
  - DONUT statement 562
  - PIE3D statement 562
  - STAR statement 575
- CFILL= option, PIE statement
  - purpose and use 562
- CFRAME= option
  - BUBBLE statement 812
  - HBAR/HBAR3D statements 544
  - LEGEND statement 188
  - PLOT statement (GCONTOUR) 631
  - PLOT statement (GPLOT) 822
  - VBAR/VBAR3D statements 544
- CFRAME= option, PROC GSLIDE statement
  - controlling frame color 963
  - producing text slides, example 963
  - purpose and use 961
- CFREQ option
  - HBAR/HBAR3D statements 544
  - VBAR/VBAR3D statements 544
- CFREQLABEL= option
  - HBAR/HBAR3D statements 544
  - VBAR/VBAR3D statements 544
- CGM files 57
- character cells 31
- character codes
  - creating figures for symbol font, example 700
  - displaying with PROC GFONT statement options, example 699
- character spacing
  - FTRACK= graphics option 337
  - kern data set 694
  - space data set 696
- CHARACTERS device parameter 311
- CHARACTERS= graphics option 311
- CHARREC device parameter 311
- CHARSPACE= option, PROC GFONT statement
  - DATA value 684
  - FIXED value 684
  - NONE value 684
  - PTYPE variable required with DATA value 684
  - purpose and use 684
  - UNIFORM value 684
- chart series 280
- chart statistics 523, 528
  - calculating weighted statistics 529
  - chart statistic and response axis 557
  - controlling midpoints and statistics in bar chart, example 592
  - cumulative frequency 528
  - cumulative percentage 528
  - displaying in vertical bar charts 557
  - frequency 528
  - mean 528
  - percentage 528
  - sum 528
- chart variables
  - continuous 525
  - definition 523, 525
  - discrete 525
  - missing values 525
- charts
  - produced by GCHART procedure 520
  - types of 2
- CHARTYPE device parameter 312
- CHARTYPE= graphics option 312
- Chartype window, GDEVICE procedure
  - purpose and use 667
- CHORO statement, GMAP procedure
  - appearance options 749
  - creating maps with drill-down for Web pages, example 780
  - description 748
  - description options 749
  - displaying projected map, example 894
  - labeling states on U.S. map, example 786
  - legend options 749
  - mapping options 749
  - ODS options 749
  - options 750
  - producing simple choropleth map, example 778
  - projecting Annotate data set, example 894
  - required arguments 749
- choropleth maps 10, 733
  - creating maps with drill-down for Web page, example 780
  - labeling states on U.S. map, example 786
  - producing simple choropleth map, example 778
- CHREF= option
  - BUBBLE statement 812
  - PLOT statement (GCONTOUR) 631
  - PLOT statement (GPLOT) 822
- CI= option, SYMBOL statement 227
  - effect on contour lines and labels, table 640
- %CIRCLE macro, Annotate facility 486
- CIRCLEARC device parameter 313
- CIRCLEARC graphics option 313
- CLEAR operator, GRAPH function
  - creating simple graphics 1041
  - processing DSGI statements in loops 1054
  - producing and storing DSGI graphs 1031
  - structure of DSGI programs 1042
  - submitting GDRAW functions between CLEAR and UPDATE functions 1041
  - syntax and description 1125
  - vertical angling of text in DSGI graphics, example 1057
- CLEVELS= option, PLOT statement 631
- CLIP operator, GASK routine 1081
- CLIP operator, GSET function
  - clipping around viewports 1051
  - syntax and description 1133
- CLIP option, TDEF statement 942
- CLIPREF option
  - HBAR/HBAR3D statements 545
  - VBAR/VBAR3D statements 545
- CLM= option
  - HBAR/HBAR3D statements 545
  - VBAR/VBAR3D statements 545
- CLOCKWISE option
  - DONUT statement 562
  - PIE statement 562
  - PIE3D statement 562
- CLOSE option, ODS HTML statement
  - generating drill-down graph in DSGI, example 1072
- CM unit 683
- CMAP argument
  - ? statement (GREPLAY) 928
  - CCOPY statement (GREPLAY) 930
  - LIST statement, GREPLAY procedure 936
- CMAP catalog type 921

- CMAP device parameter 313
- Cmap field, PROC GREPLAY window 922
- CMAP= option, PROC GREPLAY statement
  - assigning current color map 922
  - purpose and use 925
- CMAP statement, GREPLAY procedure
  - assigning current color map 922
  - required arguments 932
- CMYK color codes 142
- CNTL2TXT function, Annotate facility 433
- %CNTL2TXT macro, Annotate facility 487
- CO= option, SYMBOL statement 228
- CODELEN= option, PROC GFONT statement 684
- COLINDEX operator, GASK routine 1082
- COLLATE graphics option 314
- color map catalogs 922
  - assigning before creating color map 952
  - assigning with CC= option 925
  - assigning with CMAP statement 932
  - CMAP catalog type 921
  - copying with CCOPY statement 930
  - defining or modifying with CDEF statement 931
  - deleting with CDELETE statement 931
  - image entries not recognized by GREPLAY procedure 922
  - methods for assigning current color map 922
  - specifying with CC statement 929
- COLOR MAPPING window 948
- color maps
  - computer graphics metafiles 707
  - creating templates and color maps 951
  - creating, example 956
  - image entries not recognized by GREPLAY procedure 922
  - specifying with CMAP graphics option 313
  - transporting 54
- COLOR= option
  - AXIS statement 164
  - PATTERN statement 213
  - SYMBOL statement 228
  - TDEF statement 942
  - TITLE, FOOTNOTE, and NOTE statements 257
- COLOR= option, SCATTER statement (G3D)
  - purpose and use 987
  - using shapes in scatter plots, example 1000
- COLOR= option, SYMBOL statement
  - effect on contour lines and labels, table 640
- color options
  - BCOLOR= option, BUBBLE statement 811
  - CAXIS= option, BLOCK statement 540
  - CAXIS= option, PLOT statement (G3D) 983
  - CAXIS= option, SCATTER statement 987
  - cback= graphics option 140
  - CBOTTOM= option, PLOT statement (G3D) 983
  - cby= graphics option 140
  - CFRAME= option, PROC GSLIDE statement 961, 963
  - COLOR= option, SCATTER statement 987
  - COLOR= option, TDEF statement 942
  - COUTLINE= option, HBAR/HBAR3D statements 545
  - cpattern= graphics option 140
  - csymbol= graphics option 140
  - ctext= graphics option 140
  - CTEXT= option, BLOCK statement (GCHART) 540
  - CTEXT= option, PLOT statement (G3D) 983
  - CTEXT= option, SCATTER statement 987
  - ctitle= graphics option 140
  - CTOP= option, PLOT statement 983
  - COLOR variable, Annotate facility 458
  - color-map-catalog 921
  - Colormap window, GDEVICE procedure 667
  - colors 139
    - axis for block charts 540
    - bar charts 558
    - block charts 539
    - CMYK color codes 142
    - color-naming schemes 142
    - colors list 140
    - defaults 140
    - device capabilities 154
    - device limitations 156
    - gray-scale 145
    - HLS color codes 143
    - HSB color codes 144
    - HSV color codes 144
    - maximum number of 156
    - pen plotters 155
    - predefined SAS colors 145
    - RGB color codes 142
    - specifying 140
    - trueness of 157
    - user-defined color, devices not supporting 155
    - user-defined color, devices supporting 155
  - COLORS= device parameter 314
  - COLORS= graphics option 314
    - overridden by DSGI functions 1032
    - portability of DSGI graphics output 1055
    - vertical angling of text in DSGI graphics, example 1055, 1057
  - colors list 140, 271
    - building 141
    - default 141
    - overriding default list 141
    - resetting to default 141
  - COLORTYPE= device parameter 315
  - COLREP operator, GASK routine
    - syntax and description 1083
    - using in DSGI, example 1069
  - COLREP operator, GSET function
    - assigning predefined color, example 1069
    - syntax and description 1134
  - COLS device parameter 316
  - COMMENT function, Annotate facility 434
  - %COMMENT macro, Annotate facility 487
  - compatibility 49
  - computer graphics metafiles (CGM) 706
    - elements not supported by GIMPORT procedure 707
    - importing with GIMPORT procedure 705
    - specifying fileref for 706
  - CONSTANT= option, SURFACE statement
    - purpose and use 760
  - contents files 86
  - CONTENTS= option
    - ODS HTML statement 202
  - continuous variables
    - chart variables 525
    - midpoint variables 526
    - response variables 737
  - contour plots
    - definition 625
    - example 641
    - interpolating additional values 627
    - labeling contour lines, example 644
    - modifying contour lines and labels with SYMBOL statement 640
    - purpose and use 8
    - selecting contour levels 636
    - specifying axis order 638
    - specifying contour levels, example 646
    - specifying text for contour labels 641
    - terms for describing parts of contour plots 626
    - using patterns and joins, example 648
  - contour variable 625
  - converting graphics output 52
  - coordinate systems 411
    - longitude and latitude coordinates in map data sets 876
    - ranges for cells 413
  - COPY operator, GRAPH function 1126
  - COPY= option, TDEF statement 942
  - COPY statement
    - GREPLAY procedure 932
  - COPY statement, GDEVICE procedure
    - required arguments 660
    - syntax 660
  - COUTLINE= option
    - PIE/PIE3D statements 562
  - COUTLINE= option, BLOCK statement (GCHART)
    - purpose and use 534
  - COUTLINE= option, BLOCK statement (GMAP)
    - purpose and use 744
  - COUTLINE= option, CHORO statement
    - purpose and use 750
  - COUTLINE= option, DONUT statement
    - purpose and use 562
  - COUTLINE= option, HBAR/HBAR3D statements
    - purpose and use 545
  - COUTLINE= option, PLOT statement (GCONTOUR)
    - purpose and use 632
  - COUTLINE= option, PRISM statement
    - purpose and use 755

- COUTLINE= option, STAR statement
  - purpose and use 576
- COUTLINE= option, VBAR/VBAR3D statements
  - purpose and use 545
- cpattern= graphics option 223, 317
  - setting default color 140
- CPERCENT option
  - HBAR/HBAR3D statements 545
  - VBAR/VBAR3D statements 545
- CPERCENTLABEL option
  - HBAR/HBAR3D statements 545
  - VBAR/VBAR3D statements 545
- CSHADOW= option, LEGEND statement 189
- csymbol= graphics option 317
  - setting default color 140
- CTEXT= graphics option 318
  - overridden by DSGI functions 1032
  - setting default color 140
- CTEXT= option
  - BLOCK statement (GCHART) 534, 540
  - BLOCK statement (GMAP) 744
  - BUBBLE statement 812
  - CHORO statement 750
  - HBAR/HBAR3D statements 545
  - PIE3D statement 563
  - PLOT statement (G3D) 983
  - PRISM statement 755
  - PROC GPRINT statement 861
  - SCATTER statement, G3D procedure 987
  - STAR statement 576
  - VBAR/VBAR3D statements 545
- CTEXT= option, DONUT statement
  - purpose and use 563
- CTEXT= option, PIE statement
  - purpose and use 563
- CTEXT= option, PLOT statement (GCONTOUR)
  - purpose and use 632
- CTEXT= option, PLOT statement (GPLOT)
  - purpose and use 823
- CTEXT= option, PROC GFONT statement
  - purpose and use 680
- ctitle= graphics option 318
  - setting default color 140
- CTOP= option, PLOT statement (G3D)
  - purpose and use 983
  - rotating surface plot, example 996
- cumulative frequency statistic 528
- cumulative percentage statistic 528
- current window system, DSGI 1033
- custom graphics 13
- custom graphs 404
- CV= option, SYMBOL statement 228
  - effect on contour lines and labels, table 640
- CVREF= option
  - BUBBLE statement 812
  - PLOT statement (GCONTOUR) 632
  - PLOT statement (GPLOT) 823
- D
- DASH device parameter 319
- DASHLINE device parameter 319
- DASHSCALE= graphics option 320
- DATA= option
  - PROC G3D statement 981
  - PROC G3GRID statement 1012
  - PROC GCHART statement 531
  - PROC GCONTOUR statement 628
  - PROC GMAP statement 741
  - PROC GPLOT statement 808
  - PROC GREDUCE statement 898
- DATA= option, PROC GFONT statement
  - purpose and use 683
- DATA= option, PROC GKEYMAP
  - purpose and use 725
- DATA= option, PROC GPROJECT statement
  - projecting Annotate data set, example 891
  - purpose and use 880
- DATA= option, PROC GREMOVE statement
  - creating outline map of Africa, example 915
  - purpose and use 908
- DATA step
  - Annotate DATA step 23
  - Annotate macros in 415
  - creating Annotate data set 415
  - default interpolation method, example 1016
  - reversing axis values for scatter plot 993
  - subsetting map data sets 901
  - using shapes in scatter plots, example 1000
- DATA Step Graphics Interface (DSGI) 13, 1028
  - activating transformations 1052
  - angling text vertically, example 1055
  - applications 1030
  - assigning attributes to bundles 1048
  - attributes that can be bundled for each graphics primitive 1047
  - basic steps for creating simple graphics 1041
  - bundling attributes 1047
  - changing reading direction of text, example 1058
  - clipping around viewports 1051
  - compared with Annotate facility 1028
  - creating custom graphs 1030
  - creating simple graphics 1041
  - current window system 1033
  - debugging DSGI programs 1033
  - defining multiple bundles for graphics primitive 1049
  - defining viewports 1051
  - defining windows 1051
  - dictionary of commands 1075
  - dissociating attributes from bundles 1050
  - drill-down graph generation, example 1069
  - enhancing existing graphs 1030
  - enlarging graph area by using windows 1065
  - examples 1055
  - functions that change operating state 1044
  - GASK routines 1077
  - GASK routines, example 1067
  - GDRAW functions 1114
  - generating multiple graphics output in one DATA step 1054
  - GRAPH functions 1125
  - graphics options overridden by DSGI functions, table 1032
  - GSET functions 1129
  - inserting existing graphs into graphics output 1053
  - inserting existing graphs into graphics output, example 1053
  - inserting graphs 1030
  - operating states 1033, 1076
  - order of DSGI statements controlled by operating states 1044
  - overview 1028
  - processing DSGI statements in loops 1054
  - producing and storing DSGI graphs 1031
  - required formats for arguments 1030
  - return codes for DSGI routines and functions 1165
  - scaling graphs by using windows, example 1062
  - selecting bundles 1049
  - selection of attributes by DSGI 1049
  - setting attributes for graphics elements 1042
  - structure of DSGI data sets 1032
  - structure of functions, illustration 1041
  - summary of functions 1034
  - summary of routines 1038
  - summary of use 1031
  - syntax of GASK routines and functions 1029
  - using DSGI 1031
  - using SAS/GRAPH global statements with DSGI 1032
  - using viewports, example 1059
  - utility functions 1076
  - viewports 1050
  - windows 1050
- DATASYS option, PROC GANNO statement 505
  - scaling data dependent output 506
- %DCLANNO macro, Annotate facility 488
- DEBUG function, Annotate facility 435
- debugging
  - Annotate data sets 419
  - debugging DSGI programs 1033
- DEF option, TDEF statement 942
- DEGREE option, PROC GPROJECT statement 876, 880
- degree values, map data sets 876
- DELAY= graphics option 320
- DELETE operator, GRAPH function 1127
- DELETE option, TDEF statement 942
- DELETE statement
  - GDEVICE procedure 661
  - GREPLAY procedure 933
- density level for map data sets
  - default criteria 900

- number of density levels in GREDUCE procedure 900
- specifying with N\inI= option 899, 900
- DENSITY variable
  - input map data set, GPROJECT procedure 875, 884
  - produced by GREDUCE procedure 895
- DES= argument
  - CDEF statement (GREPLAY) 931
  - MODIFY statement (GREPLAY) 937
- DES= option, TDEF statement 942
- DESCENDING option
  - BY statement 178
  - BY statement (GREMOVE) 909
  - DONUT statement 563
  - HBAR/HBAR3D statements 546
  - PIE3D statement 563
  - VBAR/VBAR3D statements 546
- DESCENDING option, PIE statement
  - purpose and use 563
- DESCRIPTION device parameter 321
- DESCRIPTION= option
  - BLOCK statement (GCHART) 535
  - BUBBLE statement 812
  - DONUT statement 563
  - HBAR/HBAR3D statements 546
  - PIE/PIE3D statements 563
  - PLOT statement (G3D) 983
  - PLOT statement (GCONTOUR) 632
  - PLOT statement (GPLLOT) 823
  - PRISM statement 755
  - PROC GPRINT statement 861
  - PROC GSLIDE statement 962
  - SCATTER statement 988
  - STAR statement 576
  - SURFACE statement 761
- DESCRIPTION= option, BLOCK statement (GMAP)
  - purpose and use 745
- DESCRIPTION= option, CHORO statement
  - purpose and use 750
- DESCRIPTION= option, PROC GANNO statement
  - purpose and use 505
- DESCRIPTION= option, VBAR/VBAR3D statements
  - purpose and use 546
- Detail window, GDEVICE procedure 665
- DEVADDR= graphics option 321
- DEVICE argument, ? statement (GREPLAY) 928
- device attributes
  - transporting 54
- device catalogs
  - search order for specified device driver 641
  - search order for unspecified device driver 640
- device drivers 37, 38
  - assigning 38
  - browsing contents of device entries 40
  - controlling output with 41
  - list of available drivers 39
  - modifying 41
  - selecting 39
  - specifying 40, 321
  - specifying with DEVICE statement (GREPLAY) 933
  - types of 38
- device entries 38
  - browsing contents 40
  - changing device parameters temporarily 671
  - creating 670
  - creating custom device entry, example 672
  - creating new device entry 670
  - modifying 670
  - modifying existing device entry 671
  - modifying, to export graphics output 68
  - sample device entry listing 654
  - transporting 54
- DEVICE= graphics option 321
  - overridden by DSGI functions 1032
- device maps 719
  - asymmetrical maps 722
  - creating and using 726
  - creating from existing key map or device map 725
  - generating with GKEYMAP data set 723
  - internal character encoding (ICE) codes 719
  - purpose and use 722
  - specifying 322
  - specifying with DEVMAP= graphics option 722
  - stored as catalog entries 720
- DEVICE operator
  - GASK routine 1083
  - GSET function 1135
- DEVICE= option, PROC GKEYMAP statement 725
- device parameters 38, 304
  - changing temporarily 671
  - modifying 41
  - overriding 41
- device resolution 31
- DEVICE statement, GREPLAY procedure 933
- DEVMAP device parameter 322
- DEVMAP extension 720
- DEVMAP= graphics option 322
  - specifying key maps 722
- DEVMAP option, PROC GKEYMAP statement
  - purpose and use 725
- DEVOPPTS device parameter 323
- DEVTYPE device parameter 325
- diacritics 721
  - modifying key map for special diacritic, example 727
- direct display method 46
- DIRECTORY window, GDEVICE procedure
  - commands 665
  - opening in browse mode 654
  - opening in edit mode 654
  - purpose and use 665
- DIRECTORY window, GREPLAY procedure
  - 947
- DISCRETE option
  - BLOCK statement (GCHART) 535
  - DONUT statement 563
  - HBAR/HBAR3D statements 546
  - PIE/PIE3D statements 563
  - PRISM statement 755
- DISCRETE option, BLOCK statement (GMAP)
  - assigning format to response variable, example 776
  - purpose and use 745
- DISCRETE option, CHORO statement
  - purpose and use 751
- DISCRETE option, STAR statement
  - purpose and use 576
- DISCRETE option, VBAR/VBAR3D statements
  - purpose and use 546
- discrete variables
  - chart variables 525
  - charting for star charts, example 621
  - midpoint variables 526
  - response variables 737
- DISPLAY graphics option 326, 1031
- DISPOSAL= graphics option 326
- donut charts 4
  - controlling slice patterns and colors 571
  - modifying statistic and group headings 573
  - purpose and use 522
  - subgrouping donut or pie chart, example 613
  - terms used with pie and donut charts, illustration 523
- DONUT statement
  - appearance options 560
  - catalog entry description options 561
  - donut-labeling options 561
  - grouping and subgrouping options 560
  - midpoint options 560
  - modifying statistic and group headings 573
  - ODS options 561
  - options 561
  - purpose and use 559
  - required arguments 561
  - selecting and positioning slice labels 570
  - slice-labeling options 561
  - slice-ordering options 560
  - statistic options 560
  - syntax 560
  - text description suboptions 570
- DONUTPCT= option, DONUT statement
  - purpose and use 564
- DOWN= option
  - DONUT statement 564
  - LEGEND statement 189
  - PIE/PIE3D statements 564
  - STAR statement 577
- DRAW function, Annotate facility 435
- %DRAW macro, Annotate facility 488
- DRAW= option, TITLE, FOOTNOTE, and NOTE statements 258
- DRAW2TXT function, Annotate facility 436

%DRAW2TXT macro, Annotate facility 488  
drawing pointer 441  
drill-down graphs 90  
  bar charts with, for the Web 597  
  customizing Web pages for 92, 100, 119  
  generating with DSGI, example 1069  
  generating, with ODS 92, 115  
  generating, with Web drivers 91, 111  
  HTML files, creating 103  
  HTML links in 93  
  HTML variables, assigning values to 97  
  HTML variables, creating 97  
  image maps in 94  
  Imagemap data set 95  
  IMAGEMAP macro 102  
  in Annotate graphics 514  
  requirements for 93  
drill-down graphs, for the Web 294  
drop shadows 199  
DRVINIT device parameter 327  
DRVINIT= graphics option 327  
DRVQRY device parameter 327  
DRVTERM device parameter 328  
DRVTERM= graphics option 328  
DSGI 1028

*See* DATA Step Graphics Interface (DSGI)

DUMP option, LIST statement (GDEVICE) 662  
DUPLEX graphics option 328  
DUPOK option, PROC GPROJECT statement 880  
DYNAMIC option, ODS HTML statement 203

## E

EASTLONG option, PROC GPROJECT statement 876, 880  
ELLARC operator, GDRAW function  
  associated attributes, table 1042  
  attributes capable of bundling, table 1047  
  syntax and description 1117  
ELLIPSE operator, GDRAW function  
  associated attributes, table 1042  
  attributes capable of bundling, table 1047  
  syntax and description 1119  
END statement 923  
engines 27  
enhancing graphics 13  
EPS files 57  
ERASE device parameter 329  
ERASE= graphics option 329  
error bars  
  in horizontal bar charts 595  
ERRORBAR= option  
  HBAR/HBAR3D statements 547  
  VBAR/VBAR3D statements 547  
examples  
  conventions for 17  
  sample programs 19  
executable module 38

EXPLODE= option  
  DONUT statement 564  
  PIE/PIE3D statements 564  
exporting graphics output 55  
  graphics file formats 57  
  graphics stream files 56  
  interactively 58  
  methods for 57  
  replacing external files 66  
  saving multiple graphs to multiple files 64  
  saving multiple graphs to one file 62  
  saving one graph per file 61  
  with modified device entries 68  
  with program statements 58  
EXTENSION= graphics option 330  
external files 860  
  conversion of text files to graphics output 859  
  methods for creating 860  
  printing graphics output from 47  
  replacing 66  
E\|n\|I= option, PROC GREduce statement 898

## F

FASTTEXT graphics option 330  
FBY= graphics option 331  
FCACHE= graphics option 331  
FILCOLOR operator  
  GASK routine 1084  
  GSET function 1135  
FILECLOSE device parameter 332  
FILECLOSE= graphics option  
  DRIVERTERM value 332  
  GRAPHEND value 332  
  syntax 332  
FILENAME statement 23, 24  
  generating drill-down graph in DSGI, example 1072  
FILEONLY graphics option 332  
FILEREf= option, PROC GIMPORT statement  
  purpose and use 709  
FILEREf= option, PROC GPRINT statement  
  purpose and use 861  
filerefs  
  computer graphics metafiles 706  
  external files 860  
FILETYPE= option, PROC GIMPORT statement  
  CGM value 709  
FILINDEX operator  
  GASK routine 1085  
  GSET function 1136  
fill area 276  
FILL device parameter 333  
FILL graphics option 333  
FILL operator, GDRAW function  
  associated attributes, table 1042  
  attributes capable of bundling, table 1047  
  syntax and description 1120  
FILL= option  
  DONUT statement 564  
  PIE/PIE3D statements 564  
FILL= option, STAR statement  
  purpose and use 577  
FILLED option, PROC GFONT statement  
  purpose and use 684  
FILLINC device parameter 334  
FILLINC graphics option 334  
FILREP operator  
  GASK routine 1086  
  GSET function 1137  
FILSTYLE operator  
  GASK routine 1087  
  GSET function 1138  
FILTYPE operator  
  GASK routine 1087  
  GSET function 1140  
FIPS codes  
  list of codes by state, table 763  
\_FIRST\_ argument, REPLAY statement (GREPLAY) 939  
font data set  
  CHAR variable 688  
  contents 687  
  creating 694  
  variables 687  
font mapping  
  computer graphics metafiles 708  
  using MAP statement 710  
font maximum 676  
font minimum 676  
FONT NAME device parameter 334  
FONT NAME graphics option 334  
FONT= option  
  SYMBOL statement 229  
  TITLE, FOOTNOTE, and NOTE statements 258  
FONT= option, SYMBOL statement  
  specifying text for contour labels 641  
font specifications 126  
FONTRES graphics option  
  NORMAL value 335  
  PRESENTATION value 335  
  syntax 334  
fonts 125, 676  
  associated with GFONT0 libref 677  
  baseline 676  
  capline 676  
  cartographic font 134  
  default 126  
  displaying fonts in specific key maps 722  
  displaying with GFONT procedure 676  
  displaying with PROC GFONT statement options 680, 682  
  displaying with PROC GFONT statement options, example 699  
  font lists 131  
  font specifications 126  
  hardware fonts 128  
  line segments 677



- location of 127
- marker font 135
- math font 136
- music font 136
- polygon fonts 677
- proportional fonts 676
- rendering 131
- Roman alphabet text fonts 132
- software fonts 131
- special characters 130
- special font 137
- specifying 125
- stroked fonts 676
- transporting 54
- uniform fonts 676
- unit specification 683
- viewing available characters in font 722
- weather font 137
- fonts, creating 676
  - font data set 687
  - kern data set 694
  - requirements 687
  - space data set 696
  - symbol font characters, example 700
  - using PROC GFONT statement options 683
- fonts, specifying
  - with FBY= graphics option 331
  - with FCACHE= graphics option 331
  - with FTITLE= graphics option 336
  - with STYLE variable 471
- footnote area 252
- FOOTNOTE definitions
  - displaying annotate graphics with GSLIDE procedure, example 965
  - producing text slides, example 964
  - specifying color 318
- FOOTNOTE option, PROC GOPTIONS statement
  - purpose and use 797
- FOOTNOTE statement 23, 251, 263
  - BY-group processing 181
  - displaying annotate graphics with GSLIDE procedure, example 965
  - multiple options with 264
  - options 253
  - options that reset other options 265
  - producing text slides 959
  - producing text slides, example 964
  - setting defaults 265
  - substituting BY line values in text strings 266
  - syntax 253
  - using in DSGI 1032
  - using with GSLIDE procedure 959, 963
  - vertical angling of text in DSGI graphics, example 1055
  - vertical footnotes for adding space, example 966
- footnotes
  - default placement 252
  - with ODS output 85
- FORMAT device parameter 335
- FORMAT= option, PROC GIMPORT statement
  - purpose and use 709
- FORMAT procedure, displaying variables for reversed scatter plot 992
- FORMAT statement 23
- frame files 89
- FRAME function, Annotate facility 437
- %FRAME macro, Annotate facility 489
- FRAME option
  - BUBBLE statement 813
  - HBAR/HBAR3D statements 548
  - LEGEND statement 189
  - PLOT statement (GPLOT) 823
  - PROC GSLIDE statement 962
  - VBAR/VBAR3D statements 548
  - ODS HTML statement 202
- frames, drawing
  - annotate graphics, example 966
  - text slide, example 964
  - using PROC GSLIDE statement options 962
- FREQ option
  - HBAR/HBAR3D statements 548
  - VBAR/VBAR3D statements 548
  - BLOCK statement, GCHART procedure 535
  - DONUT statement 564
  - HBAR/HBAR3D statements 549
  - PIE/PIE3D statements 564
  - PROC GCHART statement 529
  - STAR statement 577
  - VBAR/VBAR3D statements 549
- FREQLABEL= option, HBAR/HBAR3D statements
  - purpose and use 548
- frequency statistic 528
- FRONTREF option
  - HBAR/HBAR3D statements 549
  - VBAR/VBAR3D statements 549
- FS option, PROC GREPLAY statement 926
- FS statement
  - GDEVICE procedure 661
  - GREPLAY procedure 934
- FTEXT= graphics option 336
  - block chart text 540
  - font mapping for computer graphics metafiles 708
  - overridden by DSGI functions 1032
  - specifying font and height for text 864
- FTITLE= graphics option
  - purpose and use 336
- FTRACK= graphics option
  - details of use 337
  - valid values 337
- FUNCTION variable, Annotate facility 459
- FWIDTH= option, LEGEND statement 189
- G**
- G100 option
  - BLOCK statement, GCHART procedure 535
  - HBAR/HBAR3D statements 549
  - VBAR/VBAR3D statements 549
- G3D procedure
  - default interpolation method, example 1017
  - generating default surface plot, example 995
  - generating simple scatter plot, example 999
  - options 981
  - PLOT statement 981
  - PROC G3D statement 981
  - purpose and use 975
  - rotating scatter plot, example 1003
  - rotating surface plot, example 996
  - SCATTER statement 985
  - shapes in scatter plots, example 1000
  - tilting surface plot, example 998
- G3GRID procedure 9
  - bivariate interpolation as default 1010
  - correcting missing z values for surface plots 978
  - data after processing, example 1008
  - data points before processing, example 1008
  - default interpolation method, example 1017
  - GRID statement 1013
  - horizontal variables along nonlinear curve 1009
  - input data set requirements 1009
  - interpolation methods 1009
  - multiple vertical variables 1009
  - options 1012
  - output data set contents 1009, 1012
  - partial spline interpolation, example 1021
  - PROC G3GRID statement 1012
  - purpose and use 1007
  - spline interpolation 1010
  - spline interpolation and smoothed spline, example 1019
  - spline interpolation, example 1023
  - spline smoothing interpolation 1011
  - triangular coordinates in output data set 1012
- GACCESS device parameter 337
- GACCESS= graphics option
  - purpose and use 337
  - valid values 337
- GANNO procedure 503
  - options 505
  - PROC GANNO statement 504
  - required arguments 504
  - scaling data dependent output, example 507
  - storing Annotate graphics, example 509
  - syntax 504
- GASK routines, DSGI
  - dictionary of routines 1077
  - returning current settings of attributes 1042
  - summary of routines 1038
  - syntax 1029
  - using in DSGI, example 1067
- GAXIS= option
  - HBAR/HBAR3D statements 549
  - VBAR/VBAR3D statements 549

- GCHART procedure
  - BLOCK statement 532
  - BY-group processing 180
  - DONUT statement 559
  - HBAR/HBAR3D statements 541
  - missing chart variables 525
  - options 531
  - PIE/PIE3D statements 559
  - PROC GCHART statement 531
  - STAR statement 573
  - syntax 531
  - types of charts produced by 520
  - VBAR/VBAR3D statements 541
- GCLASS= graphics option 339
- Gcolors window, GDEVICE procedure 666
- GCONTOUR procedure
  - input data set requirements 627
  - options 628
  - PLOT statement 629
  - PROC GCONTOUR statement 628
  - purpose and use 625
  - syntax 628
- GCOPIES= graphics option 339
- GDDM drivers 223
- GDDMCOPY= graphics option 340
- GDDMNICKNAME= graphics option 340
- GDDMTOKEN= graphics option 341
- GDEST= graphics option 341
- GDEVICE procedure
  - ADD statement 657
  - changing device parameters temporarily 671
  - COPY statement 660
  - creating custom device entry with program statements, example 672
  - creating device entries 670
  - DELETE statement 661
  - determining number of rows and columns for graphics device 863
  - exiting 655
  - FS statement 661
  - LIST statement 662
  - methods for using 653
  - MODIFY statement 662
  - modifying device entries 670
  - options 656
  - overview 652
  - PROC GDEVICE statement 656
  - program mode 654
  - QUIT statement 663
  - RENAME statement 663
  - sample device entry listing 654
  - search order for unspecified device driver 640
  - windowing mode 654
  - search order for specified device driver 641
- GDEVICE windows
  - list of available windows 664
  - opening with PROC GDEVICE statement 654
  - using windows 664
- GDRAW functions, DSGI
  - associated attributes, table 1042
  - attributes capable of bundling, table 1047
  - creating simple graphics 1041
  - dictionary of functions 1114
  - operators used for generating graphics elements, table 1042
  - submitting between CLEAR and UPDATE operators 1041
  - summary of functions 1034
- GEND device parameter 341
- GEND= graphics option 341
- Gend window, GDEVICE procedure 669
- GEPiLOG device parameter 342
- GEPiLOG= graphics option 342
- Gepilog window, GDEVICE procedure 668
- GFONT procedure 675
  - creating fonts 676
  - displaying fonts 676
  - displaying fonts and character codes, example 699
  - examples 698
  - options for creating fonts 683
  - PROC GFONT statement 678
  - required arguments for creating fonts 682
  - required arguments for displaying fonts 679
  - syntax 678
- GFONTO.FONTS catalog 720
- GFOOTNOTE option, ODS HTML statement 205
- GFORMS= graphics option 343
- GIF device driver 77
  - displaying graphs on one Web page 77
  - generating drill-down graph in DSGI, example 1072
  - producing GIF files 77
- GIF files 57, 73
  - animating 105, 123
  - naming conventions 75
  - output location for 74
  - producing with GIF device driver 77
  - size of graphs and text in output 76
- GIFANIM device driver 106
- GIMPORT procedure 705
  - adjusting graphics output, example 716
  - CGM elements not supported 707
  - creating and importing CGM file, example 713
  - MAP statement 710
  - options 710
  - PROC GIMPORT statement 709
  - required arguments 709
  - SCALE statement 711
  - syntax 709
  - TRANSLATE statement 712
- GINIT function, DSGI
  - creating simple graphics 1041
  - processing DSGI statements in loops 1054
  - structure of DSGI programs 1042
  - syntax and description 1076
  - vertical angling of text in DSGI graphics, example 1057
- GKCL operating state, DSGI
  - definition 1033
  - functions affecting 1044
- GKEYMAP data set 723
  - creating from existing key map or device map 725
- GKEYMAP procedure 719
  - options 725
  - PROC GKEYMAP statement 724
  - required arguments 724
  - syntax 724
- GKOP operating state, DSGI 1033
- global statements 13, 23, 161
  - AXIS 162
  - BY 177
  - examples 266
  - FOOTNOTE 251
  - GOPTIONS 182
  - LEGEND 187
  - multiple graphics output in DSGI 1054
  - NOTE 251
  - ODS HTML statement 200
  - PATTERN 211
  - RUN-group processing with 28
  - SYMBOL 226
  - TITLE 251
  - using with DSGI 1032
- GMAP procedure 732
  - assigning format to response variable, example 776
  - BLOCK statement 742
  - BY-group processing 180
  - CHORO statement 748
  - clipping area from map, example 891
  - conditions affecting display of map areas and response data, table 738
  - creating map data sets 768
  - creating maps with drill-down for Web pages, example 780
  - displaying lakes 767
  - displaying map areas and response data 738
  - emphasizing map areas, example 890
  - ID statement 741
  - identification variables 738
  - labeling states on U.S. map, example 786
  - map data sets 735
  - options 740
  - PRISM statement 753
  - PROC GMAP statement 740
  - producing simple block map, example 771
  - producing simple choropleth map, example 778
  - producing simple prism map, example 789
  - producing simple surface map, example 792
  - response data sets 737
  - rotating and tilting surface map, example 793
  - SAS/GRAPH map data sets 761
  - specifying midpoints in prism map, example 790
  - specifying response levels in block map, example 774

- summary of use 739
- SURFACE statement 759
- syntax 740
- using default projection specifications, example 888
- using FIPS codes and province codes 763
- using SAS/GRAPH map data sets 765
- gnomonic projection
  - controlling projection criteria 884
  - emphasizing map areas, example 889
  - purpose and use 879
  - specifying with PROJECT= option 883
- GOPTIONS procedure 795
  - displaying graphics options without description, example 799
  - displaying information about graphics options 795
  - displaying TITLE and FOOTNOTE statements, example 798
  - options 797
  - PROC GOPTIONS statement 797
  - syntax 797
- GOPTIONS statement 23, 182
  - graphics option processing 186
  - options 186
  - syntax 183
  - testing with GTESTIT procedure, example 973
  - using in DSGI 1032
- GOUT argument, ? statement (GREPLAY) 928
- GOUT field, PROC GREPLAY window 922
- GOUT= option
  - PROC G3D statement 981
  - PROC GCHART statement 532
  - PROC GCONTOUR statement 628
  - PROC GFONT statement 680
  - PROC GIMPORT statement 710
  - PROC GMAP statement 741
  - PROC GPLOT statement 808
  - PROC GPRINT statement 861
  - PROC GSLIDE statement 962
  - PROC GTESTIT statement 972
- GOUT= option, PROC GANNO statement
  - purpose and use 505
- GOUT= option, PROC GREPLAY statement
  - assigning catalogs 922
  - purpose and use 926
  - replaying graphics output in template, example 954
- GOUT statement, GREPLAY procedure
  - assigning catalogs 922
  - required arguments 934
- GOUTMODE= graphics option
  - purpose and use 343
- GPATH= option, ODS HTML statement
  - purpose and use 205
- GPLOT procedure 5
  - adding right vertical axis, example 838
  - BUBBLE statement 809
  - BUBBLE2 statement 815
  - BY-group processing 180
  - connecting plot data points, example 842
  - filling areas in overlay plot, example 846
  - generating overlay plot, example 844
  - generating simple bubble plot, example 834
  - input data set requirements 806
  - interpolation methods 805
  - labeling and sizing plot bubbles, example 836
  - logarithmic axes in data 807
  - missing values 807
  - overview 801
  - parts of plots, illustration 805
  - PLOT statement 818
  - PLOT2 statement 828
  - plotting three variables, example 848
  - plotting two variables, example 840
  - plotting with different scales of values, example 851
  - PROC GPLOT statement 808
  - sorting data for interpolation 807
  - terminology related to, illustration 805
  - values out of range 807
  - with SYMBOL statement 245
- GPRINT function, DSGI 1077
- GPRINT procedure 12, 859
  - adjusting SAS output and graphics output 862
  - adjusting size of characters, example 868
  - converting text file to graphics output 859
  - default hardware font 864
  - external files as input 860
  - graphics output size 862
  - maintaining aspect ratio of cells 864
  - matching size of SAS output and graphics output 863
  - options 861
  - PROC GPRINT statement 861
  - required arguments 861
  - sample output 859
  - SAS output size 862
  - syntax 861
  - using fonts 864
- GPROJECT procedure 11, 873
  - See also* map projection
  - changing defaults 883
  - clipping map data sets 884
  - clipping map data sets, example 890
  - controlling projection criteria 884
  - emphasizing map areas, example 889
  - ID statement 883
  - input map data set requirements 875
  - options 880
  - PROC GPROJECT statement 880
  - projecting Annotate data set, example 892
  - selecting projections 884
  - syntax 880
  - using default projection specifications, example 886
- GPROLOG device parameter 344
- GPROLOG= graphics option
  - purpose and use 344
- Gprolog window, GDEVICE procedure 668
- GPROTOCOL device parameter 345
- GPROTOCOL= graphics option 345
- GRAPH command 45
- GRAPH functions, DSGI
  - creating simple graphics 1041
  - dictionary of functions 1125
  - structure of DSGI programs 1042
  - submitting DRAW functions between CLEAR and UPDATE operators 1041
  - summary of functions 1034
- GRAPH window
  - closing 45
  - displaying graphics output 45
  - opening 45
  - printing graphics output from 48
  - sizing 46
- Graph-N-Go 14
- Graphic Kernel Standard (GKS) 13
- Graphic Kernel System (GKS) 1028
- graphics editor 51
- Graphics Editor window
  - printing graphics output from 48
- graphics elements 29, 410
  - attributes 414
  - coordinate systems 411
  - coordinates 411
  - order of processing 417
  - overlying 417
  - placement in graphics output area 34
  - positioning 460
- graphics file formats 57
- graphics options 13, 186, 304
  - dictionary 304
  - displaying values with GOPTIONS procedure 795
  - equivalent GTESTIT options and graphics option, table 969, 971
  - overridden by DSGI functions 1032
  - overriding device parameters 42
- graphics output 29, 44
  - See also* Web output
  - adjusting CGM file output, example 716
  - adjusting size 863
  - compared with SAS output 44
  - converting 52
  - converting catalogs 55
  - converting text file to graphics output 859
  - default display methods 44
  - direct display method 46
  - displaying with GRAPH window 45
  - exporting 55
  - exporting, interactively 58
  - exporting, with modified device entries 68
  - exporting, with program statements 58
  - from Annotate data sets 416
  - matching size with SAS output 863
  - modifying 51
  - monitor display 45
  - previewing 48
  - printing 47

- printing directly to device 47
- printing from external files 47
- printing from windows 48
- referencing 298
- saving 47
- size determination by device parameters and graphics options 862
- specifying file location with FILEONLY graphics option 332
- stored in GRSEG catalogs 921
- storing in catalogs 49
- terminal display 45
- text in 440
- transporting 52
- graphics output area 29
  - cells 31
  - device resolution 31
  - drawing frame around 962
  - drawing frame around, example 964, 966
  - external dimensions 30
  - placement of graphic elements 34
  - sizing errors 35
  - units 34
- graphics stream files (GSF) 56
  - specifying format or destination with GACCESS= graphics option 337
- graphics stream files (GSF), options affecting
  - FILECLOSE= graphics option 332
  - GSFLEN= graphics option 346
  - GSFMODE= graphics option 347
  - GSFNAME= graphics option 348
  - GSFPROMPT graphics option 349
- GRAPHLIST operator, GASK routine 1088
- GRAPHRC graphics option 346
- gray-scale color codes 145
- GREDUCE procedure 895
  - ID statement 899
  - input map data set requirements 897
  - options 898
  - PROC GREDUCE statement 898
  - purpose and use 895
  - reduced map, illustration 895
  - reducing map of Canada, example 903
  - specifying density levels 900
  - subsetting map data sets 901
  - syntax 898
  - unmatched area boundaries 897
- GREMOVE procedure 905
  - BY statement 909
  - creating outline map of Africa, example 915
  - ID statement 910
  - input maps data set requirements 906
  - options 908
  - output maps data set 907
  - PROC GREMOVE statement 908
  - purpose and use 905
  - removing state boundaries from U.S. map, example 911
  - syntax 908
  - unmatched area boundaries 907
- GREPLAY procedure 12, 920
  - ? statement 928
  - assigning catalogs 922
  - BYLINE statement 929
  - CC statement 929
  - CCOPY statement 929
  - CDEF statement 931
  - CDELETE statement 931
  - CMAP statement 932
  - code-base statements for using 923
  - COPY statement 932
  - creating color map 951
  - creating color map, example 956
  - creating template 951
  - creating template, example 952
  - DELETE statement 933
  - DEVICE statement 933
  - exiting code-based statement mode 923
  - FS statement 934
  - GOUT statement 934
  - GROUP statement 934
  - IGOUT statement 935
  - invoking 927
  - LIST statement 936
  - managing catalog entries 949
  - methods for invoking 923, 927
  - methods for using 923
  - MODIFY statement 936
  - MOVE statement 937
  - NOBYLINE statement 938
  - options 925
  - output stored in WORK.GSEG catalog 952
  - preventing duplicate catalog entry names 922
  - PREVIEW statement 938
  - PROC GREPLAY statement 925
  - QUIT statement 939
  - REPLAY statement 939
  - replaying catalog entries 950
  - replaying graphics output in templates 952
  - replaying graphics output in templates, example 954
  - TC statement 939
  - TCOPY statement 940
  - TDEF statement 941
  - TDELETE statement 944
  - TEMPLATE statement 944
  - TREPLAY statement 945
  - windowing environment for using 923
- GREPLAY windows 945
  - See also catalog entries
  - COLOR MAPPING window 948
  - commands 946
  - DIRECTORY window 947
  - invoking 923
  - PRESENTATION window 947
  - PROC GREPLAY window 946
  - switching to code-based-statements with FS statement 934
  - TEMPLATE DESIGN window 947
- GRID option
  - BUBBLE statement 813
  - GCONTOUR procedure 632
  - PLOT statement (GPLOT) 824
- GRID option, PLOT statement (G3D) 983
  - rotating surface plot, example 996
- GRID option, SCATTER statement (G3D) 988
  - using shapes in scatter plots, example 1000
- GRID statement, G3GRID procedure
  - controlling observations in output data set 1015
  - default interpolation method, example 1016
  - grid options 1013
  - interpolation options 1013
  - naming multiple vertical variables 1009
  - options 1014
  - partial spline interpolation, example 1021
  - required arguments 1013
  - spline interpolation and smoothed spline, example 1019
  - spline interpolation, example 1022
  - syntax 1013
- GROUP= option
  - DONUT statement 565
  - HBAR/HBAR3D statements 550
  - PIE3D statement 565
  - STAR statement 577
  - VBAR/VBAR3D statements 550
  - VBAR/VBAR3D statements, examples 606
- GROUP= option, BLOCK statement (GCHART)
  - purpose and use 536
- GROUP= option, PIE statement
  - purpose and use 565
- GROUP statement, GREPLAY procedure
  - details of use 935
  - required arguments 934
- GROUP variable, Annotate facility 460
- GRSEG catalog type 49
  - stored in input-catalog and output-catalog 921
  - transporting, example 53
- GSET functions, DSGI
  - assigning attributes to bundles 1048
  - defining multiple bundles for graphics primitive 1049
  - dictionary of functions 1129
  - selecting bundles 1049
  - setting attributes 1042
  - summary of functions 1034
- GSF (graphics stream files) 56
- GSFLEN device parameter 346
- GSFLEN= graphics option 346
- GSFNAME device parameter 348
- GSFNAME= graphics option
  - purpose and use 348
- GSFPROMPT graphics option 349
- GSIZE device parameter 349
- GSIZE= graphics option 349
- GSLIDE procedure
  - data-dependent coordinates 963
  - displaying Annotate graphics 960
  - displaying Annotate graphics, example 965
  - drawing frames and borders 962

- options 961
  - overview 959
  - PROC GSLIDE statement 961
  - producing text slides 959
  - producing text slides, example 964
  - replaying graphics output in template, example 954
  - RUN-group processing 963
    - syntax 961
  - GSPACE= option
    - HBAR/HBAR3D statements 550
    - VBAR/VBAR3D statements 550
  - GSTART device parameter 350
  - GSTART= graphics option 350
  - Gstart window, GDEVICE procedure 669
  - GTERM function, DSGI
    - ending DSGI 1041
    - processing DSGI statements in loops 1054
    - structure of DSGI programs 1042
    - syntax and description 1077
    - vertical angling of text in DSGI graphics, example 1058
  - GTESTIT procedure
    - equivalent GTESTIT options and graphics option, table 969
    - LOG window display 971
    - overview 967
    - pictures produced by 968
    - PROC GTESTIT statement 972
    - purpose and use 967
    - testing GOPTIONS statement, example 973
    - values displayed in picture 1, table 969
    - values in LOG window for picture 1, table 971
  - GTITLE option, ODS HTML statement 206
  - GUNIT= graphics option 351
  - GWAIT= graphics option
    - purpose and use 351
  - GWRITER= graphics option 352
- ## H
- HANDSHAKE= graphics option
    - valid values 352
  - hardware fonts 128
    - alternative 129
    - changing defaults 128
    - default 128
    - default used by GPRINT procedure 864
    - effects of HPOS= and VPOS= graphics option 864
    - nonscalable, SIMULATE font substitution 864
    - setting number of columns 316
  - hardware fonts, specifying 311, 312
  - HAXIS= option
    - preventing out-of-range values 807
  - HAXIS= option, BUBBLE statement
    - purpose and use 813
  - HAXIS= option, PLOT statement (GCONTOUR)
    - purpose and use 632
  - HAXIS= option, PLOT statement (GPLOT)
    - purpose and use 824
  - HBAR statement, GCHART procedure 541
    - appearance options 542
    - axes options 543
    - catalog entry description options 543
    - chart statistic and response axis 557
    - controlling bar chart patterns and colors 558
    - midpoint options 542
    - ODS options 543
    - options 543
    - ordering and selecting midpoints 558
    - required arguments 543
    - specifying logarithmic axes 557
    - statistic options 542
    - syntax 542
    - table of statistics in horizontal bar charts 558
  - HBAR3D statement, GCHART procedure 541
    - appearance options 542
    - axes options 543
    - catalog entry description options 543
    - chart statistic and response axis 557
    - controlling bar chart patterns and colors 558
    - midpoint options 542
    - ODS options 543
    - options 543
    - ordering and selecting midpoints 558
    - required arguments 543
    - specifying logarithmic axes 557
    - statistic options 542
    - syntax 542
    - table of statistics in horizontal bar charts 558
  - HBY= graphics option
    - purpose and use 353
  - HEADER device parameter 354
  - HEADERFILE device parameter 354
  - HEADTEXT option, ODS HTML statement 206
  - HEIGHT= option
    - SYMBOL statement 229
    - TITLE, FOOTNOTE, and NOTE statements 259
  - HEIGHT= option, PROC GFONT statement
    - purpose and use 680
  - HEIGHT= option, SYMBOL statement
    - effect on contour lines and labels, table 640
  - high-low plots 6
  - HLS color codes 143
  - HMINOR= option
    - BUBBLE statement 813
    - PLOT statement (GCONTOUR) 633
  - HMINOR= option, PLOT statement (GPLOT)
    - purpose and use 824
  - HORIGIN device parameter 355
  - HORIGIN= graphics option
    - purpose and use 355
  - horizontal bar charts 3, 521
    - chart statistic and response axis 557
    - displaying table of statistics 558
    - error bars in 595
    - modifying table of statistics 558
  - Host Commands window, GDEVICE procedure 670
  - host drivers 38
  - Host File Options window, GDEVICE procedure 669
  - HOSTSPEC device parameter 355
  - hot zones 90
  - HP-GL files 57
  - HPLJxxxx drivers 224
  - HPOS= graphics option
    - adjusting size of graphics output 863
    - aspect ratio effect 864
    - determination of graphics output size 862
    - effect on nonscalable hardware fonts 864
    - maintaining aspect ratio of cells 864
    - overridden by DSGI functions 1032
    - purpose and use 356
  - HPOS operator
    - GASK routine 1089
    - GSET function 1140
  - HREF= option
    - BUBBLE statement 814
    - PLOT statement (GCONTOUR) 633
    - PLOT statement (GPLOT) 825
  - HREF values 297
  - HREVERSE option, PLOT statement (GCONTOUR) 633
  - HSB color codes 144
  - HSIZE device parameter 356
  - HSIZE= graphics option
    - determination of graphics output size 862
    - overridden by DSGI functions 1032
    - portability of DSGI graphics output 1055
    - purpose and use 356
    - replaying graphics output in template, example 955
    - vertical angling of text in DSGI graphics, example 1057
  - HSIZE operator
    - GASK routine 1090
    - GSET function 1141
  - HSV color codes 144
  - HSYS variable, Annotate facility 461
  - HTEXT= graphics option
    - block chart text 540
    - overridden by DSGI functions 1032
    - purpose and use 357
    - setting title, footnote, and note defaults 265
    - specifying font and height for text 864
  - HTITLE= graphics option
    - purpose and use 357
  - HTML destination 82, 200
  - HTML device driver 77
    - displaying graphs on one Web page 77
    - example 107
    - generating drill-down graphs 111
    - replaying multiple graphs 80

- HTML files 73
    - creating in SAS programs 103
    - naming conventions 75
    - output location for 74
  - HTML operator, GASK routine 1090
  - HTML operator, GSET function
    - generating drill-down graph in DSGI, example 1069, 1072
    - syntax and description 1142
  - HTML= option
    - BLOCK statement (GCHART) 536
    - BLOCK statement (GMAP) 745
    - DONUT statement 565
    - HBAR/HBAR3D statements 550
    - PIE/PIE3D statements 565
    - PLOT statement (GPLOT) 825
    - PRISM statement 755
    - STAR statement 578
  - HTML= option, CHORO statement
    - purpose and use 751
  - HTML= option, VBAR/VBAR3D statements
    - purpose and use 550
  - HTML variable, Annotate facility 462
  - HTML variables
    - assigning values to 97
    - creating 97
  - HTML\_LEGEND= option
    - BLOCK statement (GCHART) 536
    - BLOCK statement (GMAP) 745
    - DONUT statement 565
    - HBAR/HBAR3D statements 550
    - PIE/PIE3D statements 565
    - PLOT statement (GPLOT) 825
    - PRISM statement 755
  - HTML\_LEGEND= option, CHORO statement
    - purpose and use 751
  - HTML\_LEGEND= option, VBAR/VBAR3D statements
    - purpose and use 550
  - HZERO option
    - BUBBLE statement 814
    - PLOT statement (GPLOT) 825
- I**
- ICE (internal character encoding) codes 719
  - ID device parameter 358
  - ID statement, GMAP procedure
    - required arguments 741
    - syntax 741
  - ID statement, GPROJECT procedure
    - projecting Annotate data set, example 891
    - required arguments 883
    - using default projection specifications, example 885
  - ID statement, GREDUCE procedure
    - required arguments 899
    - subsetting map data sets, example 902
  - ID statement, GREMOVE procedure
    - creating outline map of Africa, example 917
    - removing state boundaries from U.S. map, example 914
    - required arguments 910
  - identification variables, map data sets
    - GPROJECT procedure 875
    - GREDUCE procedure 897
    - purpose and use 738
  - identification variables, specifying
    - creating outline map of Africa, example 917
    - removing state boundaries from U.S. map, example 914
    - using ID statement, example 904
  - IGOUT argument
    - ? statement (GREPLAY) 928
    - LIST statement (GREPLAY) 936
  - IGOUT field, PROC GREPLAY window 922
  - IGOUT= option, PROC GREPLAY statement
    - assigning catalogs 922
    - purpose and use 926
  - IGOUT statement, GREPLAY procedure
    - assigning catalogs 922
    - required arguments 935
  - image maps 298
  - image maps, in drill-down graphs 94
  - Imagemap data set 95
  - IMAGEMAP macro 102
  - IMAGEMAP= option
    - PROC GCHART statement 532
    - PROC GMAP statement 741
    - PROC GSLIDE statement 962
  - IMAGEMAP= option, PROC GANNO statement 505
  - IMAGEMAP option, PROC GPLOT statement 808
  - IMAGEMAP= option, PROC GREPLAY statement
    - purpose and use 926
  - importing graphics 706
    - adjusting graphics output 706
    - adjusting graphics output, example 716
    - CGM elements not supported 707
    - color mapping 707
    - creating and importing CGM file, example 713
    - font mapping 708
    - importing files 706
    - pattern mapping 707
    - specifying fileref for external file 706
    - using GIMPORT procedure 705
  - IN unit 683
  - INCOMPLETE option, PROC GCONTOUR statement 629
  - input catalogs 935
    - assigning with IGOUT statement 935
    - changing with MODIFY statement 936
    - copying entries from input to output catalog 932
    - grouping entries in current catalog 934
    - printing with LIST statement 936
    - rearranging entries with MOVE statement 937
  - input data sets 27
  - input-catalog 921
  - INSERT operator, GRAPH function
    - enlarging area of graph, example 1067
    - inserting existing graphs into DSGI graphics output 1053
    - syntax and description 1128
    - using viewports in DSGI, example 1062
  - INSIDE= option, VBAR/VBAR3D statements
    - purpose and use 551
  - INTERACTIVE device parameter 358
  - interactive line mode 27
  - INTERLACED graphics option 359
  - internal character encoding (ICE) codes 719
  - internal coordinates 433
    - dictionary 483
  - INTERPOL= graphics option
    - purpose and use 359
  - interpolation lines
    - color of 227
  - interpolation methods 246
  - interpolation methods, G3GRID procedure
    - default bivariate interpolation 1010
    - default interpolation method, example 1017
    - partial spline interpolation, example 1021
    - spline interpolation 1010
    - spline interpolation and smoothed spline, example 1019
    - spline interpolation, example 1023
    - spline smoothing interpolation 1011
  - interpolation methods, GPLOT procedure
    - producing various types of plots 805
  - INTERPOL=BOX option, SYMBOL statement 229
  - INTERPOL=HILO option, SYMBOL statement 231
  - INTERPOL=JOIN option, SYMBOL statement 232
  - INTERPOL=L option, SYMBOL statement 232
  - INTERPOL=map/plot-pattern option, SYMBOL statement 233
  - INTERPOL=NEEDLE option, SYMBOL statement 233
  - INTERPOL=NONE option, SYMBOL statement 234
  - INTERPOL=R option, SYMBOL statement 234
  - INTERPOL=SM option, SYMBOL statement 235
  - INTERPOL=SPLINE option, SYMBOL statement 236
  - INTERPOL=STD option, SYMBOL statement 236
  - INTERPOL=STEP option, SYMBOL statement 237
  - INVISIBLE= option
    - DONUT statement 565
    - PIE/PIE3D statements 565
  - ITERATION= graphics option
    - purpose and use 360

- J**
- Java applets 104
  - JOIN option, GRID statement (G3GRID) 1014
  - JOIN option, PLOT statement (GCONTOUR)
    - purpose and use 633
  - JPEG files 57
  - JSTYLE option
    - DONUT statement 565
    - PIE/PIE3D statements 565
  - JUSTIFY= option
    - producing text slides, example 964
    - TITLE, FOOTNOTE, and NOTE statements 259
- K**
- kern data set 694
    - creating 695
    - variables 694
  - KERNDATA= option, PROC GFONT statement
    - purpose and use 685
  - kerning
    - definition 694
  - key maps 719
    - asymmetrical maps 722
    - creating and using 726
    - creating from existing key map or device map 725
    - generating with GKEYMAP data set 723
    - internal character encoding (ICE) codes 719
    - modifying, example 727
    - purpose and use 508
    - specifying with KEYMAP= option 722
    - stored as catalog entries 720
    - viewing available characters in font 722
  - KEYMAP extension 720
  - KEYMAP= graphics option
    - purpose and use 360
    - specifying key maps 722
  - KEYMAP option, PROC GKEYMAP statement
    - purpose and use 725
- L**
- LABEL function, Annotate facility 440
  - %LABEL macro, Annotate facility 490
  - LABEL= option
    - AXIS statement 164
    - LEGEND statement 189
  - LABEL= option, DONUT statement
    - purpose and use 565
    - text description suboptions 570
  - LABEL= option, PIE/PIE3D statements 565
  - LABEL statement 24
    - using shapes in scatter plots, example 1000
  - labels for star charts 580
  - lakes, displaying in maps 767
  - Lambert's conformal projection
    - controlling projection criteria 884
    - purpose and use 878
    - specifying with PROJECT= option 883
  - LANGLE= option
    - TITLE, FOOTNOTE, and NOTE statements 260
  - \_LAST\_ argument, REPLAY statement 939
  - LAT variable, map data sets
    - projecting Annotate data set, example 892
    - renaming 875
    - reprojecting maps 875
  - latitude values, map data sets 876
  - LATMAX= option, PROC GPROJECT statement
    - clipping area from map, example 890
    - clipping map data sets 885
    - purpose and use 880
  - LATMIN= option, PROC GPROJECT statement
    - clipping area from map, example 890
    - clipping map data sets 885
    - purpose and use 881
  - LCOLS device parameter 361
    - changing aspect ratio of cells 865
    - determination of graphics output size 862
  - LEGEND option
    - PLOT statement (GPLOT) 825
    - PROC GOPTIONS statement 797
    - CHORO statement 751
    - HBAR/HBAR3D statements 551
    - VBAR/VBAR3D statements 551
  - LEGEND= option, BLOCK statement (GCHART)
    - purpose and use 536
  - LEGEND= option, BLOCK statement (GMAP)
    - purpose and use 745
  - LEGEND= option, DONUT statement
    - purpose and use 566
  - LEGEND= option, PIE/PIE3D statements
    - purpose and use 566
  - LEGEND= option, PLOT statement (GCONTOUR)
    - purpose and use 633
  - LEGEND= option, PLOT statement (GPLOT)
    - purpose and use 825
  - LEGEND= option, PRISM statement
    - purpose and use 756
  - LEGEND statement 23, 187
    - block effects 199
    - drop shadows 199
    - options 188
    - positioning legends 198
    - subgrouping donut or pie chart, example 613
    - syntax 187
    - text description suboptions 194, 197
  - legends
    - 3-D block effect 188
    - background color 188
    - block effects 199
    - colored frames 188
    - columns for legend entries 188
    - coordinates legend box 191
    - creating for three-dimensional plots 979
    - drop shadows 189, 199
    - frame width 189
    - frames for 189
    - identifying midpoints, example 616
    - labels, modifying 189
    - location of 189
    - offset distance 190
    - order of values 191
    - plots with classification variable 803
    - position of 191
    - positioning 198
    - rows for legend entries 189
    - simulating plot legend, example 1000
    - size and shape of legend values 192
    - terminology 187
    - value descriptions, modifying 193
  - LENGTH= option, AXIS statement 165
  - LEVELS= option
    - BLOCK statement (GCHART) 536
    - CHORO statement 751
    - DONUT statement 566
    - HBAR/HBAR3D statements 551
    - PIE/PIE3D statements 566
    - PRISM statement 756
    - STAR statement 578
    - VBAR/VBAR3D statements 551
  - LEVELS= option, BLOCK statement (GMAP)
    - purpose and use 745
    - specifying response levels in block map, example 774
  - LEVELS= option, PLOT statement
    - purpose and use 633
    - selecting contour levels 636
  - LFACTOR device parameter 361
  - LFACTOR= graphics option 361
  - LFRAME= option, PROC GSLIDE statement
    - controlling line type for frames 963
    - purpose and use 962
  - LHREF= option
    - BUBBLE statement 814
    - PLOT statement (GCONTOUR) 634
    - PLOT statement (GPLOT) 825
  - LIBNAME statement 24, 25
  - libref GFONT0
    - with personal fonts 677
  - LIFO stack 452
    - tracing and setting variable values 418
  - LINCOLOR operator, GASK routine 1091
  - LINCOLOR operator, GSET function
    - syntax and description 1143
    - vertical angling of text in DSGI graphics, example 1057
  - %LINE macro, Annotate facility 491
  - LINE operator, GDRAW function
    - associated attributes, table 1042
    - attributes capable of bundling, table 1047
    - syntax and description 1121
    - vertical angling of text in DSGI graphics, example 1058

- LINE= option, SYMBOL statement 238
    - effect on contour lines and labels, table 640
  - line plots 6
  - line segments, drawing fonts 677
  - line types 248
    - specifying with LFRAME= option 962, 963
  - LINE variable, Annotate facility 464
  - LINESIZE= option
    - adjusting size of SAS output 863
    - determination of SAS output size 862
  - LININDEX operator
    - GASK routine 1092
    - GSET function 1144
  - links 210
    - in drill-down graphs 93
    - in ODS 82
  - LINREP operator
    - GASK routine 1093
    - GSET function 1144
  - LINTYPE operator
    - GASK routine 1094
    - GSET function 1145
  - LINWIDTH operator, GASK routine 1094
  - LINWIDTH operator, GSET function
    - syntax and description 1146
    - vertical angling of text in DSGI graphics, example 1057
  - LIST statement, GDEVICE procedure 662
  - LIST statement, GREPLAY procedure
    - creating templates, example 952
    - required arguments 936
  - Listing destination 82
  - LLEVELS= option, PLOT statement
    - purpose and use 634
  - LLX= option, TDEF statement 942
  - LLY= option, TDEF statement 942
  - local statements, and RUN-group processing 28
  - locking data sets 27
  - LOG window
    - GTESTIT procedure information 971
    - values in LOG window for picture 1, table 971
  - logarithmic axes 269, 807
  - LOGBASE= option, AXIS statement 165
  - LOGSTYLE= option, AXIS statement 166
  - LONG variable, map data sets
    - projecting Annotate data set, example 892
    - renaming 875
    - reprojecting maps 875
  - longitude values, map data sets 876
  - LONGMAX= option, PROC GPROJECT statement
    - clipping area from map, example 890
    - clipping map data sets 885
    - purpose and use 881
  - LONGMIN= option, PROC GPROJECT statement
    - clipping area from map, example 890
    - clipping map data sets 885
    - purpose and use 881
  - LP variable
    - required in font data set 689
  - LRWS device parameter 362
    - changing aspect ratio of cells 865
    - determination of graphics output size 862
  - LRX= option, TDEF statement 942
  - LRY= option, TDEF statement 942
  - LSPACE= option
    - TITLE, FOOTNOTE, and NOTE statements 261
  - LVREF= option
    - BUBBLE statement 814
    - PLOT statement (GCONTOUR) 634
    - PLOT statement (GPLOT) 826
- M**
- MAJOR= option, AXIS statement 166
  - map area
    - conditions affecting display of, table 738
    - definition 738
    - displaying 738
  - map data sets 20, 735, 762
    - accessing descriptions of map data sets 763
    - coordinate values 876
    - customizing 765
    - identification variables 738
    - locating 762
    - output data set for GREMOVE procedure 907
    - reduced 766
    - reducing 766
    - reducing map of Canada, example 903
    - removing state boundaries from U.S. map, example 911
    - unmatched area boundaries, GREDUCE procedure 897
    - unmatched area boundaries, GREMOVE procedure 907
    - unreduced 766
    - using FIPS codes and province codes 763
  - map data sets, creating
    - outline map of Africa, example 915
    - structure of map data sets 768
    - unit area containing multiple polygons 768
    - unit area with polygons as cities 770
    - unit area with polygons as holes 769
    - unit area with single polygon 768
  - map data sets, input
    - containing both projected and unprojected values 875
    - containing unprojected values 875
    - coordinate values 876
    - GPROJECT procedure 875
    - GREDUCE procedure 897
    - GREMOVE procedure 906
    - Institute-supplied data sets with unprojected variables 875
  - map data sets, subsetting 901
    - clipping area from map, example 890
    - clipping with GPROJECT procedure 884
    - example 903
    - using WHERE statement or WHERE= data set option 766
  - map projection 873
    - See also GPROJECT procedure
    - Albers' equal-area projection 877
    - clipping map data sets 884
    - clipping map data sets, example 890
    - controlling projection criteria 884
    - coordinate values 876
    - emphasizing map areas, example 889
    - gnomonic projection 879
    - Lambert's conformal projection 878
    - map after projection, example 874
    - map before projection, example 874
    - projecting Annotate data set, example 892
    - selecting projections 884
    - types of projections 876
    - using default projection specifications, example 886
    - variables required for input map data set 875
  - MAP statement, GIMPORT procedure
    - details of use 710
    - purpose and use 710
    - required arguments 710
    - syntax 710
  - maps
    - types of 9
  - MARCOLOR operator
    - GASK routine 1095
    - GSET function 1147
  - MARINDEX operator
    - GASK routine 1096
    - GSET function 1147
  - MARK operator, GDRAW function
    - associated attributes, table 1042
    - attributes capable of bundling, table 1047
    - syntax and description 1122
  - marker font 135
  - MARREP operator
    - GASK routine 1096
    - GSET function 1148
  - MARSIZE operator
    - GASK routine 1097
    - GSET function 1149
  - MARTYPE operator
    - GASK routine 1098
    - GSET function 1150
  - MATCHCOLOR option
    - DONUT statement 566
    - PIE/PIE3D statements 566
    - STAR statement 578
  - math font 136
  - MAXCOLORS device parameter
    - purpose and use 362
  - MAXDISP operator, GASK routine 1098
  - MAXIS= option
    - HBAR/HBAR3D statements 552
    - VBAR/VBAR3D statements 552



- MAXPOLY device parameter 363
  - MEAN option
    - HBAR/HBAR3D statements 552
    - VBAR/VBAR3D statements 552
  - mean statistic 528
  - MEANLABEL= option, HBAR/HBAR3D statements
    - purpose and use 552
  - MEANLABEL= option, VBAR/VBAR3D statements 552
  - MERGE statement, example 910
  - MESSAGE operator, GDRAW function 1123
  - MESSAGE operator, GSET function
    - debugging DSGI programs 1033
    - syntax and description 1151
  - metagraphics drivers 224, 315
    - setting file format with FORMAT graphics option 335
  - Metagraphics facility 69
  - Metagraphics window, GDEVICE procedure 667
  - METATEXT option, ODS HTML statement 206
  - MIDPOINT variable, Annotate facility 464
  - midpoints
    - character values 525
    - continuous numeric values 526
    - controlling midpoints and statistics in bar chart, example 592
    - definition 523, 525
    - discrete numeric values 526
    - identifying with legend in pie charts, example 616
    - selecting and ordering 527, 558
    - specifying midpoints in prism map, example 790
  - MIDPOINTS= option
    - CHORO statement 751
    - DONUT statement 567
    - STAR statement 578
    - VBAR/VBAR3D statements 552
  - MIDPOINTS= option, BLOCK statement (GCHART)
    - purpose and use 537
  - MIDPOINTS= option, BLOCK statement (GMAP)
    - purpose and use 746
  - MIDPOINTS= option, HBAR/HBAR3D statements
    - purpose and use 552
  - MIDPOINTS= option, PIE/PIE3D statement
    - purpose and use 567
  - MIDPOINTS= option, PRISM statement
    - purpose and use 756
  - MIDPOINTS=OLD option
    - BLOCK statement, GCHART procedure 537
    - DONUT statement 567
    - HBAR/HBAR3D statements 553
    - PIE/PIE3D statements 567
    - STAR statement 578
    - VBAR/VBAR3D statements 553
  - MINOR= option
    - HBAR/HBAR3D statements 553
    - VBAR/VBAR3D statements 553
  - MINOR= option, AXIS statement 167
  - MISSING option
    - BLOCK statement (GCHART) 537
    - BLOCK statement (GMAP) 746
    - CHORO statement 752
    - DONUT statement 567
    - HBAR/HBAR3D statements 553
    - PIE/PIE3D statements 567
    - PRISM statement 757
    - STAR statement 579
    - VBAR/VBAR3D statements 553
  - missing values
    - Annotate data sets 416
    - chart variables 525
    - correcting missing values with G3GRID procedure 978
    - input data set for GPLOT procedure 807
  - MODE= option
    - LEGEND statement 189
    - SYMBOL statement 238
  - MODEL device parameter 363
  - MODIFY statement, GDEVICE procedure
    - details of use 663
    - required arguments 662
  - MODIFY statement, GREPLAY procedure 936
  - MODULE device parameter 364
  - monitors, for displaying graphics output 45
  - MOVE function, Annotate facility 441
  - %MOVE macro, Annotate facility 491
  - MOVE= option
    - TITLE, FOOTNOTE, and NOTE statements 261
  - MOVE statement, GREPLAY procedure 937
  - MULTIFONT option, PROC GKEYMAP statement 725
  - music font 136
  - MWIDTH= option, PROC GFONT statement 685
- N**
- NAK device parameter 364
  - NAME= argument, MODIFY statement 937
  - NAME= option
    - BLOCK statement (GCHART) 537
    - BUBBLE statement 814
    - CHORO statement 752
    - DONUT statement 567
    - HBAR/HBAR3D statements 553
    - PIE/PIE3D statements 567
    - PLOT statement (G3D) 983
    - PLOT statement (GCONTOUR) 634
    - PLOT statement (GPLOT) 826
    - PRISM statement 757
    - PROC GPRINT statement 861
    - PROC GSLIDE statement 962
    - SCATTER statement, G3D procedure 988
    - STAR statement 579
    - SURFACE statement 761
      - using viewports in DSGI, example 1062
  - NAME= option, BLOCK statement (GMAP)
    - purpose and use 746
  - NAME= option, PROC GANNO statement 506
  - NAME= option, PROC GFONT statement
    - displaying fonts 679, 682
    - purpose and use 682
  - NAME= option, PROC GKEYMAP statement
    - purpose and use 724
  - NAME= option, VBAR/VBAR3D statements
    - purpose and use 553
  - naming conventions
    - GIF files 75
    - HTML files 75
  - native device drivers 38
  - NAXIS1= option, GRID statement 1014
  - NAXIS2= option, GRID statement 1014
  - NEAR= option, GRID statement
    - partial spline interpolation, example 1021
    - purpose and use 1014
  - needles in scatter plots
    - represented by symbols 976
    - suppressing with NONEEDLE option 988
    - suppressing with NONEEDLE option, example 1000
  - NEWFILE= option, ODS HTML statement 207
  - NEWNAME= option, RENAME statement 664
  - \_NEXT\_ argument, LIST statement (GDEVICE) 662
  - NLEVELS= option, PLOT statement 634
  - NLINES= option, SURFACE statement
    - purpose and use 761
  - NOAXIS option
    - BUBBLE statement 814
    - HBAR/HBAR3D statements 553
    - PLOT statement (G3D) 983
    - PLOT statement (GCONTOUR) 635
    - PLOT statement (GPLOT) 826
    - SCATTER statement, G3D procedure 988
    - VBAR/VBAR3D statements 553
  - NOBASEREF option
    - HBAR/HBAR3D statements 553
    - VBAR/VBAR3D statements 553
  - NOBRACKETS option, AXIS statement 167
  - NOBUILD option, PROC GFONT statement
    - displaying fonts 682
    - purpose and use 680
  - NOBYLINE option
    - PROC GREPLAY statement 926
  - NOBYLINE statement, GREPLAY procedure 938
  - NOCC option, PROC GPRINT statement 862
  - NOCLIP graphics option
    - clipped polygon with NOCLIP option, example 370
    - purpose and use 370

- NOCONNECT option, STAR statement
    - purpose and use 579
  - NODISPLAY graphics option 326
  - NODISPLAY option, PROC GFONT statement
    - purpose and use 685
  - NOFRAME option
    - BUBBLE statement 813
    - PLOT statement (GPLOT) 823
    - PLOT statement, GCONTOUR procedure 635
  - NOFS option, PROC GDEVICE statement
    - purpose and use 657
  - NOFS option, PROC GREPLAY statement
    - creating templates, example 952
    - invoking code-based statements 923
    - omitting, to invoke GREPLAY windows 923
    - purpose and use 926
  - NOGFOOTNOTE option, ODS HTML statement 205
  - NOGROUPHEADING option
    - DONUT statement 567
    - PIE/PIE3D statements 567
    - STAR statement 579
  - NOGTITLE option, ODS HTML statement 206
  - NOHEADING option, BLOCK statement (GCHART)
    - purpose and use 538
  - NOHEADING option, DONUT statement
    - purpose and use 568
  - NOHEADING option, PIE/PIE3D statements 568
  - NOHEADING option, STAR statement
    - purpose and use 579
  - NOKEYMAP option, PROC GFONT statement
    - creating fonts 685
    - displaying fonts 681
  - NOLABEL option
    - PLOT statement, G3D procedure 983
    - SCATTER statement, G3D procedure 988
  - NOLEGEND option
    - BLOCK statement, GCHART procedure 538
    - BLOCK statement, GMAP procedure 746
    - DONUT statement 568
    - HBAR/HBAR3D statements 553
    - PIE/PIE3D statements 568
    - PLOT statement (GPLOT) 826
    - PLOT statement, GCONTOUR procedure 635
    - PRISM statement 757
    - VBAR/VBAR3D statements 553
  - NOLEGEND option, CHORO statement
    - purpose and use 752
  - NOLIST option, PROC GOPTIONS statement
    - purpose and use 797
  - NOLOG option, PROC GOPTIONS statement 798
  - NONEEDLE option, SCATTER statement (G3D)
    - purpose and use 988
    - using shapes in scatter plots, example 1000
  - noninteractive mode 28
  - NONSORTED option, BY statement 909
  - NOPLANE option, AXIS statement 167
  - NOROMAN option, PROC GFONT statement 681
  - NOROMHEX option, PROC GFONT statement 681
  - NOSCALE option, GRID statement 1015
  - NOSTATS option, HBAR/HBAR3D statements 553
  - NOTE definitions
    - canceling before GSLIDE procedure ends 963
    - in effect after GSLIDE procedure ends 963
    - specifying color 318
  - NOTE statement 22, 251, 264
    - BY-group processing 181
    - multiple options with 264
    - options 253
    - options that reset other options 265
    - producing text slides 959
    - producing text slides, example 964
    - setting defaults 265
    - substituting BY line values in text strings 266
    - syntax 253
    - using shapes in scatter plots, example 1000
  - notes
    - default placement 252
  - NOTSORTED option, BY statement 178
  - NOZERO option, HBAR/HBAR3D statements 553
  - NOZERO option, VBAR/VBAR3D statements
    - purpose and use 553
  - NO\_BOTTOM\_MATTER option, ODS HTML statement 203
  - NO\_TOP\_MATTER option, ODS HTML statement 203
  - NUMGRAPH operator, GASK routine 1099
  - N\in\I= option, PROC GREDUCE statement 899
- O**
- O option, PROC GPRINT statement 862
  - ODS destinations 82
  - ODS HTML statement 24, 200
    - anchors 210
    - creating Web pages 284
    - destination for output, specifying 209
    - generating drill-down graph in DSGI, example 1070
    - links 210
    - options 204
    - references 210
    - required arguments 201
    - submitting multiple statements 209
    - syntax 200
  - ODS LISTING statement 24
  - ODS LISTING statement, example 1072
  - ODS statement 24
  - OFFSET= option
    - AXIS statement 167
    - LEGEND statement 190
  - OFFSHADOW= graphics option
    - purpose and use 364
  - OPENGRAPH operator, GASK routine 1100
  - operating states, DSGI
    - control over order of DSGI statements 1044
    - functions that change operating state 1044
    - summary of operating states 1033, 1076
  - OPTION= option, PROC GOPTIONS statement 798
  - OPTIONS statement 24
  - ORDER= option
    - AXIS statement 168
    - LEGEND statement 191
  - ORDER= option, AXIS statement
    - preventing out-of-range values 807
    - specifying axis order for contour plots 638
  - ORIGIN= option
    - AXIS statement 170
    - LEGEND statement 191
  - OTHER= option
    - DONUT statement 568
    - PIE3D statement 568
  - OTHER= option, PIE statement
    - purpose and use 568
  - OTHERLABEL= option
    - DONUT statement 568
    - PIE3D statement 568
  - OTHERLABEL= option, PIE statement
    - purpose and use 568
  - OUT= option, PROC G3GRID statement
    - purpose and use 1012
  - OUT= option, PROC GKEYMAP statement
    - purpose and use 725
  - OUT= option, PROC GPROJECT statement
    - projecting Annotate data set, example 891
    - purpose and use 881
  - OUT= option, PROC GREDUCE statement 899
  - OUT= option, PROC GREMOVE statement
    - creating outline map of Africa, example 915
    - purpose and use 908
  - outline colors
    - block charts 539
    - star charts 581
  - output
    - controlling with device drivers 41
    - conventions for 17
  - output catalogs 934
    - assigning with GOUT statement 934
    - copying entries from input to output catalog 932
    - printing with LIST statement 936
  - Output Delivery System (ODS)
    - adding non-graphics output to Web page 85
    - body files 83
    - drill-down graphs, generating 92, 115
    - example 109
    - footnotes with ODS output 85
    - frames for displaying output 89
    - graphics output and 81
    - HTML destination 200

- linking to output, through Table of Contents 86
- linking to output, through Table of Pages 87
- links 82
- ODS destinations 82
- ODS HTML statement 200
- RUN-group processing and 83
- titles with ODS output 85
- OUTPUT statement
  - DSGI data sets 1032
  - using with DSGI GASK routines, example 1069
- output-catalog 921
- OUTSIDE= option, VBAR/VBAR3D statements
  - purpose and use 554
- OUTTRI= option, PROC G3GRID statement 1012
- overlaid scatter plot, simulating 991
- OVERLAY option, PLOT statement (GPLOT)
  - purpose and use 826

## P

- page files 87
- PAGE= option
  - ODS HTML statement 202
- PAGESIZE= graphics option
  - adjusting size of SAS output 863
  - determination of SAS output size 862
- panel-number argument, TDEF statement 942
- Pantone color Look-Up Table 142
- PAPERDEST= graphics option 365
- PAPERFEED device parameter 366
- PAPERFEED= graphics option 366
- PAPERLIMIT= graphics option 366
- PAPERSIZE= graphics option 367
- PAPERSOURCE= graphics option 367
- PAPERTYPE= graphics option 368
- PARADIV= option, PROC GPROJECT statement 881, 884
- PARALEL1= option, PROC GPROJECT statement 882, 884
- PARALEL2= option, PROC GPROJECT statement 882, 884
- PARAMETERS= option, ODS HTML statement 207
- Parameters window, GDEVICE procedure 666
- PARTIAL option, GRID statement
  - partial spline interpolation, example 1021
  - purpose and use 1015
- PATH device parameter 369
- PATH= option, ODS HTML statement 207
- PATTERN definitions
  - BY-group processing 181
  - default patterns, GCHART procedure 529
  - multiple 222
  - pattern mapping 707
  - user-defined patterns and outlines 530
  - Version 6 patterns 530
  - with PLOT2 statement (GPLOT) 833
- pattern mapping 707
- PATTERN option, PLOT statement
  - purpose and use 635
- PATTERN option, PROC GOPTIONS statement 798
- PATTERN statement 23, 211
  - altering 219
  - canceling 219
  - CPATTERN= graphics option and 223
  - default patterns 220
  - device-dependent hardware patterns 223
  - explicitly specifying patterns 222
  - multiple PATTERN definitions 222
  - options 213
  - outlines 220
  - pattern sequences 224
  - specifying response levels in block map, example 774
  - syntax 212
- PATTERNID= option
  - BLOCK statement, GCHART procedure 538
  - HBAR/HBAR3D statements 554
- PATTERNID= option, VBAR/VBAR3D statements
  - purpose and use 554
- patterns
  - assigning to pie charts, example 616
  - bar and block patterns 214
  - bar charts 558
  - block charts 539
  - block maps 748
  - changing with PATTERNID= option 540, 559
  - color of fill 213
  - default patterns 220
  - device-dependent hardware patterns 223
  - explicitly specifying 222
  - hardware patterns 218
  - map and plot patterns 216
  - outline colors 222
  - outlines 220
  - pie and donut charts 571
  - pie and star patterns 217
  - repeating PATTERN definition 213
  - representing contour levels, example 648
  - selecting 222
  - sequences 224
  - specifying 214
  - specifying with STYLE variable 471
  - star charts 581
  - Version 6 223
- patterns, user-defined
  - bar charts 559
  - block charts 540
- PBM files 57
- PCLIP graphics option
  - clipped polygon with NOCLIP option, example 370
  - clipped polygon with PCLIP option, example 370
- intersecting polygons, example 370
- purpose and use 369
- PCOLS device parameter 371
  - changing aspect ratio of cells 865
  - determination of graphics output size 862
- PCT unit
  - font creation 683
- PDF files 57
- pen plotters
  - colors 155
- PENMOUNTS= graphics option
  - purpose and use 371
- PENSORT device parameter 372
- PENSORT= graphics option 372
- PERCENT option
  - HBAR/HBAR3D statements 554
  - VBAR/VBAR3D statements 554
- PIE3D statement 568
- STAR statement 579
- PERCENT= option, DONUT statement
  - purpose and use 568
  - selecting and positioning slice labels 570
  - valid values 570
- PERCENT= option, PIE statement
  - purpose and use 568
  - selecting and positioning slice labels 570
  - valid values 570
- percentage statistic 528
- PERCENTLABEL= option
  - HBAR/HBAR3D statements 555
  - VBAR/VBAR3D statements 555
- permanent catalogs 49
- permanent data sets 25
- PICTURE= option, PROC GTESTIT statement 972
- PICTURE statement, displaying scatter plot with
  - reversed axis 993
- pie charts 4, 522
  - 3-D 4
  - assigning patterns, example 616
  - controlling slice patterns and colors 571
  - creating with DSGI, illustration 1028
  - default patterns and outlines 572
  - grouping and arranging, example 618
  - identifying midpoints with legend, example 616
  - modifying statistic and group headings 573
  - ordering and labeling slices, example 615
  - selecting and positioning slice labels 570
  - slices 442
  - specifying sum statistic, example 611
  - subgrouping donut or pie chart, example 613
- PIE function, Annotate facility 442
- PIE operator, GDRAW function
  - associated attributes, table 1042
  - attributes capable of bundling, table 1047
  - syntax and description 1124
- PIE statement
  - appearance options 560
  - catalog entry description options 561

- grouping and subgrouping options 560
- midpoint options 560
- modifying statistic and group headings 573
- ODS options 561
- options 561
- purpose and use 559
- required arguments 561
- selecting and positioning slice labels 570
- slice-labeling options 561
- slice-ordering options 560
- statistic options 560
- syntax 560
- PIE3D statement
  - appearance options 560
  - catalog entry description options 561
  - grouping and subgrouping options 560
  - midpoint options 560
  - modifying statistic and group headings 573
  - ODS options 561
  - options 561
  - purpose and use 559
  - required arguments 561
  - selecting and positioning slice labels 570
  - slice-labeling options 561
  - slice-ordering options 560
  - statistic options 560
  - syntax 560
- PIECNTR function, Annotate facility 445
- PIEFILL device parameter 373
- PIEFILL= graphics option 373
- %PIEXY macro, Annotate facility 492
- plot lines
  - filling area between 276
- PLOT statement, G3D procedure
  - changing surface appearance 985
  - controlling axes 980
  - description 981
  - generating default surface plot, example 994
  - options 982
  - purpose and use 981
  - required arguments 982
  - rotating surface plot, example 996
  - syntax 982
  - tilting surface plots, example 997
- PLOT statement, GCONTOUR procedure
  - appearance options 629
  - autolabel suboptions 636
  - catalog entry description options 630
  - contour options 630
  - description 629
  - horizontal axis options 630
  - labeling options 630
  - modifying contour lines and labels with SYM-BOL statement 640
  - options 631
  - required arguments 630
  - selecting contour levels 636
  - specifying axis order 638
  - syntax 629
  - vertical axis options 630
- PLOT statement, GPLOT procedure
  - appearance options 819
  - catalog entry description options 819
  - description 818
  - horizontal axis options 819
  - ODS options 819
  - options 821
  - plot options 818
  - plot requests with multiple variables 827
  - required arguments 819
  - SYMBOL definitions 828
  - syntax 818
  - vertical axis options 819
- plot symbols
  - rotating through colors list 271
- PLOT2 statement, GPLOT procedure 828
  - appearance options 829
  - matching PLOT and PLOT2 plot requests 831
  - multiple plot requests 831
  - options 830
  - PATTERN and SYMBOL definitions 833
  - plot options 829
  - requesting plots of three variables with legend 832
  - required arguments 829
  - second vertical axis 832
  - syntax 829
  - vertical axis options 829
- plots
  - parts of plots 805
  - plot requests with multiple variables 827
  - rotating and tilting 979
  - three-dimensional 7
  - two-dimensional 5
- plots of two variables
  - characteristics 802
  - plotting two variables, example 840
  - scatter plot, illustration 802
- plots with classification variable 803
  - legends generated by default 803
  - plot of three variable with legend, illustration 803
- plots with two vertical axes
  - adding right vertical axis to bubble plot, example 838
  - characteristics 804
  - displaying different values 833
  - displaying same scale on both axes 833
  - displaying same values in different scale 832
  - plotting with different scales of values, example 851
  - using second vertical axis 832
- PNG files 57
- point distance for map data sets
  - determining points that belong in density level, example 900
  - Euclidean distance formula for determining 901
  - specifying with E\in\I= option 898
- POINT function, Annotate facility 447
- point size, specifying in space data set 696
- POINTLABEL= option, SYMBOL statement 238
- POLELAT= option, PROC GPROJECT statement
  - controlling projection criteria 884
  - emphasizing map areas, example 889
  - purpose and use 882
- POLELONG= option, PROC GPROJECT statement
  - controlling projection criteria 884
  - emphasizing map areas, example 889
  - purpose and use 882
- POLY function, Annotate facility 448
- %POLY macro, Annotate facility 492
- %POLY2 macro, Annotate facility 492
- POLYCONT function, Annotate facility 449
- %POLYCONT macro, Annotate facility 493
- polygon fonts, types of 677
- POLYGONCLIP graphics option 373
- POLYGONFILL device parameter 374
- POLYGONFILL= graphics option 374
- POP function, Annotate facility 452
- %POP macro, Annotate facility 494
- portability of programs 35
- POSITION= option, LEGEND statement 191
- POSITION variable, Annotate facility 466
- POSTGEPILOG= graphics option 374
- POSTGPROLOG= graphics option 375
- POSTGRAPH device parameter 375
- POSTGRAPH= graphics option 375
- PostScript files 57
- PPDFILE= graphics option 376
- PPM files 57
- PREGEPILOG= graphics option 377
- PREGPROLOG graphics option 377
- PREGRAPH device parameter 378
- PREGRAPH= graphics option 378
- presentation graphics 11
- PRESENTATION option, PROC GREPLAY statement 926
- PRESENTATION window 947
- PREVIEW statement, GREPLAY procedure 938
  - \_PREV\_ argument, LIST statement (GDEVICE procedure) 662
- PRINT procedure
  - using with DSGI GASK routines, example 1069
- printing
  - directly to device 47
  - from windows 48
  - graphics output 47
  - graphics output, from external files 47
- prism maps 10, 733
  - light source coordinates, table 757
  - producing simple prism map, example 789
  - specifying midpoints in prism map, example 790
- PRISM statement, GMAP procedure
  - appearance options 753
  - description 753
  - description options 754

- legend options 753
  - mapping options 753
  - ODS options 754
  - options 754
  - required arguments 754
  - specifying midpoints in prism map, example 790
  - PROC G3D statement
    - ANNOTATE= option 981
    - DATA= option 981
    - GOUT= option 981
    - syntax 981
  - PROC G3GRID statement
    - DATA= option 1012
    - OUT= option 1012
    - OUTTRI= option 1012
    - syntax 1012
  - PROC GANNO statement 504
  - PROC GCHART statement
    - syntax 531
  - PROC GCONTOUR statement
    - syntax 628
  - PROC GDEVICE statement
    - syntax 656
  - PROC GIMPORT statement
    - syntax 709
  - PROC GKEYMAP statement 724
    - syntax 724
  - PROC GMAP statement
    - required arguments 740
    - syntax 740
  - PROC GOPTIONS statement 797
    - syntax 797
  - PROC GPLOT statement
    - syntax 808
  - PROC GPRINT statement 861
    - syntax 861
  - PROC GPROJECT statement
    - ASIS option 880
    - DATA= option 880
    - DEGREE option 880
    - DUPOK option 880
    - EASTLONG option 880
    - LATMAX= option 880
    - LATMIN= option 881
    - LONGMAX= option 881
    - LONGMIN= option 881
    - OUT= option 881
    - PARADIV= option 881
    - PARALEL1= option 882
    - PARALEL2= option 882
    - POLELAT= option 882
    - POLELONG= option 882
    - PROJECT== option 883
    - syntax 880
  - PROC GREDUCE statement 898
    - DATA= option 898
    - E\in\I= option 898
    - N\in\I= option 899
    - OUT= option 899
    - syntax 898
  - PROC GREMOVE statement
    - DATA= option 908
    - OUT= option 908
    - syntax 908
  - PROC GREPLAY statement
    - BYLINE option 925
    - CC= option 925
    - CMAP= option 925
    - FS option 926
    - GOUT= option 926
    - IGOUT= option 926
    - IMAGEMAP= option 926
    - NOBYLINE option 926
    - NOFS option 926
    - PRESENTATION option 926
    - syntax 925
    - TC= option 927
    - TEMPLATE= option 927
  - PROC GREPLAY window 946
  - PROC GSLIDE statement 961
    - ANNOTATE= option 961
    - appearance options 961
    - BORDER option 961
    - CFRAME= option 961
    - DESCRIPTION= option 962
    - description options 961
    - FRAME option 962
    - GOUT= option 962
    - IMAGEMAP= option 962
    - LFRAME= option 962
    - NAME= option 962
    - syntax 961
    - WFRAME= option 963
  - PROC GTESTIT statement
    - GOUT= option 972
    - PICTURE= option 972
    - syntax 972
  - PROC statements 22
  - procedure output 29
  - procedure output area 34
  - procedure output, including Annotate graphics 416
  - PROCESS device parameter 378
  - PROCESSINPUT device parameter 379
  - PROCESSOUTPUT device parameter 379
  - PROJECT= option, PROC GPROJECT statement 883
    - ALBERS value 883
    - emphasizing map areas, example 889
    - GNOMON value 883
    - LAMBERT value 883
    - NONE value 883
  - PROMPT device parameter 380
  - PROMPT graphics option 380
  - PROMPTCHARS device parameter 381
  - PROMPTCHARS= graphics option 381
  - proportional fonts 676
  - province codes, table 763
  - PROWS device parameter 382
    - changing aspect ratio of cells 865
    - determination of graphics output size 862
  - PS files 57
  - PT unit 683
  - PTYPE variable
    - required in font data set 690
  - PUSH function, Annotate facility 452
  - %PUSH macro, Annotate facility 494
  - PUT statement
    - using with DSGI GASK routines, example 1069
- ## Q
- QSMG device parameter 383
  - QUIT statement 24
    - GDEVICE procedure 663
  - QUIT statement, GREPLAY procedure
    - exiting GREPLAY procedure 923
    - syntax 939
- ## R
- radian values, map data sets 876
  - RAXIS= option
    - HBAR/HBAR3D statements 555
  - RAXIS= option, VBAR/VBAR3D statements
    - purpose and use 555
  - reading direction of text, changing in DSGI graphics, example 1058
  - RECORD\_SEPARATOR option, ODS HTML statement 208
  - %RECT macro, Annotate facility 494
  - RECTFILL device parameter 383
  - reduced map data sets 766
  - REF= option
    - HBAR/HBAR3D statements 555
    - VBAR/VBAR3D statements 555
  - REFCOL= option, PROC GFONT statement 681
  - reference lines
    - See also GRID option
    - adding to scatter plot, example 1000
  - REFLABEL= option, AXIS statement 170
  - REFLINES option, PROC GFONT statement 681
  - REGEQN option, PLOT statement (GPLOT)
    - purpose and use 826
  - regression plots 6
  - RENAME operator, GRAPH function 1128
  - RENAME statement, GDEVICE procedure 663
  - RENDER= graphics option 384
  - RENDERLIB= graphics option 385
  - REPAIR= graphics option 385
  - REPAINT= graphics option 385
  - REPEAT= option
    - PATTERN statement 213
    - SYMBOL statement 240

- REPLAY statement, GREPLAY procedure 939
  - RESET= graphics option
    - canceling NOTE definitions 963
    - purpose and use 386
  - RESOL= option, PROC GFONT statement
    - purpose and use 686
  - response axis 557
  - response data
    - conditions affecting display of, table 738
    - displaying 738
  - response data sets
    - identification variables 738
    - variables contained in 737
  - response levels
    - definition 737
    - specifying response levels in block map, example 774
    - values represented by 737
  - response variables
    - assigning format to response variable, example 776
    - character 737
    - contained in response data sets 737
    - continuous 737
    - discrete 737
    - numeric 737
  - return codes for DSGI routines and functions 1165
  - REVERSE graphics option 387
  - RGB color codes 142
  - Roman alphabet text fonts 132
  - ROMCOL= option, PROC GFONT statement
    - purpose and use 681
  - ROMFONT= option, PROC GFONT statement
    - purpose and use 681
  - ROMHEX option, PROC GFONT statement
    - creating fonts 686
    - displaying fonts 682
  - ROMHT= option, PROC GFONT statement
    - purpose and use 682
  - ROTATE device parameter 387
  - ROTATE= graphics option 387
  - ROTATE= option
    - TDEF statement 942
    - TITLE, FOOTNOTE, and NOTE statements 262
  - ROTATE= option, PLOT statement (G3D)
    - purpose and use 983
    - rotating surface plot, example 996
  - ROTATE= option, SCATTER statement (G3D)
    - purpose and use 988
    - rotating scatter plot, example 1003
  - ROTATE= option, SURFACE statement
    - purpose and use 761
  - ROTATE variable, Annotate facility 469
  - rotating plots
    - rotating and tilting plots 979
    - rotating scatter plot, example 1003
    - rotating surface plot, example 996
  - ROTATION device parameter 388
  - ROUND function 897, 907
  - ROWS device parameter 388
  - RUN statement 22, 1041
  - RUN-group processing 28
    - Output Delivery System (ODS) and 83
    - RUN groups 181
    - using with GSLIDE procedure 963
    - with BY statement 29
    - with global and local statements 28
    - with WHERE statement 29
- S**
- sample programs 19
  - SAS catalogs 49
    - accessing from different SAS versions 49
    - color-map-catalog 921
    - converting to different SAS version 55
    - copying entries from input to output catalog 932
    - creating 50
    - device catalogs 652
    - device map storage 720
    - entry types used by GREPLAY procedure 921
    - grouping entries in current input catalog 934
    - input-catalog 921
    - key map storage 720
    - output-catalog 921
    - permanent 49
    - rearranging input catalog entries with MOVE statement 937
    - specifying 50
    - storing graphics output in 49
    - template-catalog 921
    - temporary 49
    - transporting across operating environments 52
  - SAS catalogs, assigning
    - GOUT statement 934
    - IGOUT= option 926
    - IGOUT statement 935
    - methods used with GREPLAY procedure 922
  - SAS data set options 25
  - SAS data sets 25
    - G3GRID procedure requirements 1009
    - GCONTOUR procedure requirements 627
    - GPlot procedure requirements 806
    - input data sets 27
    - locking 27
    - permanent 25
    - temporary 25
  - SAS Display Manager System 27
  - SAS/GRAPH pattern definitions 707
  - SAS/GRAPH procedures 22
  - SAS/GRAPH programs 21
    - engines 27
    - graphics output area 29
    - language elements 22
    - modes of operation 27
    - portability 35
    - procedure output 29
    - running 27
    - SAS data sets 25
  - SAS/GRAPH software 2
  - SAS output
    - adjusting size 863
    - compared with graphics output 44
    - determination of size by PAGESIZE= and LINESIZE= options 862
    - matching size with graphics output 863
    - size in cells, example 862
  - SAS statements 161
  - SASHELP.FONTS catalog
    - storage of key maps and device maps 720
  - SCALABLE device parameter 389
  - SCALABLE graphics option 389
  - %SCALE macro, Annotate facility 495
  - %SCALET macro, Annotate facility 496
  - SCALEX= option, TDEF statement 942
  - SCALEY= option, TDEF statement 943
  - scatter plots 8, 976
    - changing appearance of points 990
    - changing data ranges 979
    - data set requirements 978
    - default settings 976
    - generating simple scatter plot, example 999
    - reversing axis values 992
    - rotating and tilting plots 979
    - simple scatter plot, example 976
    - simulating overlaid plot 991
    - two-dimensional 5
    - using shapes, example 1000
  - SCATTER statement, G3D procedure
    - appearance options 986
    - axes options 986
    - catalog entry description options 986
    - changing appearance of points 990
    - controlling axes 980
    - generating simple scatter plot, example 998
    - options 987
    - purpose and use 985
    - required arguments 987
    - reversing values on axis 992
    - rotating scatter plot, example 1003
    - simulating overlaid scatter plot 991
    - syntax 986
    - using shapes in scatter plots, example 1000
  - SEGMENT variable, font data sets
    - requirements 692
  - SEGMENT variable, map data sets
    - GPROJECT procedure 875
    - REMOVE procedure 907
    - output data set 907
  - %SEQUENCE macro, Annotate facility 497
  - SGOP operating state, DSGI
    - definition 1033
    - functions affecting 1044
  - SHAPE= option, BLOCK statement (GMAP)
    - purpose and use 747

- SHAPE= option, HBAR/HBAR3D statements 555
- SHAPE= option, LEGEND statement 192
- SHAPE= option, SCATTER statement
  - purpose and use 988
  - valid values 988
- SHAPE= option, VBAR/VBAR3D statements
  - purpose and use 555
- SHORT option, PROC GOPTIONS statement
  - purpose and use 798
- SHOWALL option, PROC GFONT statement
  - 682
- SHOWROMAN option, PROC GFONT statement
  - creating fonts 686
  - displaying fonts 682
- SIDE option, PLOT statement (G3D)
  - purpose and use 983
  - tilting surface plots, example 997
- SIMFONT= graphics option
  - purpose and use 389
- SIMULATE font
  - substituted for nonscalable hardware font 864
- SIZE= option, SCATTER statement (G3D)
  - purpose and use 990
  - rotating scatter plot, example 1003
- SIZE variable, Annotate facility 470
- SKIPMISS option, PLOT statement (GPLOT) 826
- %SLICE macro, Annotate facility 498
- SLICE= option, DONUT statement
  - purpose and use 568
  - selecting and positioning slice labels 570
  - valid values 570
- SLICE= option, PIE/PIE3D statement
  - purpose and use 568
  - selecting and positioning slice labels 570
  - valid values 570
- SLICE= option, STAR statement 579
- slices
  - controlling slice patterns and colors 571
  - ordering and labeling slices, example 615
  - selecting and positioning slice labels 570
  - selecting and positioning star chart slice labels 580
- SMOOTH= option, GRID statement
  - producing smoothed spline interpolation 1011
  - purpose and use 1015
  - \_SMTH\_ variable in output data set 1009
  - spline interpolation and smoothed spline, example 1019
- smoothing 1011
- software fonts 131
- SORT procedure
  - removing state boundaries from U.S. map, example 910
  - specifying variable with BY statement, example 909
- sorting data
  - for interpolation with line generation 807
  - with spline interpolation 246
- space data set 696
  - creating 696
  - variables 696
- SPACE= option, HBAR/HBAR3D statements 555
- SPACE= option, VBAR/VBAR3D statements
  - purpose and use 555
- SPACEDATA= option, PROC GFONT statement
  - purpose and use 686
- special characters 130
- special font 137
- SPEED device parameter 390
- SPEED= graphics option 390
- spine labels for star charts 580
- spline interpolation
  - See also INTERPOL=L option, SYMBOL statement
  - See also INTERPOL=SM option, SYMBOL statement
  - See also INTERPOL=SPLINE option, SYMBOL statement
  - G3GRID procedure 1010
  - partial spline interpolation, example 1021
  - sorting data with 246
  - spline interpolation and smoothed spline, example 1019
  - spline interpolation, example 1023
- SPLINE option, GRID statement
  - purpose and use 1015
  - spline interpolation and smoothed spline, example 1019
  - spline interpolation, example 1022
- spline smoothing interpolation, G3GRID procedure 1011
- SPLIT= option, AXIS statement 171
- star charts 4
  - charting discrete numeric variable, example 621
  - modifying statistic and group headings 582
  - purpose and use 523
  - specifying sum statistic, example 620
- STAR statement
  - appearance options 574
  - catalog entry description options 575
  - controlling patterns 581
  - grouping and subgrouping options 574
  - labeling options 574
  - midpoint options 574
  - modifying statistic and group headings 582
  - ODS options 575
  - options 575
  - purpose and use 573
  - required arguments 575
  - selecting and positioning spine and slice labels 580
  - selecting patterns 580
  - statistic options 574
  - syntax 574
- STARMAX= option, STAR statement 579
- STARMIN= option, STAR statement 579
- stars
  - drawing circle of 424
- STATE operator, GASK routine 1101
- statements
  - See also global statements
  - SAS statements 161
- STEP= option, SYMBOL statement 240
  - effect on contour lines and labels, table 640
- STOP statement, GREPLAY procedure 923
- stroked fonts 676
- STYLE= option
  - AXIS statement 171
  - ODS HTML statement 208
- STYLE variable, Annotate facility
  - fonts 471
  - patterns 471
- SUBGROUP= option, BLOCK statement (GCHART)
  - purpose and use 538
- SUBGROUP= option, DONUT statement
  - purpose and use 568
- SUBGROUP= option, HBAR/HBAR3D statements
  - purpose and use 556
- SUBGROUP= option, PIE/PIE3D statement
  - purpose and use 568
- SUBGROUP= option, VBAR/VBAR3D statements
  - purpose and use 556
- SUBGROUP variable, Annotate facility 472
- subordinate statements 22
- SUM option
  - HBAR/HBAR3D statements 556
  - VBAR/VBAR3D statements 556
- sum statistic
  - bar charts, example 587
  - pie charts, example 611
  - purpose and use 528
  - star charts, example 620
- SUMLABEL= option
  - HBAR/HBAR3D statements 556
  - VBAR/VBAR3D statements 556
- SUMVAR= option, BLOCK statement (GCHART)
  - purpose and use 538
- SUMVAR= option, DONUT statement 569
- SUMVAR= option, HBAR/HBAR3D statements
  - purpose and use 556
- SUMVAR= option, PIE/PIE3D statements
  - purpose and use 569
- SUMVAR= option, PROC GCHART 529
- SUMVAR= option, STAR statement
  - purpose and use 579
- SUMVAR= option, VBAR/VBAR3D statements
  - purpose and use 556
- surface maps 10, 734
  - producing simple surface map, example 792
  - rotating and tilting surface map, example 793
- surface plots 7, 976
  - changing data ranges 979
  - changing surface appearance 985

correcting missing z values with G3GRID procedure 978

data set requirements 978

default settings, example 976

generating default plot, example 994

rotating 979

rotating, example 996

tilting 979

tilting, example 998

SURFACE statement, GMAP procedure

- appearance options 759
- description 759
- description options 759
- options 760
- producing simple surface map, example 792
- required arguments 759
- rotating and tilting surface map, example 793

SWAP device parameter 390

SWAP function, Annotate facility 453

SWAP graphics option 390

%SWAP macro, Annotate facility 499

SYMBOL definitions

- BY-group processing 181
- controlling appearance of plots 828
- default GPLOT procedure definitions 828
- multiple symbol definitions generated by one SYMBOL statement 828
- plot requests that assign SYMBOL definitions 828
- specifying color 317
- symbol sequences 249
- with PLOT2 statement (GPLOT) 833

SYMBOL device parameter 391

symbol fonts 700

SYMBOL function, Annotate facility 453

SYMBOL graphics option 391

SYMBOL option, PROC GOPTIONS statement 798

symbol sequences 249

SYMBOL statement 23, 226

- altering 244
- canceling 244
- color and 247
- consecutive statements 245
- effect of options on contour lines and labels, table 640
- line types 248
- modifying contour lines and labels 640
- options 227
- symbol sequences 249
- syntax 226
- with GPLOT procedure 245

SYMBOLS device parameter 392

symbols for scatter plots

- default size 990
- default symbol 988
- specifying size with SIZE= option 990
- specifying with SHAPE= option 988

syntax conventions 15

%SYSTEM macro, Annotate facility 499

## T

Table of Contents, for linking to Web output 86

Table of Pages, for linking to Web output 87

table of statistics 558

TARGETDEVICE= graphics option 393

- portability of DSGI graphics output 1055
- vertical angling of text in DSGI graphics, example 1057

TC argument

- ? statement (GREPLAY) 928
- LIST statement (GREPLAY) 936

TC field, PROC GREPLAY window 922

TC= option, PROC GREPLAY statement

- assigning catalogs 922
- creating templates, example 952
- purpose and use 927

TC statement, GREPLAY procedure

- assigning catalogs 922
- required arguments 939

TCOPY statement, GREPLAY procedure

- required arguments 940

TDEF statement, GREPLAY procedure

- creating templates, example 952
- details of use 943
- options 941
- required arguments 941

TDELETE statement, GREPLAY procedure 944

TEK42xx Series Terminal drivers 224

Tektronix Color Standard 143

TEMPLATE argument

- ? statement (GREPLAY) 928
- LIST statement (GREPLAY) 936

TEMPLATE catalog type 921

template catalogs

- See also* templates
- assigning before creating templates 951
- assigning current template with TEMPLATE= option 927
- copying with TCOPY statement 940
- deleting templates with TDELETE statement 944
- printing with LIST statement 936
- specifying with TC statement 939

TEMPLATE DESIGN window 947

Template field, PROC GREPLAY window 922

TEMPLATE= option, PROC GREPLAY statement

- assigning current template 922
- purpose and use 927
- replaying graphics output in template, example 954

TEMPLATE statement, GREPLAY procedure

- assigning current template 922
- creating templates, example 952
- required arguments 944

template-catalog 921

templated graphs 12

templates

- See also* GREPLAY procedure
- assigning current template 922
- assigning current template with TEMPLATE statement 944
- creating templates and color maps 951
- creating, example 952
- defining or modifying with TDEF statement 941
- deleting with TDELETE statement 944
- institute-supplied templates in SASHELP.TEMPLT catalog 952
- previewing 938
- replaying graphics output 952
- replaying graphics output, example 955
- selecting catalog entries with TREPLAY statement 945
- transporting 54

temporary catalogs 49

temporary data sets 25

terminals, for displaying graphics output 45

TEXALIGN operator, GASK routine 1101

TEXALIGN operator, GSET function

- syntax and description 1152
- vertical angling of text in DSGI graphics, example 1058

TEXCOLOR operator

- GASK routine 1102
- GSET function 1154

TEXEXTENT operator, GASK routine 1103

TEXTFONT operator

- GASK routine 1104
- GSET function 1154

TEXHEIGHT operator, GASK routine 1105

TEXHEIGHT operator, GSET function

- syntax and description 1155
- vertical angling of text in DSGI graphics, example 1057

TEXINDEX operator, GASK routine 1106

TEXPATH operator, GASK routine 1106

TEXPATH operator, GSET function

- changing reading direction of text, example 1059
- syntax and description 1156

TEXREP operator

- GASK routine 1107
- GSET function 1158

text

- changing reading direction in DSGI graphics, example 1058
- options for controlling block chart text 540
- specifying for contour labels 641
- vertical angling in DSGI graphics 1055

text color

- specifying color text, example 865

text description suboptions

- AXIS statement 172, 175
- LEGEND statement 194, 197

TEXT operator, GDRAW function

- associated attributes, table 1042



- attributes capable of bundling, table 1047
  - syntax and description 1124
  - vertical angling of text in DSGI graphics, example 1058
  - text sizing
    - adjusting size of characters, example 868
  - text slides 11
    - creating with DSGI, illustration 1029
    - producing with GSLIDE procedure 959
  - TEXT variable, Annotate facility 474
  - TEXTUP operator, GASK routine 1108
  - TEXTUP operator, GSET function
    - syntax and description 1158
    - vertical angling of text in DSGI graphics, example 1058
  - three-dimensional graphs
    - See also* scatter plots
    - See also* surface plots
    - basic characteristics 975
    - changing data ranges 979
    - controlling axes 980
    - data set requirements 978
    - rotating and tilting plots 979
  - three-dimensional plots 7
  - thumbnail-size images 79
  - tick mark description suboptions
    - AXIS statement 175
  - tick marks
    - creating values for three-dimensional plots 979
    - ordering axis tick marks 266
    - overlapping, when rotating or tilting plots 979
  - TIFF files 57
  - TILT= option, PLOT statement (G3D)
    - purpose and use 983
    - tilting surface plots, example 997
  - TILT= option, SCATTER statement 990
  - TILT= option, SURFACE statement
    - purpose and use 761
  - tilting plots
    - rotating and tilting plots 979
    - tilting surface plots, example 998
  - TIMEPLOT procedure, example 865
  - title area 252
  - TITLE definitions
    - displaying annotate graphics with GSLIDE procedure, example 965
    - displaying with RUN-group processing 963
    - producing text slides, example 964
    - specifying color 318
  - TITLE option, PROC GOPTIONS statement 798
  - TITLE statement 23, 251, 263
    - BY-group processing 181
    - multiple options with 264
    - options 253
    - options that reset other options 265
    - producing text slides 959
    - producing text slides, example 964
    - setting defaults 265
  - substituting BY line values in text strings 266
  - syntax 253
  - using in DSGI 1032
  - using with GSLIDE procedure 959, 963
  - vertical angling of text in DSGI graphics, example 1055
  - titles
    - default placement 252
    - enhancing 278
    - with ODS output 85
  - TRAILER device parameter 393
  - TRAILERFILE device parameter 394
  - TRANS operator, GASK routine 1109
  - transformations, DSGI
    - activating for viewports and windows 1052
    - division of display into four logical subareas, illustration 1052
    - matching numbers required for viewports and windows 1052
    - purpose and use 1050
  - TRANSNO operator, GASK routine 1110
  - TRANSNO operator, GSET function
    - activating transformations 1052
    - inserting existing graphs into DSGI graphics output 1053
    - reselecting default transformation 1053
    - syntax and description 1161
    - using viewports in DSGI, example 1062
  - TRANSPARENCY graphics option
    - purpose and use 394
  - transporting graphics output 52
  - TRANTAB device parameter 395
  - TRANTAB= graphics option 395
  - TRANTAB= option, ODS HTML statement 209
  - TREPLAY statement, GREPLAY procedure 945
    - replaying graphics output in template, example 954
    - required arguments 945
  - two-dimensional plots 5
  - two-dimensional scatter plots 5
  - TXT2CNTL function, Annotate facility 455
  - %TXT2CNTL macro, Annotate facility 500
  - TYPE device parameter 395
  - TYPE= option
    - DONUT statement 569
    - PIE/PIE3D statements 569
    - STAR statement 579
    - VBAR/VBAR3D statements 556
  - TYPE= option, BLOCK statement (GCHART)
    - purpose and use 539
  - TYPE= option, HBAR/HBAR3D statements
    - purpose and use 556
  - TYPE=MAP11 option, PROC GKEYMAP 725
  - TYPE=MAP1N option, PROC GKEYMAP
    - purpose and use 725
- ## U
- UCC device parameter 396
  - UCC= graphics option 396
  - ULX= option, TDEF statement 943
  - ULY= option, TDEF statement 943
  - UNDERLIN= option
    - TITLE, FOOTNOTE, and NOTE statements 263
  - uniform fonts
    - definition 676
  - UNIFORM option, PROC GFONT statement
    - purpose and use 687
  - UNIFORM option, PROC GPLOT statement 809
  - unit areas 738
    - containing multiple polygons 768
    - containing single polygon 768
    - with enclosed polygons as cities 770
    - with enclosed polygons as holes 769
  - units 34
    - font creation 683
  - unmatched area boundaries in map data sets
    - GREDUCE procedure 897
    - REMOVE procedure 907
  - UPDATE operator, GRAPH function
    - closing graphic segment 1041
    - processing DSGI statements in loops 1054
    - structure of DSGI programs 1042
    - submitting GDRAW functions between CLEAR and UPDATE functions 1041
    - syntax and description 1129
    - using with DSGI GASK routines, example 1069
    - vertical angling of text in DSGI graphics, example 1058
  - URL= option, ODS HTML statement 202
  - URX= option, TDEF statement 943
  - URY= option, TDEF statement 943
  - utility functions, DSGI 1076
- ## V
- V6COMP graphics option
    - pattern effects 530
    - purpose and use 398
  - VALUE= option
    - AXIS statement 171
    - LEGEND statement 193
    - PATTERN statement 214
    - PIE3D statement 569
    - STAR statement 580
    - SYMBOL statement 241
  - VALUE= option, DONUT statement
    - purpose and use 569
    - selecting and positioning slice labels 570
    - valid values 570
  - VALUE= option, PIE statement
    - purpose and use 569
    - selecting and positioning slice labels 570
    - valid values 570

- VALUE= option, SYMBOL statement
  - effect on contour lines and labels, table 640
  - specifying text for contour labels 641
- VAXIS= option
  - preventing out-of-range values 807
- VAXIS= option, BUBBLE statement
  - purpose and use 814
- VAXIS= option, PLOT statement (GCONTOUR)
  - purpose and use 635
- VAXIS= option, PLOT statement (GPLOT)
  - purpose and use 826
- VBAR statement, GCHART procedure 541
  - appearance options 542
  - axes options 543
  - catalog entry description options 543
  - chart statistic and response axis 557
  - controlling bar chart patterns and colors 558
  - midpoint options 542
  - ODS options 543
  - options 543
  - ordering and selecting midpoints 558
  - required arguments 543
  - specifying logarithmic axes 557
  - statistic options 542
  - syntax 542
- VBAR3D statement, GCHART procedure 541
  - appearance options 542
  - axes options 543
  - catalog entry description options 543
  - chart statistic and response axis 557
  - controlling bar chart patterns and colors 558
  - midpoint options 542
  - ODS options 543
  - options 543
  - ordering and selecting midpoints 558
  - required arguments 543
  - specifying logarithmic axes 557
  - statistic options 542
  - syntax 542
- Version 6 of SAS System
  - Version 6 patterns 530
- vertical angling of text in DSGI graphics 1055
- vertical bar charts 3, 521
  - chart statistic and response axis 557
  - displaying statistics 557
  - labeling subgroups in 422
  - subgrouping 3D vertical bar chart, example 589
- VIEWPORT operator, GASK routine 1110
- VIEWPORT operator, GSET function
  - defining viewports 1051
  - inserting existing graphs into DSGI graphics output 1053
  - matching transformation numbers required for viewports and windows 1052
  - syntax and description 1162
  - using viewports in DSGI, example 1062
- viewports
  - activating transformations 1052
  - basic steps for defining 1051
  - clipping 1051
  - default viewport 1050
  - defining 1051
  - matching numbers required for transformations 1052
  - purpose and use 1050
  - using in DSGI, example 1059
- VMINOR= option, BUBBLE statement
  - purpose and use 814
- VMINOR= option, PLOT statement (GCONTOUR) 635
- VMINOR= option, PLOT statement (GPLOT)
  - purpose and use 826
- VORIGIN device parameter 397
- VORIGIN= graphics option
  - purpose and use 397
- VPOS= graphics option
  - adjusting size of graphics output 863
  - aspect ratio effect 864
  - effect on nonscalable hardware fonts 864
  - graphics output size determination 862
  - maintaining aspect ratio of cells 864
  - overridden by DSGI functions 1032
  - purpose and use 397
- VPOS operator
  - GASK routine 1111
  - GSET function 1163
- VREF= option
  - BUBBLE statement 814
  - PLOT statement (GCONTOUR) 635
- VREF= option, PLOT statement (GPLOT)
  - purpose and use 827
- VREVERSE option
  - BUBBLE statement 815
  - PLOT statement (GCONTOUR) 635
  - PLOT statement (GPLOT) 827
- VSIZE device parameter 398
- VSIZE= graphics option
  - determination of graphics output size 862
  - overridden by DSGI functions 1032
  - portability of DSGI graphics output 1055
  - purpose and use 398
  - replaying graphics output in template, example 955
  - vertical angling of text in DSGI graphics, example 1057
- VSIZE operator
  - GASK routine 1112
  - GSET function 1164
- VZERO option
  - BUBBLE statement 815
  - PLOT statement (GPLOT) 827
- W**
- weather font 137
- Web drivers
  - creating Web output 77
  - generating drill-down graphs 91, 111
- Web output 72
  - ActiveX controls 104
  - adding non-graphics output to 85
  - animating GIF files 105
  - drill-down graphs 90
  - examples 107
  - HTML tags for referencing graphs 73
  - Java applets 104
  - linking to, through Table of Contents 86
  - linking to, through Table of Pages 87
  - Output Delivery System (ODS) and 81, 109
  - output files for 73
  - size of, in GIF images 76
  - Web drivers for 77
- Web pages
  - bar charts with drill-down 597
  - combining graphs and reports in 287
  - creating, with ODS HTML statement 284
  - drill-down graphs for 294
- Web pages, customizing for drill-down graphs 92, 100, 119
- WEBFRAME device driver 77
  - example 107
  - linking to thumbnail-size images 79
  - replaying multiple graphs 80
- weighted statistics, calculating 529
- WFRAME= option, PROC GSLIDE statement 962
  - controlling width of frames 963
  - producing text slides, example 963
- WHEN variable, Annotate facility 474
- WHERE= data set option 766, 901
- WHERE= option, PROC GMAP statement
  - subsetting map data sets 902
  - subsetting map data sets, example 902
- WHERE statement 24
  - RUN-group processing with 29
  - subsetting map data sets 766
- whisker plots 229
- WIDTH= option
  - AXIS statement 172
  - HBAR/HBAR3D statements 557
  - SYMBOL statement 242
  - VBAR/VBAR3D statements 557
- WIDTH= option, SYMBOL statement
  - effect on contour lines and labels, table 640
- WINDOW operator, GASK routine
  - determining dimensions of default window system 1033, 1050
  - syntax and description 1113
- WINDOW operator, GSET function
  - defining windows 1051
  - enlarging area of graph, example 1067
  - inserting existing graphs into DSGI graphics output 1053
  - matching transformation numbers required for viewports and windows 1052
  - syntax and description 1164
  - using viewports in DSGI, example 1062, 1065

window system, DSGI  
   current window system 1033  
   default window system 1033  
 windows  
   activating transformations 1052  
   basic steps for defining 1051  
   default window 1050  
   defining 1051  
   enlarging area of graph, example 1065  
   matching numbers required for transformations 1052  
   purpose and use 1050  
   scaling graphs by using windows, example 1062  
 WORK data library 26  
 WORK libref 25  
 WORK.GSEG catalog  
   output from GREPLAY procedure stored in 952  
 WOUTLINE= option  
   BLOCK statement, GCHART procedure 539  
   DONUT statement 569  
   HBAR/HBAR3D statements 557  
   PIE/PIE3D statements 569  
   STAR statement 580  
   VBAR/VBAR3D statements 557  
 WSAC operating state, DSGI  
   definition 1033  
   functions affecting 1044  
 WACTIVE operator, GASK routine 1114  
 WSOP operating state, DSGI 1033  
 WSOPE operator, GASK routine 1114

## X

X variable  
   input map data sets, GREDUCE procedure 897  
   input map data sets, GREMOVE procedure 907  
   Institute-supplied map data sets with unprojected variables 875  
   map data sets 875  
 X variable, Annotate facility 475  
 XC variable, Annotate facility 476  
 XLAST variable, Annotate facility 484  
 XLATEX= option, TDEF statement 943  
 XLATEY= option, TDEF statement 943  
 XLIGHT= option, PRISM statement  
   purpose and use 757  
 XLSTT variable, Annotate facility 484  
 XMAX device parameter  
   determination of graphics output size 862

  purpose and use 399  
 XPIXELS device parameter  
   purpose and use 400  
 XSIZE= option  
   BLOCK statement 747  
   CHORO statement 752  
   PRISM statement 758  
   SURFACE statement 761  
 XSYS variable, Annotate facility 478  
 XTICKNUM= option  
   PLOT statement (G3D) 984  
   PLOT statement (GCONTOUR) 635  
 XTICKNUM= option, SCATTER statement (G3D)  
   purpose and use 990  
   rotating scatter plot, example 1003  
 XVIEW= option, BLOCK statement (GMAP)  
   purpose and use 747  
 XVIEW= option, PRISM statement  
   purpose and use 758  
 XYTYPE= option, PLOT statement (G3D)  
   changing appearance of surface plot 985  
   purpose and use 984

## Y

Y variable  
   input map data sets, GREDUCE procedure 897  
   input map data sets, GREMOVE procedure 907  
   Institute-supplied map data sets with unprojected variables 875  
   map data sets 875  
 Y variable, Annotate facility 479  
 YC variable, Annotate facility 480  
 YLAST variable, Annotate facility 484  
 YLIGHT= option, PRISM statement  
   purpose and use 757  
 YLSTT variable, Annotate facility 484  
 YMAX device parameter  
   determination of graphics output size 862  
   purpose and use 401  
 YPIXELS device parameter  
   purpose and use 402  
 YSIZE= option  
   BLOCK statement 747  
   CHORO statement 752  
   PRISM statement 758  
   SURFACE statement 761  
 YSYS variable, Annotate facility 480

YTICKNUM= option, PLOT statement (G3D)  
   purpose and use 984  
   rotating surface plot, example 996  
 YTICKNUM= option, PLOT statement (GCONTOUR) 635  
 YTICKNUM= option, SCATTER statement (G3D)  
   purpose and use 990  
   rotating scatter plot, example 1003  
 YTYPE= option, PLOT statement (G3D) 985  
 YVIEW= option  
   BLOCK statement (GMAP) 747  
   PRISM statement 758

## Z

Z variable, Annotate facility 482  
 zero (0), converting to O 862  
 ZMAX= option, PLOT statement (G3D)  
   changing data ranges 979  
   purpose and use 984  
   rotating surface plot, example 996  
 ZMAX= option, SCATTER statement (G3D)  
   changing data ranges 979  
   purpose and use 990  
   rotating scatter plot, example 1003  
 ZMIN= option, PLOT statement (G3D)  
   changing data ranges 979  
   purpose and use 984  
   rotating surface plot, example 996  
 ZMIN= option, SCATTER statement (G3D)  
   changing data ranges 979  
   purpose and use 990  
   rotating scatter plot, example 1003  
 ZSYS variable, Annotate facility 482  
 ZTICKNUM= option, PLOT statement (G3D)  
   purpose and use 984  
   rotating surface plot, example 996  
 ZTICKNUM= option, SCATTER statement (G3D)  
   purpose and use 990  
   rotating scatter plot, example 1003  
 ZVIEW= option, BLOCK statement (GMAP)  
   purpose and use 747  
 ZVIEW= option, PRISM statement  
   purpose and use 758

## Special Characters

? statement, GREPLAY procedure 928

