Chapter 1 Introduction to SAS/IML Software

Chapter Table of Contents

OVERVIEW	3
SAS/IML SOFTWARE: AN OVERVIEW	3
AN INTRODUCTORY INTERACTIVE SESSION	4

2 • Chapter 1. Introduction to SAS/IML Software

Chapter 1 Introduction to SAS/IML Software

Overview

SAS/IML software gives you access to a powerful and flexible programming language (Interactive Matrix Language) in a dynamic, interactive environment. The fundamental object of the language is a data matrix. You can use SAS/IML software interactively (at the statement level) to see results immediately, or you can store statements in a module and execute them later. The programming is dynamic because necessary activities such as memory allocation and dimensioning of matrices are performed automatically.

SAS/IML software is powerful. You can access built-in operators and call routines to perform complex tasks such as matrix inversion or eigenvector generation. You can define your own functions and subroutines using SAS/IML modules. You can operate on a single value or take advantage of matrix operators to perform operations on an entire data matrix. For example, the statement

x=x+1;

can be used to add 1 to a single value X, or to add 1 to all elements of a matrix X.

You have access to a wide choice of data management commands. You can read, create, and update SAS data sets from inside SAS/IML software without ever using the DATA step. For example, reading a SAS data set to get phone numbers for all individuals whose last name begins with "Smith" is easy:

read all var{phone} where(lastname=:"Smith");

The result is a matrix **PHONE** of phone numbers.

SAS/IML Software: An Overview

SAS/IML software is a programming language.

You can program easily and efficiently with the many features for arithmetic and character expressions in SAS/IML software. You have access to a wide range of built-in subroutines designed to make your programming fast, easy, and efficient. Because SAS/IML software is part of the SAS System, you can access SAS data sets or external files with an extensive set of data processing commands for data input and output, and you can edit existing SAS data sets or create new ones.

4 • Chapter 1. Introduction to SAS/IML Software

SAS/IML software has a complete set of control statements, such as DO/END, START/FINISH, iterative DO, IF-THEN/ELSE, GOTO, LINK, PAUSE, and STOP, giving you all of the commands necessary for execution control and program modularization.

SAS/IML software operates on matrices.

While most programming languages deal with single data elements, the fundamental data element with SAS/IML software is the matrix, a two-dimensional (row \times column) array of numeric or character values.

SAS/IML software possesses a powerful vocabulary of operators.

You can access built-in matrix operations that require calls to math-library subroutines in other languages. You have access to many operators, functions, and CALL subroutines.

SAS/IML software uses operators that apply to entire matrices.

You can add elements of the matrices $\bf A$ and $\bf B$ with the expression $\bf A + \bf B$. You can perform matrix multiplication with the expression $\bf A * \bf B$ and perform elementwise multiplication with the expression $\bf A \# \bf B$.

SAS/IML software is interactive.

You can execute a command as soon as you enter it, or you can collect commands in a module to execute later. When you execute a command, you see the results immediately. You can interact with an executing module by programming IML to pause, enabling you to enter additional statements before continuing execution.

SAS/IML software is dynamic.

You do not need to declare, dimension, and allocate storage for a data matrix. SAS/IML software does this automatically. You can change the dimension or type of a matrix at any time. You can open multiple files or access many libraries. You can reset options or replace modules at any time.

SAS/IML software processes data.

You can read all observations or read conditionally selected observations from a SAS data set into a matrix, creating either multiple vectors (one for each variable in the data set) or a matrix that contains a column for each data set variable. You can create a new SAS data set, or you can edit or append observations to an existing SAS data set.

SAS/IML software produces graphics.

You have access to a wide range of graphics commands, enabling you to visually explore relationships in data.

An Introductory Interactive Session

Here is a simple introductory session that uses SAS/IML software to estimate the square root of a number, accurate to three decimal places. In this session, you define a function module named APPROX to perform the calculations and return the approximation. You then call APPROX to estimate the square root of several numbers given in a matrix literal (enclosed in braces), and you print the results.

Throughout the session, the right angle brackets (>) indicate statements that you submit; responses from IML follow.

```
proc iml;
                                          /* begin IML session */
    IML Ready
    start approx(x);
                                              /* begin module */
                                              /* initialize y */
       y=1;
                                              /* begin do loop */
>
       do until(w<1e-3);</pre>
                                                    /* set z=y */
          z=y;
                                       /* estimate square root */
>
          y=.5#(z+x/z);
                            /* estimate square root */
/* compute change in estimate */
>
          w=abs(y-z);
                                                /* end do loop */
>
       end;
>
       return(y);
                                       /* return approximation */
                                                 /* end module */
    finish approx;
    NOTE: Module APPROX defined.
    t=approx({3,5,7,9});
                            /* call function APPROX */
    print t;
                                              /* print matrix */
                                1.7320508
                                 2.236068
                                2.6457513
> quit;
   Exiting IML
```

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., SAS/IML User's Guide, Version 8, Cary, NC: SAS Institute Inc., 1999. 846 pp.

SAS/IML User's Guide, Version 8

Copyright © 1999 by SAS Institute Inc., Cary, NC, USA.

ISBN 1-58025-553-1

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

U.S. Government Restricted Rights Notice. Use, duplication, or disclosure of the software by the government is subject to restrictions as set forth in FAR 52.227–19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

1st printing, October 1999

 $SAS^{\$}$ and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

The Institute is a private company devoted to the support and further development of its software and related services.