

# Subject Index

## A

ABORT statement  
  exiting IML, 476  
ABS statement  
  absolute value, 476  
ALL statement  
  checking for nonzero elements, 476  
ANY function  
  checking for nonzero elements, 477  
APPEND statement  
  SAS data sets, 479  
APPLY function, 480  
ARMA COV call  
  autocovariance sequence, 482  
ARMALIK call  
  log likelihood and residuals, 484  
ARMASIM function  
  simulating univariate ARMA series, 485

## B

Bessel function  
  finding nonzero roots and derivatives of, 577  
BLOCK function  
  forming block-diagonal matrices, 487  
box-and-whisker plots, 822  
BRANKS function  
  computing bivariate ranks, 487  
BTRAN function  
  computing the block transpose, 488  
BYTE function  
  translating numbers to ordinal characters, 489

## C

CALL statement  
  calling a subroutine or function, 490  
CHANGE call  
  replacing text in an array, 491  
CHAR function  
  character representation of a numeric matrix, 491  
Character Functionality, 454  
CHOOSE function  
  choosing and changing elements, 492  
CLOSE statement  
  closing SAS data sets, 493  
CLOSEFILE statement  
  closing a file, 494  
CONCAT function  
  performing elementwise string concatenation, 496  
CONTENTS function

  obtaining the variables in SAS data sets, 497  
Control Statements, 458  
CONVEXIT function  
  calculating convexity of non contingent “cash-flows”, 498  
CONVMOD function  
  converting modules to character matrices, 499  
correlation coefficient computation, 822  
COVLAGE function  
  computing autocovariance estimates, 499  
CREATE statement  
  creating new SAS data sets, 500  
CSHAPE function  
  reshaping and repeating character values, 502  
CUSUM function  
  calculating cumulative sums, 504  
CVEXHULL function  
  finding a convex hull, 504

## D

Dataset and File Functionality, 459  
DATASETS function  
  obtaining names of SAS data sets, 505  
DELETE call  
  deleting SAS data sets, 506  
DELETE statement  
  marking observations for deletion, 507  
DESIGN function  
  creating a design matrix, 509  
DESIGNF function  
  creating a full-rank design matrix, 509  
DET function  
  computing determinants of a square matrix, 510  
DIAG function  
  creating a diagonal matrix, 511  
DISPLAY statement  
  displaying fields in display windows, 512  
DO and END statements  
  grouping statements as a unit, 514  
DO DATA statement  
  repeating a loop until, 516  
DO function  
  producing an arithmetic series, 513  
DO statement  
  DATA clause, 516  
  UNTIL clause, 517  
  WHILE clause, 518  
DO statement, iterative  
  iteratively executing a DO group, 515

- DO UNTIL statement
  - conditionally executing statements iteratively, 517
- DO WHILE statement
  - conditionally executing statements iteratively, 518
- DURATION function
  - calculating modified duration of non-contingent cash-flows, 519
- E**
- ECHELON function
  - reducing a matrix to row-echelon normal form, 520
- EDIT statement
  - opening a SAS data set for editing, 520
- EIGEN call
  - computing eigenvalues and eigenvectors, 523
- eigenvalue decomposition
  - compared with ODE call, 674
- EIGVAL function
  - computing eigenvalues, 525
- EIGVEC function
  - computing right eigenvectors, 526
- END statement
  - ending a DO loop or DO statement, 526
- EXECUTE call
  - executing SAS statements immediately, 527
- EXP function
  - calculating the exponential, 527
- F**
- FFT function
  - performing the finite Fourier transform, 528
- FILE statement
  - opening or pointing to an external file, 529
- FIND statement
  - finding observations, 530
- FINISH statement
  - denoting the end of a module, 532
- forward rates, 532
- FREE statement
  - freeing matrix storage space, 533
- G**
- GBLKVP call
  - defining a blanking viewport, 533
- GBLKVPD call
  - deleting the blanking viewport, 534
- GCLOSE call
  - closing the graphics segment, 535
- GDELETE call
  - deleting a graphics segment, 535
- GDRAW call
  - drawing a polyline, 536
- GDRAWL call
  - drawing individual lines, 537
- GENEIG call
  - generalized eigenproblems, 538
- GGRID call
  - drawing a grid, 539
- GINCLUDE call
  - including graphics segments, 540
- GINV function
  - computing generalized inverses, 540
- GOPEN call
  - opening graphics segments, 541
- GOTO statement
  - jumping to a new statement, 542
- GPIE call
  - drawing pie slices, 543
- GPIEXY call
  - converting coordinates, 544
- GPOINT call
  - plotting points, 545
- GPOLY call
  - drawing and filling a polygon, 546
- GPORT call
  - defining a viewport, 547
- GPORTPOP call
  - popping viewports, 547
- GPORTSTK call
  - stacking viewports, 548
- Graphics and Window Functions, 459
- GSCALE call
  - calculating round numbers for labeling axes, 548
- GSCRIPT call
  - writing multiple text strings, 549
- GSET call
  - setting attributes for graphics segments, 550
- GSHOW call
  - showing a graph, 551
- GSORTH call
  - computing the Gram-Schmidt orthonormalization, 552
- GSTART call
  - initializing the graphics system, 553
- GSTOP call
  - deactivating the graphics system, 554
- GSTRLEN call
  - finding the string length, 554
- GTEXT and GVTEXT calls
  - placing text on a graph, 555
- GWINDOW call
  - defining the data window, 556
- GXAXIS and GYAXIS calls
  - drawing an axis, 557
- H**
- HALF function
  - computing Cholesky decomposition, 558
- HANKEL function
  - generating a Hankel matrix, 559
- HDIR function
  - performing a horizontal direct product, 561
- HERMITE function
  - reducing a matrix to Hermite normal form, 562
- HOMOGEN function
  - solving homogeneous linear systems, 563

**I**

I function  
 creating an identity matrix, 564

IF-THEN/ELSE statement  
 conditionally executing statements, 564

IFFT function  
 computing the inverse finite Fourier transform, 566

IMLMLIB Module Library  
 modules reference, 822–824, 826–827  
 overview, 819–821

INDEX statement  
 indexing a variable in a SAS data set, 567

INFILE statement  
 opening a file for input, 567

INPUT statement  
 inputting data, 568

INSERT function  
 inserting one matrix inside another, 570

INT function  
 truncating a value, 571

INV function  
 computing a matrix inverse, 572

inverses  
 Moore-Penrose inverse, 496, 727, 733–735

INVUPDT function  
 updating a matrix inverse, 573

IPF call  
 performing an iterative proportional fit, 574

ISM TIMSAC packages, 270–272

**J**

J function  
 creating a matrix of identical values, 576

**K**

Kalman filter subroutines  
 examples, 280  
 one-step forecast for SSM, 583–586  
 one-step predictions, 578–580  
 overview, 279–280  
 smoothed estimate, 580–583  
 smoothed state vectors, 586–587  
 syntax, 578

**L**

LABEL  
 quadratic form maximization, 619

LCP call  
 solving the linear complementarity problem, 593

least absolute value regression, 589–592

LENGTH function  
 finding the lengths of character matrix elements, 596

Linear Algebra Functionality, 456

linear least squares  
 full rank example, 696–697  
 QR decomposition, 710  
 rank deficient solutions, 727, 729–732

LINK and RETURN statements

jumping to another statement, 596

LIST statement  
 displaying observations of a data set, 597

LMS and LTS calls  
 performing robust regression, 600

LOAD statement  
 loading modules and matrices, 608

LOC function  
 finding nonzero elements of a matrix, 609

LOG function  
 taking the natural logarithm, 610

LP call  
 solving the linear programming problem, 611

LTS call  
 performs robust regression, 613

LUPDT call, 613

**M**

MAD function  
 univariate median-absolute-deviation, 614

MARG call  
 evaluating marginal totals, 616

matrix decomposition  
 Cholesky decomposition, 727–729  
 complete orthogonal decomposition, 478, 494–496  
 downdating and updating, 709–712, 727  
 QR decomposition, 679–682, 693–694, 696–697

Matrix Inquiry Functions, 453

Matrix Reshaping Functions, 454

MATTRIB statement  
 associating printing attributes with matrices, 617

MAX function  
 finding the maximum value of matrix, 618

MCD and MVE calls, 621

median computation, 824

MIN function  
 finding the smallest element of a matrix, 628

MOD function  
 computing the modulo (remainder), 629

**N**

NAME function  
 listing the names of arguments, 629

NCOL function  
 finding the number of columns of a matrix, 630

NLENG function  
 finding the size of an element, 630

nonlinear optimization subroutines  
 advanced examples, 336  
 conjugate gradient optimization, 634  
 control parameters vector, 332–334  
 double dogleg optimization, 635, 637  
 feasible point computation, 641  
 finite difference approximations, 314–316, 637–640  
 global vs. local optima, 307  
 hybrid quasi-Newton optimization, 642–644  
 Kuhn-Tucker conditions, 308

- least-squares methods, 642–645, 647
- Levenberg-Marquardt optimization, 645, 647
- Nelder-Mead simplex optimization, 648–649, 652
- Newton-Raphson optimization, 652–653, 655
- Newton-Raphson ridge optimization, 655, 658
- objective function and derivatives, 309–314
- options vector, 319–321, 323–325
- parameter constraints, 317–319
- printing optimization history, 334, 336
- quadratic optimization, 663, 665, 667
- quasi-Newton optimization, 658–659, 661, 663
- return codes, 309
- termination criteria, 325–331
- trust-region optimization, 667–668
- NORMAL** function
  - generating a pseudo-random normal deviate, 668
- NROW** function
  - finding the number of rows of a matrix, 669
- NUM** function
  - producing a numeric representation of a character matrix, 669
- Numerical Analysis Functionality, 456
- numerical integration, 697–703
  - adaptive Romberg method, 698
  - of differential equations, 670–675
  - specifying subintervals, 698
  - two-dimensional integration, 701
- O**
- OPSCAL** Function, 676
- Optimization Subroutines, 457
- ORPOL** function
  - generating orthogonal polynomials, 678
- orthogonal factorization, 727–729
- orthogonalization
  - by **ORTVEC** call, 679–682
- P**
- PARSE** statement
  - parsing matrix elements as statements, 682
- PAUSE** statement
  - interrupting module execution, 683
- PGRAF** call
  - producing scatter plots, 684
- POLYROOT** function
  - finding zeros of a real polynomial, 685
- PRINT** statement
  - printing matrix values, 686
- printing matrices, 827
- probability contour plot, 823
- PRODUCT** function
  - multiplying matrices of polynomials, 688
- PURGE** statement
  - removing observations marked for deletion, 689
- PUSH** call, 689
- PUT** statement
  - writing data to an external file, 690
- PV** function
  - calculating present value, 691
- Q**
- quadratic form maximization, 620–621
- quartile computation, 825
- QUEUE** call
  - queueing SAS statements, 703
- QUIT** statement
  - exiting from IML, 704
- R**
- RANK** function
  - ranking elements of a matrix, 705
- RANKTIE** function
  - ranking matrix elements using tie-averaging, 706
- RATES** function
  - converting interest rates, 706
- RATIO** function
  - dividing matrix polynomials, 707
- READ** statement
  - reading observations from a data set, 713
- Reduction Functions, 453
- regression, 825
  - best subsets, 621
  - least absolute value, 589–592
  - response surface, 824
- REMOVE** function
  - discarding elements from a matrix, 716
- REMOVE** statement
  - removing matrices from storage, 717
- RENAME** call
  - renaming SAS data sets, 717
- REPEAT** function
  - creating a new matrix of repeated values, 718
- REPLACE** statement
  - replacing values, 718
- RESET** statement
  - setting processing options, 721
- reshaping matrices, 822, 826
- response surface regression, 824
- RESUME** statement
  - resuming execution, 723
- RETURN** statement
  - returning to caller, 723
- ROOT** function
  - performing the Cholesky decomposition of a matrix, 724
- ROWCAT** function
  - concatenating rows without blank compression, 724
- ROWCATC** function
  - concatenating rows with blank compression, 725
- RUN** statement
  - executing statements in a module, 726
- S**
- SAVE** statement
  - saving data, 735
- Scalar Functions, 453
- scatter plots, 823
- sequential tests, 736–746, 748–749

- group sequential methods, 742–743
  - minimizing average sample number (ASN), 746, 748
  - randomized clinical trials, 746, 748
  - scaling, 738
  - shifting, 738
  - Set Functions, 458
  - SETDIF function
    - comparing elements of two matrices, 749
  - SETIN statement
    - making a data set current for input, 750
  - SETOUT statement
    - making a data set current for output, 750
  - SHAPE function
    - reshaping and repeating values, 751
  - SHOW statement
    - printing system information, 753
  - SOLVE function
    - solving a system of linear equations, 754
  - SORT statement
    - sorting a SAS data set, 755
  - SOUND call
    - producing a tone, 756
  - splines, 756, 758–760
    - integration of splines, 758
  - SPOT function
    - calculating spot rates, 760
  - SQRSYM function
    - converting to a square matrix, 761
  - SQRT function
    - calculating the square root, 761
  - SSQ function
    - calculating the sum of squares, 762
  - standardizing numeric data, 827
  - START and FINISH statements
    - defining a module, 762
  - Statistical Functionality, 454
  - STOP statement
    - stopping execution of statements, 763
  - STORAGE function
    - listing names of matrices and modules, 763
  - STORE statement
    - storing matrices and modules, 763
  - SUBSTR function
    - taking substrings of matrix elements, 764
  - substring replacement, 826
  - SUM function
    - summing all elements, 765
  - SUMMARY statement
    - computing summary statistics, 765
  - SVD call
    - computing the singular value decomposition, 768
  - SWEEP function
    - sweeping a matrix, 770
  - SYMSQR function
    - converting to a symmetric matrix, 771
  - transposing a matrix, 772
  - TEIGEN call
    - computing eigenvalues and eigenvectors, 772
  - TEIGVAL functions
    - computing eigenvalues, 773
  - TEIGVEC functions
    - computing eigenvectors, 773
  - time series analysis and control
    - AR model selection, 225–227, 795
    - ARMA model prediction, 245–246, 792
    - Bayesian constrained least squares, 265–267
    - Bayesian seasonal adjustment, 242–244, 254–256, 782–783
    - instantaneous response model, 229–230, 274–276
    - ISM TIMSAC packages, 270–272
    - least squares and Householder transformation, 264–265
    - locally stationary multivariate time series, 789–790
    - locally stationary time series, 788
    - minimum AIC method, 225–230, 250–252
    - missing values, 269
    - multivariate time series, 245–246, 259–261, 792
    - nonstationary covariance function analysis, 794
    - nonstationary data analysis, 231–232, 234–242
    - nonstationary time series, 256–259, 784–787
    - overview, 223
    - periodic AR model, 791–792
    - roots of AR and MA equations, 247–248, 793
    - smoothness priors modeling, 252–253, 784–787
    - spectral analysis, 261–264
    - state space and Kalman filter method, 267–269
    - VAR model, 228–230, 273–275, 790–791
  - Time Series Functionality, 455
  - TOEPLITZ function
    - generating a Toeplitz matrix, 773
  - TPSPLINE call
    - computing thin-plate smoothing splines, 775
  - TPSPLNEV call
    - evaluating thin-plate smoothing splines, 777
  - TRACE function
    - summing diagonal elements, 781
  - triangular linear systems, 781
  - TYPE function
    - determining matrix types, 796
- U**
- UNIFORM function
    - generating pseudo-random uniform deviates, 797
  - UNION function
    - performing unions of sets, 797
  - UNIQUE function
    - sorting and removing duplicates, 798
  - USE statement
    - opening SAS data sets, 798
- V**
- VALSET call
    - performing indirect assignments, 800
- T**
- T function

VALUE function  
  assigning values, 801  
VARMACOV Call  
  computing auto-cross covariance matrices, 801  
VARMASIM Call  
  generating a VARMA( $p,q$ ) series, 803  
VECDIAG function  
  creating vectors, 805  
VNORMAL Call  
  generating multivariate normal random series, 805  
VTSROOT Call  
  calculating characteristic roots, 806

## **W**

WINDOW statement  
  opening a display window, 807

## **X**

XMULT function  
  performing accurate matrix multiplication, 809  
XSECT function  
  intersecting sets, 810

## **Y**

YIELD function  
  calculating yield-to-maturity of a cash-flow  
  streams, 810

# Syntax Index

## A

ABORT statement, 476  
ABS statement, 476  
ALL statement, 476  
ANY function, 477  
APPCORT call, 478  
APPEND statement, 479  
APPLY function, 480  
ARMAOV call, 482  
ARMALIK call, 484  
ARMASIM function, 485

## B

BLOCK function, 487  
BRANKS function, 487  
BTRAN function, 488  
BYTE function, 489

## C

CALL statement, 490  
CHANGE call, 491  
CHAR function, 491  
CHOOSE function, 492  
CLOSE statement, 493  
CLOSEFILE statement, 494  
COLVEC function, 822  
COMPORT call, 494–496  
CONCAT function, 496  
CONTENTS function, 497  
CONVEXIT function, 498  
CONVMOD function, 499  
CORR function, 822  
COVLAGE function, 499  
CREATE statement, 500  
CSHAPE function, 502  
CUSUM function, 504  
CVEXHULL function, 504

## D

DATASETS function, 505  
DELETE call, 506  
DELETE statement, 507  
DESIGN function, 509  
DESIGNF function, 509  
DET function, 510  
DIAG function, 511  
DISPLAY statement, 512  
DO and END statements, 514  
DO DATA statement, 516

DO function, 513  
DO statement, iterative, 515  
DO UNTIL statement, 517  
DO WHILE statement, 518  
DURATION function, 519

## E

ECHELON function, 520  
EDIT statement, 520  
EIGEN call, 523  
EIGVAL function, 525  
EIGVEC function, 526  
END statement, 526  
EXECUTE call, 527  
EXP function, 527

## F

FFT function, 528  
FILE statement, 529  
FIND statement, 530  
FINISH statement, 532  
FORWARD function, 532  
FREE statement, 533

## G

GBLKVP call, 533  
GBLKVPD call, 534  
GBXWHSKR call, 822  
GCLOSE call, 535  
GDELETE call, 535  
GDRAW call, 536  
GDRAWL call, 537  
GENEIG call, 538  
GGRID call, 539  
GINCLUDE call, 540  
GINV function, 540  
GOPEN call, 541  
GOTO statement, 542  
GPIE call, 543  
GPIEXY call, 544  
GPOINT call, 545  
GPOLY call, 546  
GPORT call, 547  
GPORTPOP call, 547  
GPORTSTK call, 548  
GPROBCNT call, 823  
GSCALE call, 548  
GSCRIPT call, 549  
GSET call, 550

GSHOW call, 551  
 GSORTH call, 552  
 GSTART call, 553  
 GSTOP call, 554  
 GSTRLEN call, 554  
 GTEXT and GVTEXT calls, 555  
 GWINDOW call, 556  
 GXAXIS and GYAXIS calls, 557  
 GXPLOT call, 823

**H**

HALF function, 558  
 HANKEL function, 559  
 HDIR function, 561  
 HERMITE function, 562  
 HOMOGEN function, 563

**I**

I function, 564  
 IF-THEN/ELSE statement, 564  
 IFFT function, 566  
 IMLMLIB Module Library  
   modules reference, 822–824, 826–827  
   overview, 819–821  
 INDEX statement, 567  
 INFILE statement, 567  
 INPUT statement, 568  
 INSERT function, 570  
 INT function, 571  
 INV function, 572  
 INVUPDT function, 573  
 IPF call, 574

**J**

J function, 576  
 JROOT function, 577

**K**

KALCVF call, 281, 286, 288–289, 578–580  
 KALCVS call, 286, 580–583  
 KALDFF call, 289, 583–586  
 KALDFS call, 586–587  
 Kalman filter subroutines  
   examples, 280  
   overview, 279–280  
   syntax, 578

**L**

LAV call, 589–592  
 LCP call, 593  
 LENGTH function, 596  
 LINK and RETURN statements, 596  
 LIST statement, 597  
 LMS and LTS calls, 600  
 LOAD statement, 608  
 LOC function, 609  
 LOG function, 610  
 LP call, 611  
 LTS call, 613  
 LUPDT call, 613

**M**

MAD function, 614  
 MARG call, 616  
 MATTRIB statement, 617  
 MAX function, 618  
 MAXQFORM call, 619–621  
 MCD and MVE calls, 621  
 MEDIAN function, 824  
 MIN function, 628  
 MOD function, 629

**N**

NAME function, 629  
 NCOL function, 630  
 NLENG function, 630  
 nonlinear optimization subroutines  
   advanced examples, 336  
   details, 307  
   introductory examples, 299  
 NLPCG Call, 341  
 NLPCG call, 634  
 NLPDD Call, 346, 349, 366, 635  
 NLPDD call, 635  
 NLPDD Call, 637  
 NLPFDD Call, 355  
 NLPFDD call, 637  
 NLPFDD Call, 638  
 NLPFDD call, 639  
 NLPFDD Call, 640  
 NLPFEA call, 641  
 NLPHQN call, 642  
 NLPHQN Call, 643–644  
 NLPLM Call, 357, 645  
 NLPLM call, 645  
 NLPLM Call, 647  
 NLPNMS call, 648  
 NLPNMS Call, 649, 652  
 NLPNRA call, 652  
 NLPNRA Call, 653, 655  
 NLPNRR Call, 342  
 NLPNRR call, 655  
 NLPNRR Call, 658  
 NLPQN Call, 351–352, 369  
 NLPQN call, 658  
 NLPQN Call, 659, 661, 663  
 NLPQUA call, 663  
 NLPQUA Call, 665, 667  
 NLPTR Call, 337, 354  
 NLPTR call, 667  
 NLPTR Call, 668  
   overview, 297  
   syntax, 630  
 NORMAL function, 668  
 NROW function, 669  
 NUM function, 669

**O**

ODE call, 670–675  
 OPSCAL function, 676



ORPOL function, 678  
ORTVEC call, 679–682

## P

PARSE statement, 682  
PAUSE statement, 683  
PGRAF call, 684  
POLYROOT function, 685  
PRINT statement, 686  
PRODUCT function, 688  
PURGE statement, 689  
PUSH call, 689  
PUT statement, 690  
PV function, 691

## Q

QR call, 693–694, 696–697  
QUAD call, 697–703  
QUADREG call, 824  
QUARTILE function, 825  
QUEUE call, 703  
QUIT statement, 704

## R

RANK function, 705  
RANKTIE function, 706  
RATES function, 706  
RATIO function, 707  
RDODT call, 709–712  
READ statement, 713  
REGRESS call, 825  
REMOVE function, 716  
REMOVE statement, 717  
RENAME call, 717  
REPEAT function, 718  
REPLACE statement, 718  
RESET statement, 721  
RESUME statement, 723  
RETURN statement, 723  
ROOT function, 724  
ROWCAT function, 724  
ROWCATC function, 725  
ROWVEC function, 826  
RSUBSTR function, 826  
RUN statement, 726  
RUPDT call, 709–712, 727  
RZLIND call, 727–735

## S

SAVE statement, 735  
SEQ call, 736–746, 748  
SEQSCALE call, 736–746, 748  
SEQSHIFT call, 736–746, 748–749  
SETDIF function, 749  
SETIN statement, 750  
SETOUT statement, 750  
SHAPE function, 751  
SHOW statement, 753  
SOLVE function, 754

SORT statement, 755  
SOUND call, 756  
SPLINE call, 756, 758–759  
SPLINEC call, 756, 758–759  
SPLINEV function, 758–760  
SPOT function, 760  
SQRSYM function, 761  
SQRT function, 761  
SSQ function, 762  
STANDARD function, 827  
START and FINISH statements, 762  
STOP statement, 763  
STORAGE function, 763  
STORE statement, 763  
SUBSTR function, 764  
SUM function, 765  
SUMMARY statement, 765  
SVD call, 768  
SWEEP function, 770  
SYMSQR function, 771

## T

T function, 772  
TABPRT call, 827  
TEIGEN call, 772  
TEIGVAL functions, 773  
TEIGVEC functions, 773  
TIMSAC subroutines  
  advanced examples, 273  
  details, 250  
  introductory examples, 225  
  overview, 223  
  syntax, 249  
  TSBAYSEA subroutine, 242–244, 782–783  
  TSDECOMP subroutine, 241, 784–787  
  TSMLOCAR subroutine, 231, 788  
  TSMLOMAR subroutine, 239, 789–790  
  TSMULMAR subroutine, 228–230, 273–276, 790–791  
  TSPEARS subroutine, 791–792  
  TSPRED subroutine, 245–246, 275, 792  
  TSROOT subroutine, 247–248, 793  
  TSTVCAR subroutine, 794  
  TSUNIMAR subroutine, 795  
TOEPLITZ function, 773  
TPSPLINE call, 775  
TPSPLNEV call, 777  
TRACE function, 781  
TRISOLV function, 781  
TYPE function, 796

## U

UNIFORM function, 797  
UNION function, 797  
UNIQUE function, 798  
USE statement, 798

## V

VALSET call, 800

VALUE function, 801  
VARMACOV Call, 801  
VARMASIM Call, 803  
VECDIAG function, 805  
VNORMAL Call, 805  
VTSROOT Call, 806

## **W**

WINDOW statement, 807

## **X**

XMULT function, 809  
XSECT function, 810

## **Y**

YIELD function, 810