

# Index

- A**
- abends, calling 206
  - ACCDDESC= option, PROC ACCESS statement 95
  - access descriptors 6, 39
    - creating 101
    - database names 103
    - database types 103
    - defaults, resetting values to 116
    - defining a database to 99
    - deleting groups, records, items from 104
    - displaying contents 112
    - dropping items from 105
    - editing 119
    - fields, defining 109
    - from separate segments 145
    - group definitions, modifying 115
    - group items, naming 106
    - groups, adding 108
    - groups, defining 106
    - groups, deleting 104
    - inserting records, groups, items in 108
    - item definitions, modifying 115
    - item levels 110
    - item names 109
    - items, adding 108
    - items, deleting 104
    - items, listing 112
    - items, resetting to defaults 116
    - key field designation 107, 111
    - performance optimization 122
    - record definitions, modifying 115
    - records 114
    - records, adding 108
    - records, deleting 104
    - replacing records, groups, items in 115
    - SAS formats, assigning to IMS-DL/I items 105
    - SAS formats, IMS-DL/I items 106
    - SAS formats, SAS variables 106, 110
    - SAS names 109
    - SAS names, renaming 114
    - SAS names, rules for 109
    - SAS names, truncation of 109
    - SAS variable names, entering or modifying 114
    - SAS variables, assigning SAS formats to 110
    - SAS variables, generating 101
    - search fields 107, 110
    - segment length 114
    - segment names 114
    - segments, defining 113, 114
    - specifying a database for 103
    - updating 119
  - access descriptors, creating 40
    - See also* ACCESS procedure
    - ACCESS procedure 98
    - COB2SAS tool 121
    - IMSS2A program 121
    - in same step as view descriptors 40
    - in separate step from view descriptors 42
    - SAS macro and DATA step code tool 122
    - tools for 121
  - ACCESS member type 6
  - ACCESS= option, PROC ACCESS statement 95
  - ACCESS procedure 4, 93
    - access descriptors, creating 98
    - AN= statement 100, 101
    - ASSIGN= statement 100, 101
    - CREATE (access descriptor) statement 101
    - CREATE (view descriptor) statement 102
    - DATABASE= statement 99, 103
    - database-description statements 99
    - DBD= statement 103
    - DELETE= statement 104, 99
    - description 95
    - DROP statement 100, 105
    - editing statements 100
    - FORMAT statement 100, 105
    - GROUP= statement 99, 106
    - INSERT= statement 108, 99
    - ITEM= statement 99, 109
    - LIST statement 100, 112
    - naming SAS variables 109
    - PROC ACCESS statement 95
    - QUIT statement 100, 113
    - RECORD= statement 99, 113
    - RENAME statement 100, 114
    - REPLACE= statement 115, 99
    - required options and statements 98
    - RESET statement 116
    - SELECT statement 100, 117
    - SUBSET statement 100, 118
    - syntax 94
    - terminating 113
    - UNIQUE= statement 100, 119
    - UPDATE statement 119
    - view descriptors, creating 98
  - ACCTDDB database
    - access descriptor 256
    - view descriptor 260
  - AD= option, PROC ACCESS statement 95
  - ALL argument
    - LIST statement 112
    - RESET statement 117
    - RESET statement (ACCESS procedure) 117
    - SELECT statement 117
    - SELECT statement (ACCESS procedure) 117
  - AN= statement, ACCESS procedure 100, 101
  - APPEND procedure 86
  - arguments
    - ALL, LIST statement 112
    - ALL, RESET statement 117
    - ALL, SELECT statement 117
    - DBCONTENT= 111
    - DBFORMAT= 110
    - DBTYPE= 103
    - FORMAT= (FMT) 110
    - GROUP= 106
    - GSAM 103
    - ITEM= 109
    - KEY=, GROUP= statement 107
    - KEY=, ITEM= statement 111
    - LEVEL= (LV), GROUP= statement 107
    - LEVEL= (LV), ITEM= statement 110
    - OCCURS=, GROUP= statement 107
    - OCCURS=, ITEM= statement 111
    - PCBINDEX= 102
    - PSBNAME= 102
    - RECORD= 114
    - SASNAME= (SN) 110
    - SEARCH=, GROUP= statement 107
    - SEARCH=, ITEM= statement 110
    - SEGLNG= (SL) 114
    - SEGMENT= (SG) 114
    - VIEW 112
  - assembler psb input buffer message segment format 213
  - ASSIGN statement 101
  - ASSIGN= statement, ACCESS procedure 100, 101
  - asterisk (\*), in command codes 28, 30
  - at sign (@), in DL/I INPUT statements 171, 174
  - averages, calculating 49

**B**

BACKWARD command 74  
 BANKCHRG table 280  
 batch DL/I subsystem 30  
   concurrent batch/online execution 30  
   outline of 31  
 batch regions, initializing 31  
 block-level sharing  
   concurrent allocation 36  
   definition 34  
 BMPAGN= system option 242  
 BMPARDLI= system option 242  
 BMPPCUTM= system option 242  
 BMPIN= system option 242  
 BMPNBA= system option 242  
 BMPOBA= system option 242  
 BMPOPT= system option 242  
 BMPOUT= system option 242  
 BMPREAD= system option 242  
 BMPSTIMR= system option 242  
 BY variables, and special fields 139

**C**

CALL= option, DL/I INFILE statement 162  
 character values, translating numeric values to 235  
 charting data 47  
 checkpoint IDs 200  
 child segments 15  
   adding 147  
   unintentional deletion 75, 146  
 CHKP call  
   basic 200  
   in IMS/ESA BMP regions 200  
 CHNG call to TP PCBs 216  
 CMD calls 210  
 COB2SAS conversion tool 121  
 COB2SAS tool 121  
 cobol data types, converting 22  
 columns 13  
 combining data from several sources 4  
   SQL procedure 58  
   WHERE statements 54  
 command codes  
   asterisk (\*) in command names 28, 30  
   \*D code 30  
   in SSAs 28  
   \*U code 133  
 concatenation operator 235  
 CONTENTS procedure, reviewing SAS variables 45  
 CREATE statement 101, 102  
 CREATE statement, ACCESS procedure  
   for access descriptors 101  
   for view descriptors 102  
   GSAM= argument 103  
   PCBINDEXT= argument 102

PSBNAME= argument 102  
 current input sources 166  
 current position indicator 27

**D**

\*D command code 30  
 Data Entry Data Bases (DEDBs) 21, 198  
 data retrieval  
   with secondary indexes 144  
   with WHERE statements 139  
 DATA step interface 4  
   *See* IMS-DL/I DATA step interface  
 DATA step program, example 153  
 DATA step views 157  
 data types 22  
   converting to SAS data types 22  
   in descriptors 22  
 Database (DB) type DL/I calls 26  
 database data sets, allocating 8  
 database definition  
   changing 119  
 Database Description (DBD) 19  
   database characteristics 19  
   for ACCTDBD database 19  
   for WIRETRAN segment 20  
   sequence fields 17  
 database description tools 121  
 database position 27  
 DATABASE= statement 103  
 DATABASE= statement, ACCESS procedure 99, 103  
   DBTYPE= argument 103  
 database types  
   in access descriptors 103  
 database-description statements 99  
 database-level sharing 34  
   concurrent allocation 35  
 DATASETS procedure, reviewing SAS variables 45  
 DB (Database) type DL/I calls 26  
 DBB regions 31  
 DBCTL feature  
   DATA step interface support 5  
   interface view engine support 5  
 DBD (Database Description) 19  
   database characteristics 19  
   for ACCTDBD database 19  
   for WIRETRAN segment 20  
   sequence fields 17  
 DBD= statement, ACCESS procedure 103  
   DBTYPE= argument 103  
 DBFORMAT= argument, ITEM= statement (ACCESS procedure) 110  
 dbformat= option, table of values 22  
 DBMS= option, PROC ACCESS statement 95  
 DBNAME= option, DL/I INFILE statement 161

DBTYPE= argument 103  
   DATABASE= statement (ACCESS procedure) 103  
   DBD= statement (ACCESS procedure) 103  
 DEDB free space, finding 199  
 DEDBs (Data Entry Data Bases) 21, 198  
 defaults, access descriptor  
   resetting items to 116  
 DELETE statement 104  
   ACCESS procedure 104  
   SQL procedure 76  
 DELETE= statement, ACCESS procedure 99  
 dependent segments 14  
 DEQ calls 207  
 descriptor files  
   creating for access descriptor 101  
   creating for view descriptor 102  
   editing 119  
   performance optimization guidelines 122  
 descriptor passwords 96  
   assigning 96  
   changing 96  
   clearing 96  
   interactions, table of 96  
   levels of protection 96  
 descriptors 5  
   *See also* access descriptors  
   *See also* view descriptors  
   effects of database changes 95, 124  
   passwords for 96  
   tools for creating 121  
 descriptors, creating 18  
   *See* ACCESS procedure  
 DL/I calls 25  
   asterisk (\*) in command codes 28, 30  
   command codes 28, 30  
   \*D command code 30  
   Get calls 25  
   IMSWHST= option 29  
   path calls 25  
   PCB mask data 27  
   qualified calls 28, 29  
   segment search arguments (SSAs) 25  
   segments, deleting 25  
   segments, inserting 25  
   segments, reading 25  
   segments, replacing 25  
   SSAs, including WHERE criteria 29  
   SSAs, multiple in DATA step interface 29  
   SSAs, qualified calls 28, 29  
   SSAs, unqualified calls 28  
   \*U command code 133  
   unqualified calls 28  
   Update calls 25  
 DL/I calls, and Program Communication Blocks (PCBs)  
   current position indicator 27  
   Database (DB) type 26  
   database position 27  
   Input/Output (I/O) type 26  
 DL/I FILE statement 176  
   external files, defining 176

- DL/I INFILE statement 160
    - CALL= option 162
    - DBNAME= option 161
    - EOF= option 166
    - FSARC= option 162
    - LENGTH= option 163
    - LRECL= option 163
    - MISSEVER option 166
    - OBS= option 166
    - PCB= option 161
    - PCB selection options 161
    - PCBF= option 163
    - PCBNO= option 161
    - SEGMENT= option 165
    - SSA= option 165
    - START= option 166
    - STATUS= option 166
    - STOPOVER option 166
  - DL/I INPUT statement 170
    - blank, example 189
    - example 171
    - status codes 173
    - trailing @ 171, 174
  - DL/I logs 205
  - DL/I PUT statement 177
    - DLET call 181
    - example 178
    - overview 177
    - REPL call, example 180
    - REPL call, overview 179
    - segments, deleting 181
    - segments, replacing 179
    - writing to an output file 179
  - DL/I updates, backing out 206, 208
  - DLET call 181
  - DLI regions 31
  - DLIBKO= system option 242
  - DLIBUF= system option 242
  - DLIDBRC= system option 242
  - DLIEXCPV= system option 242
  - DLIFMT= system option 242
  - DLILOGA= system option 242
  - DLIMON= system option 242
  - DLIREAD= system option 242
  - DLIRGNTN= system option 242
  - DLIRLM= system option 242
  - DLIRLMNM= system option 242
  - DLISPIE= system option 242
  - DLISRCH= system option 242
  - DLISWP= system option 242
  - DLITEST procedure 5
  - DLITEST= system option 242
  - DROP statement 105
  - DROP statement, ACCESS procedure 100, 105
  - dropping items from descriptors 105
  - dummy fields for GROUP keys 135
- E**
- editing
    - descriptors 119
    - editing statements 100
  - EMPLINF2 database
    - access descriptor 258
    - view descriptor 262
  - EOF= option, DL/I INFILE statement 166
  - error codes 173
  - \_ERROR\_ variable 173
  - examples 8
    - ACCTDBD database, access descriptor 256
    - ACCTDBD database, DBD for 19
    - ACCTDBD database, view descriptor 260
    - BANKCHRG table 280
    - EMPLINF2 database, access descriptor 258
    - EMPLINF2 database, view descriptor 262
    - IMSDS library file 9
    - IMSEX library file 9
    - IMSLD library file 9
    - MYDATA.BANK data set 280
    - MYDATA.BIRTHDAY data set 263
    - MYDATA.CHECKS data set 263
    - MYDATA.CHGDATA data set 264
    - MYDATA.CHKCRED data set 264
    - MYDATA.CHKDEBD data set 266
    - MYDATA.CUSTOMER data set 278
    - MYDATA.EMPLDATA data set 270
    - MYDATA.INITSEG data set 273
    - MYDATA.NEWADDR data set 279
    - MYDATA.PHONENUM data set 274
    - MYDATA.SAVCRED data set 274
    - MYDATA.SAVDEBD data set 276
    - running 9
    - VER6.SSNUMS data set 279
    - WIRETRAN database, access descriptor 259
    - WIRETRAN database, view descriptor 262
    - WIRETRAN segment, DBD for 20
  - EXIT statement
    - See ACTION: The index entry: <idx ... see="QUIT (EXIT) STATEMENT"> will be omitted from the sorted index.
    - external files, reading multiple 166
    - extracting data
      - with a view descriptor 123
- F**
- Fast Path DL/I database access
    - Data Entry Data Bases (DEDBs) 198
    - DEDB free space, finding 199
    - fields, updating 198
    - fields, verifying 198
    - FLD calls 198
    - interface view engine support 5
    - Main Storage Databases (MSDBs) 198
    - POS calls 199
    - segment position, getting 199
  - feedback data 203
  - field types 16
  - field-level sensitivity 24
  - fields 12
    - defining 109
    - grouping 14
    - updating 198
    - verifying 198
  - fields, special 134
    - BY variables 139
    - filter notation in ITEM= statement 137
    - GROUP keys, dummy fields for 135
    - GROUP keys, in descriptor files 135
    - multiple occurrences 134
    - nesting 134
    - redefined fields 135
    - segments of varying length 135
  - filtering data 118, 142
  - FIRSTOBS= option 43
  - flattened file concept 132
  - flattening files 139
  - FLD calls 198
  - FMT= argument, ITEM= statement (ACCESS procedure) 110
  - FORMAT= argument, ITEM= statement (ACCESS procedure) 110
  - FORMAT statement, ACCESS procedure 100, 105
  - formats (SAS), assigning to IMS-DL/I items 105
  - FORWARD command 74
  - FREQ procedure 48
  - FSARC= option, DL/I INFILE statement 162
  - FSBROWSE procedure 70
  - FSEDIT procedure 71
  - FSVIEW procedure 71, 72
- G**
- GCHART procedure 47
  - GCMD calls 211
  - Generalized Sequential Access Method (GSAM) 21, 103
  - Get calls 25
    - example 171
  - Get Next Within Parent (GNP) calls 139
  - Get Unique (GU) calls 139
  - GNP (Get Next Within Parent) calls 139
  - GROUP= argument, GROUP= statement (ACCESS procedure) 106
  - GROUP BY clauses, creating database items with 61
  - group definitions, modifying 115
  - group items
    - naming in access descriptors 106
  - GROUP keys
    - dummy fields for 135
    - in descriptor files 135
  - GROUP= statement 106

- GROUP= statement, ACCESS procedure 99, 106
  - GROUP= argument 106
  - KEY= argument 107
  - LEVEL= argument 107
  - LV= argument 107
  - OCCURS= argument 107
  - SEARCH= argument 107
  - groups
    - adding 108
    - defining 106
    - deleting 104
    - inserting in access descriptors 108
    - removing from access descriptors 104
    - replacing in access descriptor 115
  - GSAM (Generalized Sequential Access Method) 21
  - GSAM argument 103
  - GSAM= argument, CREATE statement (ACCESS procedure) 103
  - GSAM databases 144, 147
  - GU (Get Unique) calls 139
- H**
- HDAM (Hierarchical Direct Access Method) 21
  - HIDAM (Hierarchical Indexed Direct Access Method) 21
  - Hierarchical Direct Access Method (HDAM) 21, 103
  - Hierarchical Indexed Direct Access Method (HIDAM) 21, 103
  - Hierarchical Indexed Sequential Access Method (HISAM) 21, 103
  - hierarchical organization 12
  - Hierarchical Sequential Access Method (HSAM) 21, 103
  - HISAM (Hierarchical Indexed Sequential Access Method) 21
  - HSAM (Hierarchical Sequential Access Method) 21
  - HSSR 5
  - HSSR interface 5
- I**
- I/O (Input/Output) type DL/I calls 26
  - I/O PCBs 202
  - IMS/ESA
    - BMP system calls 207
    - inserting commands into 211
    - message queue access 212
  - IMS-DL/I data
    - appending to view descriptors 86
    - updating SAS data files 62
  - IMS-DL/I DATA step examples
    - blank INPUT statements 189
    - path calls 183
    - qualified SSAs 192
    - segments, updating 186
  - IMS-DL/I DATA step interface 4
    - See also DL/I FILE statement
    - See also DL/I INFILE statement
    - See also DL/I INPUT statement
    - See also DL/I PUT statement
  - DATA step program, example 153
  - DBCTL feature support 5
  - DLITEST procedure support 5
  - features not supported 5
  - HSSR support 5
  - multiple SSAs 29
  - purpose of 5
  - SLI region type support 5
  - versus IMS-DL/I engine interface 4
- IMS-DL/I DATA step statement extensions 152
  - current input sources 166
  - external files, reading multiple 166
  - input buffers 152
  - input sources, changing 167
  - output buffers 152
  - segment data formats 153
  - statement options, summary of 167
- IMS-DL/I data, browsing with SAS/FSP procedures
  - by observation number 71
  - FSBROWSE procedure 70
  - FSEDIT procedure 71
  - FSVIEW procedure 71
  - scrolling 74
  - specifying WHERE statements during 72
- IMS-DL/I data, browsing with SQL procedure
  - deleting segments 79
  - inserting segments 79
  - MODIFY statement 80
  - retrieving data 77
  - SQL procedure statements 76
- IMS-DL/I data, updating with SAS/FSP procedures
  - deleting segments 74
  - FSEDIT procedure 71
  - FSVIEW procedure 72
  - inserting segments 74
  - missing values 74
  - scrolling 74
  - specifying WHERE statements during 72
- IMS-DL/I data, updating with SQL procedure
  - deleting segments 79
  - inserting segments 79
  - MODIFY statement 80
  - retrieving data 77
  - SQL procedure statements 76
- IMS-DL/I database access, sharing
  - block-level sharing, concurrent allocation 36
  - block-level sharing, definition 34
  - categories of sharing 33
  - considerations for 34
  - database-level sharing, concurrent allocation 35
  - database-level sharing, definition 34
  - integrity, compromising 35
  - integrity, read 34
  - integrity, update 34
  - ownership 34
  - read integrity 34
  - synchronization points 34
  - update integrity 34
- IMS-DL/I database types
  - Data Entry Data Base (DEDB) 21
  - Generalized Sequential Access Method (GSAM) 21
  - Hierarchical Direct Access Method (HDAM) 21
  - Hierarchical Indexed Direct Access Method (HIDAM) 21
  - Hierarchical Indexed Sequential Access Method (HISAM) 21
  - Hierarchical Sequential Access Method (HSAM) 21
  - list of 21
  - Main Storage Database (DEDB) 21
  - Simple Hierarchical Indexed Sequential Access Method (SHISAM) 21
  - Simple Hierarchical Sequential Access Method (SHSAM) 21
- IMS-DL/I databases 12
  - accessing multiple 58
  - changes invalidating descriptors 95, 124, 130
  - child segments, definition 15
  - child segments, unintentional deletion 75
  - columns 13
  - creating items with GROUP BY clauses 61
  - data types 22
  - data types, converting to SAS data types 22
  - data types, in descriptors 22
  - Database Description (DBD), database characteristics 19
  - Database Description (DBD), for ACCTDBD database 19
  - Database Description (DBD), for WIRETRAN segment 20
  - Database Description (DBD), sequence fields 17
  - dependent segments 14
  - extracting data 123
  - field types 16
  - field-level sensitivity 24
  - fields, definition 12
  - fields, grouping 14
  - hierarchical organization 12
  - key fields 17
  - key sensitivity 25
  - parent segments 15
  - path navigation 16
  - paths 15
  - physical databases 17
  - Program Communication Blocks (PCBs) 17
  - Program Specification Blocks (PSBs), example 24

- Program Specification Blocks (PSBs), overview 23
- Program Specification Blocks (PSBs), program views 17
- program views 17
- root segments 14
- rows 13
- search fields 17
- secondary indexes 144
- security 24
- segment occurrences, definition 14
- segment occurrences, maximum number of 17
- segment relationships 15
- segment sensitivity 24
- segment types 14
- segments, deleting 25
- segments, grouping 15
- segments, inserting 25
- segments, reading 25
- segments, replacing 25
- sensitive segments 18
- sequence fields 17
- sibling segments 15
- twin segments 15
- undefined fields 17
- variables 13
- versus tabular files 12
- cobol data types, converting 22
- pl/i data types, converting 22
- IMS-DL/I engine calls
  - call output, example 140
  - child segments, adding 147
  - data modification 146
  - data retrieval, with secondary indexes 144
  - data retrieval, with WHERE statements 139
  - flattening files 139
  - Get Next Within Parent (GNP) calls 139
  - Get Unique (GU) calls 139
  - GSAM databases 144, 147
  - paths, adding 147
  - segments, adding 147
  - segments, combining 145
  - segments, deleting 146
  - segments, source 145
  - segments, target 144
  - subsetting data 142
  - twin segments, adding 147
  - update processing 147
  - WHERE statement processing 142
- IMS-DL/I engine interface 4
  - See interface view engine
- IMS-DL/I execution modes
  - batch DL/I subsystem, definition 30
  - batch DL/I subsystem, outline of 31
  - batch regions, initializing 31
  - concurrent batch/online execution 30
  - DBB regions 31
  - DLI regions 31
  - online access regions 32
  - online control region 32
  - online databases 32
  - online DL/I subsystem, definition 30
  - online DL/I subsystem, outline of 32
  - region controllers 31
  - region types, summary of 33
  - IMSBPAGN= system option 242
  - IMSBPCPU= system option 242
  - IMSBPDCA= system option 242
  - IMSBPIN= system option 241, 242
  - IMSBPNBA= system option 242
  - IMSBPOBA= system option 242
  - IMSBPOBT= system option 242
  - IMSBPOUT= system option 241, 242
  - IMSBPPAR= system option 242
  - IMSBPSTI= system option 242
  - IMSBPUPD= system option 242
  - IMSDEBUG= system option 242
  - IMSDLBKO= system option 242
  - IMSDLBUF= system option 242
  - IMSDLDBR= system option 242
  - IMSDLEXC= system option 242
  - IMSDLFMT= system option 242
  - IMSDLIRL= system option 242
  - IMSDLIRN= system option 242
  - IMSDLLOG= system option 242
  - IMSDLMON= system option 242
  - IMSDLSRC= system option 242
  - IMSDLSWP= system option 242
  - IMSDLUPD= system option 242
  - IMSDS library file 9
  - IMSEX library file 9
  - IMSID= system option 241, 242
  - IMSIOB= system option 242
  - IMSLD library file 9
  - IMSREGTP= system option 241, 242
  - IMSS2A program 121
  - IMSSPIE= system option 242
  - IMSTEST= system option 243
  - IMSWHST= option 29, 124
  - IMSWHST= system option 243
  - indexed fields, calculating statistics on 50
  - input buffers 152
  - Input/Output (I/O) type DL/I calls 26
  - input sources, changing 167
  - INSERT statement 76, 108
  - INSERT= statement, ACCESS procedure 108, 99
  - integrity
    - compromising 35
    - read 34
    - update 34
  - interface view engine 4
    - DBCTL feature support 5
    - Fast Path support 5
    - features not supported 5
    - HSSR support 5
    - message queue access 5
    - purpose of 5
    - SLI region type support 5
    - versus DATA step interface 4
  - invocation options 239
  - ISRT calls to message queues 214
  - ITEM= argument, ITEM= statement (ACCESS procedure) 109
  - item definitions, modifying 115
  - item formats 110
  - ITEM= statement 109
  - ITEM= statement, ACCESS procedure 99, 109
    - DBFORMAT= argument 110
    - filter notation 137
    - FMT= argument 110
    - FORMAT= argument 110
    - ITEM= argument 109
    - KEY= argument 111
    - LEVEL= argument 110
    - LV= argument 110
    - OCCURS= argument 111
    - SASNAME= argument 110
    - SEARCH= argument 110
    - SN= argument 110
  - items
    - adding 108
    - deleting 104
    - formats, access descriptors 110
    - inserting in access descriptors 108
    - levels, access descriptors 110
    - listing 112
    - names, access descriptors 109
    - removing from access descriptors 104
    - repeating 111
    - replacing in access descriptor 115
    - resetting to default values 116
    - resetting to defaults 116

## K

  - KEY= argument
    - GROUP= statement (ACCESS procedure) 107
    - ITEM= statement (ACCESS procedure) 111
  - key fields 17
  - key sensitivity 25

## L

  - LENGTH= option, DL/I INFILE statement 163
  - LEVEL= argument
    - GROUP= statement (ACCESS procedure) 107
    - ITEM= statement (ACCESS procedure) 110
  - LIST statement 112
  - LIST statement, ACCESS procedure 100, 112
  - LOG calls 205
  - LRECL= option, DL/I INFILE statement 163
  - LV= argument
    - GROUP= statement (ACCESS procedure) 107
    - ITEM= statement (ACCESS procedure) 110

**M**

Main Storage Databases (MSDBs) 21, 198  
 MEANS procedure 49  
 means, calculating 49  
 message queue access 5  
 message queues, ISRT calls 214  
 message segments 216  
   inserting 215  
   inserting multiple 216  
   PURG calls 216  
   retrieving 212  
 messages, inserting to queues 202  
 missing values  
   in view descriptors 134  
   updating IMS-DL/I data 74  
 MISSEVER option, DL/I INFILE statement 166  
 modifiable PCBs, changing destination of 216  
 modifiable TP PCBs 202  
 MODIFY statement 80, 96  
 MSDBs (Main Storage Databases) 21, 198  
 MYDATA.BANK data set 280  
 MYDATA.BIRTHDAY data set 263  
 MYDATA.CHECKS data set 263  
 MYDATA.CHGDATA data set 264  
 MYDATA.CHKCRED data set 264  
 MYDATA.CHKDEBD data set 266  
 MYDATA.CUSTOMER data set 278  
 MYDATA.EMPLDATA data set 270  
 MYDATA.INITSEG data set 273  
 MYDATA.NEWADDR data set 279  
 MYDATA.PHONENUM data set 274  
 MYDATA.SAVCRED data set 274  
 MYDATA.SAVDEBD data set 276

**N**

naming conventions  
   SAS system options 241  
   SAS variables 62  
 nesting special fields 134  
 non-database access calls 199  
   abends, calling 206  
   assembler psb input buffer message segment format 213  
   checkpoint IDs 200  
   CHKP call, basic 200  
   CHKP call, in IMS/ESA BMP regions 200  
   CHNG call to TP PCBs 216  
   CMD calls 210  
   DEQ calls 207  
   DL/I logs 205  
   DL/I updates, backing out 206, 208  
   feedback data 203  
   GCMD calls 211  
   I/O PCBs 202  
   IMS/ESA BMP system calls 207  
   IMS/ESA, inserting commands into 211  
   IMS/ESA, message queue access 212

ISRT calls to message queues 214  
 LOG calls 205  
 message queues, ISRT calls 214  
 message segments, inserting 215  
 message segments, inserting multiple 216  
 message segments, PURG calls 216  
 message segments, retrieving 212  
 messages, inserting to queues 202  
 modifiable PCBs, changing destination of 216  
 OS/390 DL/I system calls 204  
 pl/i psb input buffer message segment format 214  
 ROLB call 206, 208  
 ROLL calls 206  
 segments, dequeuing 207  
 synchronization points 200  
 TP PCBs, modifiable 202  
 TP PCBs, nonmodifiable 202  
 TP PCBs, overview 202  
 nonmodifiable TP PCBs 202  
 numeric values, translating to character 235

**O**

OBS= option 43  
 OBS= option, DL/I INFILE statement 166  
 observations, specifying first/last 43  
 OCCURS= argument  
   GROUP= statement (ACCESS procedure) 107  
   ITEM= statement (ACCESS procedure) 111  
 online access regions 32  
 online control region 32  
 online databases 32  
 online DL/I subsystem 30  
   concurrent batch/online execution 30  
   outline of 32  
 OS/390 DL/I system calls 204  
 OUT= option, PROC ACCESS statement 95  
 output buffers 152  
 output file, writing to 179  
 ownership of databases 34

**P**

parent segments 15  
 passwords  
   interaction with descriptors 96  
   managing 96  
   multiple levels of 97  
 passwords, for descriptors 96  
   assigning 96  
   changing 96  
   clearing 96  
   interactions, table of 96  
   levels of protection 96  
 passwords, for selection criteria 123

path calls 25, 183  
 path navigation 16  
 paths 15, 147  
 PCB mask data 27  
 PCB= option, DL/I INFILE statement 161  
 PCBF= option, DL/I INFILE statement 163  
 PCBINDEX= argument 102  
 PCBINDEX= argument, CREATE statement (ACCESS procedure) 102  
 PCBNO= option, DL/I INFILE statement 161  
 PCBs (Program Communication Blocks) 17  
 percentages, calculating 48  
 performance, IMS-DL/I 131  
 performance, view descriptors 122  
   *See* view descriptors  
 physical databases 17  
 pl/i data types, converting 22  
 pl/i psb input buffer message segment format 214  
 POS calls 199  
 PROC ACCESS statement 95  
   ACCDESC= option 95  
   ACCESS= option 95  
   AD= option 95  
   DBMS= option 95  
   OUT= option 95  
   VIEWDESC= option 95  
 Program Communication Blocks (PCBs) 17  
 program views 17  
 PSBNAME= argument 102  
 PSBNAME= argument, CREATE statement (ACCESS procedure) 102  
 PSBs (Program Specification Blocks) 17, 23  
   example 24  
   naming 167  
 PUT function 235

**Q**

qualified calls 28, 29  
 qualified SSAs 192  
 QUIT (EXIT) statement 113  
 QUIT statement, ACCESS procedure 100, 113

**R**

RANK procedure 53  
 ranking data 53  
 read integrity 34  
 RECORD= argument 114  
 RECORD= argument, RECORD= statement (ACCESS procedure) 114  
 record definitions, modifying 115  
 RECORD= statement 114  
 RECORD= statement, ACCESS procedure 99, 113  
   RECORD= argument 114  
   SEGLNG= argument 114  
   SEGMENT= argument 114

- SG= argument 114
  - SL= argument 114
  - records
    - adding 108
    - defining groups within 106
    - defining items within 109
    - deleting 104
    - inserting in access descriptors 108
    - removing from access descriptors 104
    - replacing in access descriptor 115
  - redefined fields 135
  - region controllers 31
  - region types, summary of 33
  - RENAME statement 114
  - RENAME statement, ACCESS procedure 100, 114
  - REPL call 179
    - example 180
  - REPLACE= statement 115
  - REPLACE= statement, ACCESS procedure 115, 99
  - RESET statement 116
  - RESET statement, ACCESS procedure 116
  - resetting items to defaults 116
  - restrictable options 240
  - return codes 173
  - ROLB call 206, 208
  - ROLL calls 206
  - root segments 14
  - rows 13
- S**
- SAS/ACCESS software
    - interface, overview 4
    - purpose 3
  - SAS/ACCESS software, executing
    - batch mode 7
    - cataloged procedures 7
    - DD statements 7
    - interactively 8
    - TSO 8
  - SAS data files, updating with IMS-DL/I data 62, 82
  - SAS formats
    - assigning to descriptor items 106
  - SAS formats, assigning to IMS-DL/I items 105
  - SAS/FSP procedures, browsing IMS-DL/I data
    - by observation number 71
    - scrolling 74
    - specifying WHERE statements during 72
    - with FSBROWSE procedure 70
    - with FSEDIT procedure 71
    - with FSVIEW procedure 71
  - SAS/FSP procedures, updating IMS-DL/I data
    - deleting segments 74
    - inserting segments 74
    - missing values 74
    - scrolling 74
  - specifying WHERE statements during 72
    - with FSEDIT procedure 71
    - with FSVIEW procedure 72
  - SAS macro and DATA step code tool 122
  - SAS procedures
    - See also* ACCESS procedure
    - See also* ACCESS procedure
    - APPEND 86
    - CONTENTS 45
    - DATASETS 45
    - DLITEST 5
    - FREQ 48
    - FSBROWSE 70
    - FSEDIT 71
    - FSVIEW 71, 72
    - MEANS 49
    - RANK 53
    - SQL 58, 76
  - SAS system options for IMS-DL/I 241
    - BMPAGN= 242
    - BMPARDLI= 242
    - BMPCPUTM= 242
    - BMPIN= 242
    - BMPNBA= 242
    - BMPOBA= 242
    - BMPOPT= 242
    - BMPOUT= 242
    - BMPREAD= 242
    - BMPSTIMR= 242
    - CICS database access 241
    - CICSID 241
    - displaying values of 240
    - DLIBKO= 242
    - DLIBUF= 242
    - DLIDBRC= 242
    - DLIEXCPV= 242
    - DLIFMT= 242
    - DLILOGA= 242
    - DLIMON= 242
    - DLIREAD= 242
    - DLIRGNTP= 242
    - DLIRLM= 242
    - DLIRLMNM= 242
    - DLISPIE= 242
    - DLISRCH= 242
    - DLISWP= 242
    - DLITEST= 242
    - frequently altered options 241
    - IMSBPAGN= 242
    - IMSBPCPU= 242
    - IMSBPDCA= 242
    - IMSBPIN= 241, 242
    - IMSBPNBA= 242
    - IMSBPOBA= 242
    - IMSBPOBT= 242
    - IMSBPOUT= 241, 242
    - IMSBPPAR= 242
    - IMSBPSTI= 242
    - IMSBPUPD= 242
    - IMSDEBUG= 242
    - IMSDLBKO= 242
    - IMSDLBUF= 242
    - IMSDLDBR= 242
    - IMSDLEXC= 242
    - IMSDLFMT= 242
    - IMSDLIRL= 242
    - IMSDLIRN= 242
    - IMSDLLOG= 242
    - IMSDLMON= 242
    - IMSDLSRC= 242
    - IMSDLSWP= 242
    - IMSDLUPD= 242
    - IMSID= 241, 242
    - IMSIQB= 242
    - IMSREGTP= 241, 242
    - IMSSPIE= 242
    - IMSTEST= 243
    - IMSWHST= 243
    - invocation options 239
    - naming conventions 241
    - overriding defaults 240
    - restrictable options 240
    - session options 239
    - SLICWTO 241
    - SLIREAD 241
    - specifying 239
    - summary of 242
  - SAS variable names
    - default 116
    - duplicate 109
    - entering 114
    - inheriting from access descriptors 101
    - modifying 114
    - reviewing 45
    - uniqueness 119
    - version compatibility 62, 109
  - SAS variables
    - generating 101
  - SASNAME= argument, ITEM= statement (ACCESS procedure) 110
  - scrolling 74
    - IMS-DL/I data 74
  - SEARCH= argument
    - GROUP= statement (ACCESS procedure) 107
    - ITEM= statement (ACCESS procedure) 110
  - search fields 17
  - security
    - IMS-DL/I 130
    - IMS-DL/I databases 24
    - passwords for descriptors 96
    - passwords for selection criteria 123
    - SAS System 131
    - subsetting data 123
  - SEGLNG= (SL) argument 114
  - SEGLNG= argument, RECORD= statement (ACCESS procedure) 114
  - SEGMENT= (SG) argument 114
  - SEGMENT= argument, RECORD= statement (ACCESS procedure) 114

- segment data formats 153
  - segment occurrences 14
    - maximum number of 17
  - SEGMENT= option, DL/I INFILE statement 165
  - segment position, getting 199
  - segment relationships 15
  - segment search arguments (SSAs) 28
    - changing variable values between cells 237
    - concatenation operator 235
    - in DL/I calls 25
    - in IMS-DL/I DATA step programs 234
    - including WHERE criteria 29
    - multiple in DATA step interface 29
    - numeric values, translating to character 235
    - PUT function 235
    - qualified calls 28, 29
    - setting conditionally 237
    - unqualified calls 28
  - segment sensitivity 18, 24
  - segment types 14
  - segments 113
    - See also* child segments
    - See also* message segments
    - adding 147
    - combining 145
    - data formats 153
    - defining 113, 114
    - deleting 25, 79, 146, 181
    - deleting with SAS/FSP procedures 74
    - dependent segments 14
    - dequeuing 207
    - grouping 15
    - inserting 25, 79
    - inserting with SAS/FSP procedures 74
    - observations, specifying first/last 43
    - occurrences 14, 17
    - parent segments 15
    - position, getting 199
    - reading 25
    - relationships 15
    - replacing 25, 179
    - sensitivity 18, 24
    - sibling segments 15
    - source 145
    - target 144
    - twin segments 15, 147
    - types 14
    - updating, example 186
    - variable length 135
  - SELECT statement 117
    - ACCESS procedure 100, 117
    - SQL procedure 76
  - selecting data
    - SQL procedure 58
    - WHERE statements 54
  - sensitive segments 18
  - sequence field designation 111
  - sequence fields 17
  - session options 239
  - SG= argument, RECORD= statement (ACCESS procedure) 114
  - SHISAM (Simple Hierarchical Indexed Sequential Access Method) 21
  - SHSAM (Simple Hierarchical Sequential Access Method) 21
  - sibling segments 15
  - Simple Hierarchical Indexed Sequential Access Method (SHISAM) 21
  - Simple Hierarchical Sequential Access Method (SHSAM) 21, 103
  - Simple Indexed Hierarchical Sequential Access Method (SHISAM) 103
  - SL= argument, RECORD= statement (ACCESS procedure) 114
  - SLI region type
    - DATA step interface support 5
    - interface view engine support 5
  - SLICWTO system option 241
  - SLIREAD system option 241
  - SN= argument, ITEM= statement (ACCESS procedure) 110
  - special fields 134
    - See* fields
  - SQL procedure
    - DELETE statement 76
    - SELECT statement 76
    - UPDATE statement 76
  - SQL procedure statements 76
  - SQL procedure, browsing IMS-DL/I data
    - deleting segments 79
    - inserting segments 79
    - MODIFY statement 80
    - retrieving data 77
    - SQL procedure statements 76
  - SQL procedure, combining data from several sources 58
  - SQL procedure, updating IMS-DL/I data
    - deleting segments 79
    - inserting segments 79
    - MODIFY statement 80
    - retrieving data 77
    - SQL procedure statements 76
  - SSA= option, DL/I INFILE statement 165
  - SSAs (segment search arguments) 28
    - See* segment search arguments (SSAs)
  - START= option, DL/I INFILE statement 166
  - statements, SAS
    - ASSIGN (AN) 101
    - CREATE 101, 102
    - DATABASE= 103
    - DELETE= 104
    - DROP 105
    - FORMAT 106
    - GROUP= 106
    - INSERT= 108
    - ITEM= 109
    - LIST 112
    - QUIT (EXIT) 113
    - RECORD= 114
    - RENAME 114
    - REPLACE= 115
    - RESET 116
    - SELECT 117
    - SUBSET 118
    - UNIQUE= (UN) 119
    - UPDATE 119
  - statistics, calculating 48
    - averages 49
    - FREQ procedure 48
    - means 49
    - MEANS procedure 49
    - misleading results 50
    - on indexed fields 50
    - percentages 48
    - RANK procedure 53
    - ranking data 53
  - status codes 173
  - STATUS= option, DL/I INFILE statement 166
  - STOPOVER option, DL/I INFILE statement 166
  - SUBSET statement 118
  - SUBSET statement, ACCESS procedure 100, 118
  - subsetting
    - guidelines 123
    - selecting data 118
  - subsetting data 118, 142
  - synchronization points 34, 200, 219
- ## T
- TP PCBs 202
    - modifiable 202
    - nonmodifiable 202
  - trailing at-sign (@) 171, 174
  - twin segments 15, 147
- ## U
- \*U command code 133
  - undefined fields 17
  - UNIQUE= (UN) statement 119
  - UNIQUE= statement, ACCESS procedure 100, 119
  - unqualified calls 28
  - Update calls 25, 178
  - update integrity 34
  - update processing 147
  - update programs, restarting 219
    - examples 220, 226, 230
    - synchronization points 219
  - UPDATE statement 119
    - ACCESS procedure 119
    - and index numbering 120
    - and LIST statement 120
    - SQL procedure 76



- V**
- VALIDVARNAME= option
    - example, Version 6 variables 62
    - example, Version 7 variables 64
    - naming SAS variables 62
  - VALIDVARNAME system option
    - and ITEM= argument 109
    - effect on SAS variable names 109
  - variables (tabular file) 13
  - VER6.SSNUMS data set 279
  - view descriptors 6, 40
    - appending IMS-DL/I data 86
    - creating 102
    - defaults, resetting values to 116
    - dropping items from 105
    - editing 119
    - extracting data 123
    - items, listing 112
    - items, resetting to defaults 116
    - PCB, specifying 102
    - performance optimization 122
    - printing data 43
    - PSB, specifying 102
    - reviewing SAS variables 45
    - reviewing variables 112
  - SAS formats, assigning to IMS-DL/I items 105, 106
  - SAS variable names, entering or modifying 114
  - SAS variable names, inheriting from access descriptors 101
  - SAS variable names, uniqueness 119
  - selecting data 118
  - selecting items for 117
  - selection criteria, specifying 118
  - subsetting data 118
  - updating 119
  - view descriptors, creating 40
    - See also* ACCESS procedure
    - ACCESS procedure 98
    - in same step as access descriptors 40
    - in separate step from access descriptors 42
  - view descriptors, performance 122
    - DATA step IF statements 124
    - extracting data with views 123
    - selecting data 122
    - sorting 122
    - subsetting data 123
  - WHERE conditions not acceptable to IMS-DL/I 126
  - WHERE expressions, application 124
  - WHERE expressions, view descriptor 123
  - WHERE statements, efficiency 124
  - WHERE statements, inefficiency 125
  - view engine 4
    - See* interface view engine
  - VIEW member type 6
  - VIEWDESC= option, PROC ACCESS statement 95
- W**
- WHERE statement
    - combining data from several sources 54
    - efficiency of 124, 125
    - in SAS procedures and DATA steps 124
    - in view descriptors 123
    - processing 142
    - specifying while browsing IMS-DL/I data 72
    - subsetting data 123
  - WIRETRAN database
    - access descriptor 259
    - view descriptor 262
  - writing to an output file 179