

Index

\$

OBSTAT variable, 396, 444

A

adding

- curves, 201
- effects, 214, 238–239, 584
- graphs, 220
- observations, 34
- tables, 220
- variables, 34

adding graphs, 378, 380–381

to fit window, 222, 244

adding tables and graphs

multiple regression, 220

Adj R-Sq

see adjusted R-square

adjust

speed of animation, 345

adjusted R-square, 217, 240, 325

Adjusted R-Square, 592–593

adjusted R-square

in multiple regression, 227

adjusting

axes, 127, 129, 335

ticks, 124, 335

adjusting axes

see aligning axes

see ticks

Afifi, A.A., 18

AIR data set, 17, 98, 114, 116, 343

algorithm

see method

Align, 336, 391

aligning

axes, 391

graphs, 391

ticks, 391

AMISE

see approximate mean integrated square error

analyses

comparing, 313

analysis, 5

analysis of covariance, 235

analysis of deviance, 594

logistic regression, 256

Poisson regression, 269

analysis of deviance for generalized linear models

fit analyses, 595

analysis of variance, 235

analysis of variance table, 241

assigning measurement levels, 236

examining the means, 244

multiple regression, 217

parameter estimates, 242

residuals-by-predicted plot, 243

summary of fit, 240

type III tests, 241

analysis of variance for linear models

fit analyses, 594

analysis of variance table

analysis of variance, 241

Analyze, 78, 384

Analyze:Bar Chart (Y), 470

Analyze:Box Plot (Y), 361

Analyze:Box Plot (Y), 305

Analyze:Box Plot/Mosaic Plot (Y), 77, 86,

244, 338, 426, 478

Analyze:Contour Plot (Z Y X), 116, 504

Analyze:Distribution (Y), 355, 378, 521, 524

Analyze:Distribution (Y), 317, 332

Analyze:Fit (Y X), 196, 251, 253, 263, 266, 567,

583

Analyze:Fit (Y X), 214, 235, 302, 318, 323

Analyze:Histogram/Bar Chart (Y), 70, 74

Analyze:Line Plot (Y X), 98, 490

Analyze:Multivariate (Y's), 276, 647–648

Analyze:Multivariate (Y's), 284

Analyze:Rotating Plot (Z Y X), 108, 113–

114, 512

Analyze:Scatter Plot (Y X), 89, 92, 134, 256,

290, 368, 381, 496

Analyze:Scatter Plot (Y X), 224

analyzing by

groups, 331

analyzing by groups, 331

and group variables

formats, 339

Animate, 343

animating

graphs, 347

selections, 343

ANOVA

see analysis of variance

Anscombe residuals

fit analyses, 637

Anscombe, F.J., 643

Apply button, 214, 254, 259

Apply button

- animation dialog, 344
- fit analyses, 584
- approximate mean integrated square error
 - kernel estimation, 552
- arranging
 - see moving
- arranging observations, 463
- arrow buttons
 - on scroll bar, 49
- arrow keys, 31
- arrow tool, 370
- Asc/Des** button, 464
- assigning
 - formats, 352
- assigning measurement levels
 - analysis of variance, 236
- assigning observation states, 444
- assumptions
 - in linear models, 569
- automatic
 - marker size, 161
- Axes**, 473, 514
- axes
 - adjusting, 127, 129, 335
 - aligning, 336, 391
 - default scale, 336
 - in bar chart, 473
 - in rotating plot, 129
- axis labels
 - in bar chart, 472
 - in box plots, 482
 - in contour plots, 506
 - in line plot, 491
 - in rotating plots, 514
 - in scatter plots, 497
- Azen, S.P., 18
- B**
- background, 406
- bandwidth
 - kernel estimation, 552, 612, 624
- bar chart, 469
- Bar Chart (Y)**, 470
- bar chart
 - distribution analyses, 545
 - graphs, 545
 - method, 471
 - orientation, 472
 - output, 472
 - variables, 470
- bar charts, 69–70
 - bar heights in, 72
 - clicking in, 71, 75
 - features of, 72
 - labeling bars, 72
- bar heights in
 - bar charts, 72
- BAR statement, 709
- Base SAS Software, 418

- BASEBALL data set, 17, 284, 296, 352, 426
- batting averages, 304
- Becker, R.A., 94, 511
- Belsley, D.A., 225, 231, 605, 631, 643
- Bibby, J.M., 701
- BINOM option, 713
- Binomial**, 573
- binomial
 - deviance, 577
 - log-likelihood function, 574
 - response distribution, 573
- binomial deviance
 - generalized linear models, 577
- binomial distribution
 - generalized linear models, 573
- binomial log-likelihood function
 - generalized linear models, 574
- Binomial variable
 - fit analyses, 585
- bivariate plots
 - confidence ellipses, 694
 - scatter plot matrix, 681
- blending colors, 169–170, 172
- blends
 - five colors, 172
 - two colors, 169
- Bonferroni method, 484
- Both**, 472, 482, 491, 497, 506, 514
- box
 - see cube
- Box Plot (Y)**, 361
- Box Plot (Y)**, 305
- box plot
 - distribution analyses, 545
 - formatted values in, 361
 - graphs, 545
- Box Plot/Mosaic Plot (Y)**, 77, 86, 244, 338, 426, 478
- box plots, 69, 77, 477–478
 - clicking in, 79
 - comparing distributions, 478
 - comparison circles, 81, 485
 - features of, 78, 80
 - mean diamonds, 80
 - method, 480
 - multiple comparison tests, 483
 - orientation, 482
 - output, 481
 - variables, 478
- BOX statement, 710
- brush, 94, 151
 - changing size of, 151
 - deleting, 97
 - dragging, 96
 - moving, 96
 - resizing, 95
 - throwing, 96
- brushing, 94, 96
 - in scatter plots, 499

- with extended selection, 96
- brushing observations, 151
- BUSINESS data set, 18
- by groups, 331
 - comparing analyses, 334
- BY statement, 709
- by variable
 - see group variable
- BY-group title, 408–409

C

- C.I.
 - see confidence interval
- C.I. for parameters
 - see confidence interval for parameters
- calculation of
 - quantiles, 533
- calculations
 - see transformations
- Campbell, P.F., 18
- Cancel** button, 65
- cancer
 - PATIENT data set, 20
- canonical
 - link function, 574
- Canonical**, 254, 267
- canonical correlation
 - multivariate analyses, 654
- Canonical Correlation Options** button, 660
- canonical discriminant
 - multivariate analyses, 655
- canonical link
 - quasi-likelihood, 578
- canonical link function
 - generalized linear models, 574
- canonical parameter
 - generalized linear models, 572
- canonical scores, 445
- canonical variables
 - components, 698
 - multivariate analyses, 698
- cascading
 - window positions, 432
- catalog
 - SAS/GRAPH, 403
- CDF
 - see cumulative distribution function
- CDF:Confidence Band**, 555
- CDF:Fit Parametric:Normal:Sample Mean, Std Dev**, 556
- cell
 - of data window, see editing data values
 - of matrix, see scatter plot matrix
- centroid, 631
- Chambers, J.M., 564
- Chandra, M., 559, 564
- changing
 - see editing
- changing size of

- brush, 151
- chart
 - see graph
- Chi-squared statistic, 217, 240, 256, 269, 593, 601
- choosing
 - from menus, 10
 - order of variables, 78
- class
 - see classification variable
 - see group
- CLASS statement, 709
- classification variables, 236
- Cleveland, W.S., 94, 511, 564, 643
- clicking, 8
- closing windows, 65
- clustered data, 499
- coefficient of variation
 - distribution analyses, 531–532
- Collier Books, 17
- collinearity, 221, 605
 - fit analyses, 600
- Collinearity Diagnostics**, 220
- collinearity diagnostics
 - fit analyses, 569, 605
 - multiple regression, 220
- color
 - of curves, 202
- color blending
 - in contour plots, 507
- color blends, 169, 172
- color state, 461
- coloring curves, 202
- coloring observations, 165
- colors, 444
 - assigning by variable, 168, 171
 - background, 406
 - modifying blend, 169, 172
- columns
 - in data window, 459
- command line, 28
- Comp. Log-log**, 573
- comparing
 - analyses, 313
- comparing analyses, 313
 - by groups, 334
- comparison circles, 81, 481
- complement log-log
 - link function, 573
- complement log-log link function
 - generalized linear models, 573
- component plots, 683
 - principal components, 682
- components
 - canonical variables, 698
 - principal components, 697–698
- condition index, 605
 - fit analyses, 605
- condition number
 - fit analyses, 605

conditional distribution, 151, 345

Confidence Band, 555

confidence band

cumulative distribution, 555

confidence curves

mean, 620

predicted, 620

confidence ellipse

mean, 694

prediction, 616, 694

confidence ellipses, 275, 278

Confidence Ellipses, 616

confidence ellipses

bivariate plots, 694

creating, 278

fit analyses, 615

interpreting, 279

mean, 617

multivariate analyses, 694

predicted, 617

confidence interval

generalized linear models, 603

likelihood-based, 604

linear models, 603

Wald, 603

confidence interval for mean

descriptive statistics, 534

confidence interval for parameters

fit analyses, 602

confidence interval for std dev

descriptive statistics, 534

confidence interval for variance

distribution analyses, 534

confidence intervals

distribution analyses, 534

confidence levels, 483

configuring

axes, 129

SAS/INSIGHT software, 425

configuring SAS/INSIGHT software, 425

Confirm dialog

exiting SAS/INSIGHT software, 65

Conover, W.J., 564

Constant, 576, 585

Constant

fit analyses, 585

constant

scale parameter estimates, 576

constant for scale parameter

generalized linear models, 576

CONSTANT option, 714

continuous variable

see interval variable

Contour Plot (Z Y X), 116, 504

contour plots, 116, 503

method, 505

output, 506

variables, 504

CONTOUR statement, 711

conventions

of user's guide, 14

Cook's D, 225

fit analyses, 639

Cook, R.D., 639, 643

Copy Window, 319

Copy Window, 319

Copy Window, 324–325, 334

copying

data to disk, 396

windows, 319

CORR

see correlation

corrected sums of squares and crossproducts, 664

correlation, 275–276, 665

and confidence ellipses, 616, 694

correlation coefficient, 278

correlation coefficients

in principal component analysis, 289

Correlation Matrix, 278

correlation matrix, 289, 699

descriptive statistics, 664

in principal component analysis, 286

multivariate analyses, 664

correlation matrix of the parameter estimates

generalized linear models, 575

correlations of the parameter estimates

fit analyses, 571

COV

see covariance

covariance matrix, 699

descriptive statistics, 664

in principal component analysis, 286

covariance matrix of the parameter estimates

fit analyses, 570

generalized linear models, 575

Covratio, 225

fit analyses, 640

Cox, D.R., 643

creating

bar chart, 470

bar charts, 70

box plots, 77

confidence ellipses, 278

contour plots, 116

distribution analysis, 524

fit analysis, 583

formats, 359

line plots, 98

mosaic plots, 86

multivariate analysis, 648

rotating plots, 108

scatter plots, 89

surface plots, 114

variables, 295

creating custom color blends, 172

Cross button, 239, 583

cross validation, 582

fitting curves, 206

crossed effects
 fit analyses, 583
 CSS
 see corrected sums of squares
 distribution analyses, 531–532
 CSSCP, 699
 see corrected sums of squares and crossproducts

Ctrl key, 9

Cube, 111

cube, 111

Cube, 514

cubic spline estimator, 622

Cumulative Distribution, 530

cumulative distribution
 confidence band, 555
 empirical, 554
 empirical distribution, 554
 fit parametric, 556
 Kolmogorov statistic, 554
 parametric distribution, 556
 test for a specific distribution, 558
 test for distribution, 559

cumulative distribution function, 522
 exponential distribution, 523
 lognormal distribution, 522
 normal distribution, 522
 Weibull distribution, 523

currency format, 354

cursor, 8

 distance from, 432

 shape of, 370–371

curve-fitting, 195

curves, 195

Curves, 201

curves, 615

Curves, 695

curves

 adding, 201

 colors, 202

 distribution analyses, 549

 fitting, 201

 nonparametric, 205

 patterns, 202

 width, 202

Curves:Confidence Curves, 620

Curves:Kernel, 613, 625

Curves:Polynomial, 201

Curves:Prediction Confidence Ellipse,
 278

Curves:Spline, 611, 623

CV

 see coefficient of variation

 distribution analyses, 531–532

D

D

 see Cook's D

 see Kolmogorov statistic

 see Kolmogorov's D

Data, 396

data

 entering, 27

 examining, 47

 exploring, 69

 extracting, 465

 fast entry, 39

 fill, 43

 printing, 395, 398

 saving, 395–396

 size of, 49

 sorting, 54

 subset of, 465

 windows, 48

data analysis, 5

data exploration, 5

DATA option, 707

data set, 27, 457

Data Set, 458

data set, 458

 see saving data

data set dialog, 48, 458

data values

 editing, 464

data window, 457

 opening, 458

 scrolling, 49

Data:Fill, 396

Data:Move to Last, 51

Data:Sort, 464

DATA=, 458

decimal format, 352

default

 variable role, 139

default options

 see configuring SAS/INSIGHT software

default role, 460

default roles

 group variables, 337

default values

 see configuring SAS/INSIGHT software

default variables

 group, 337

defaults

 marker size, 162

Define Variables, 139, 337

deflist

 see markers

degree

 of polynomial fit, 199

degree of expansion, 584

degrees of freedom, 206, 256, 298, 594–595, 597–
 599, 601

Delete, 228, 270

Delete, 323

Delete, 324, 383–384

deleting

 brush, 97

 effects, 323–324

- graphs, 382, 384
- tables, 382, 384
- variables, 323
- density
 - parametric estimation, 550
- Density Estimation**, 529
- density estimation
 - kernel estimation, 552
- density function, 522, 573
 - exponential distribution, 523
 - lognormal distribution, 522
 - normal distribution, 522
 - Weibull distribution, 523
- dependent variable
 - see response variable
- Depth**, 112, 514
- depth cueing, 112
- descriptive statistics
 - confidence interval for mean, 534
 - confidence interval for std dev, 534
 - correlation matrix, 664
 - covariance matrix, 664
 - frequency table, 537
 - inverse correlation matrix, 666
 - location tests, 535
 - moments, 531
 - p-values of the correlations, 665
 - quantiles, 533
 - univariate statistics, 663
- deselecting, 97
- design matrix, 569, 608
- deviance, 217, 240, 256, 269
- Deviance**, 576
- deviance, 593–595
 - binomial, 577
 - gamma, 577
 - generalized linear models, 576
 - inverse Gaussian, 577
 - normal, 577
 - Poisson, 577
- deviance residuals
 - fit analyses, 636
- Devlin, S.J., 643
- DF
 - see degrees of freedom
- Dfbetas, 225
 - fit analyses, 640
- Dffits, 225
- Dffits**, 226
- Dffits
 - fit analyses, 639
- diagnostic statistics, 569
- differing means, 483
- Dillon, W.R., 701
- dimension
 - reducing, 284
- dimensionality
 - reducing, 651
- discrete variable
 - see nominal variable
- DISCRIM procedure, 443
- discriminant analysis, 442
- disease
 - see DRUG data set
- dispersion parameter, 573–574
 - generalized linear models, 572, 576
 - quasi-likelihood, 579
- display, 8
 - options, 430
- Display Options**, 406
- Display options, 430
- DIST statement, 712
- distance from
 - cursor, 432
- Distribution (Y)**, 355, 378, 521, 524
- Distribution (Y)**, 317, 332
- distribution
 - of response variable, 572
- distribution analyses, 521
 - bar chart, 545
 - box plot, 545
 - coefficient of variation, 531–532
 - confidence interval for variance, 534
 - confidence intervals, 534
 - CSS, 531–532
 - curves, 549
 - CV, 531–532
 - exponential distribution, 523
 - exponential quantile, 547
 - frequency table, 537
 - Gini's mean difference, 538
 - histogram, 545
 - interquartile range, 533
 - kernel estimation, 552
 - kurtosis, 525, 531–532
 - location tests, 535
 - lognormal distribution, 522
 - lognormal quantile, 547
 - maximum, 533
 - median, 533
 - method, 525
 - minimum, 533
 - mode, 533
 - moments, 531
 - mosaic plot, 545
 - nominal variable, 562
 - normal distribution, 522
 - normal quantile, 547
 - output, 528
 - parametric density, 550
 - parametric distributions, 522
 - Q1, 533
 - Q3, 533
 - QQ plot, 546
 - QQ ref line, 561
 - quantile-quantile plot, 546
 - quantiles, 533
 - range, 533

- skewness, 525, 531–532
- standard error of the mean, 531–532
- sum of squares corrected for the mean, 531–532
- tables, 531
- test for a specific distribution, 558
- test for distribution, 559
- trimmed mean, 542
- trimmed means, 542
- trimmed t statistic, 542
- uncorrected sum of squares, 531–532
- USS, 531–532
- variables, 524
- Weibull distribution, 523
- Weibull quantile, 547
- Weight variable, 524
- Winsorized mean, 542
- Winsorized means, 542
- Winsorized sum of squared deviations, 542
- Winsorized t statistic, 542
- distribution analysis
 - groups, 332
- distribution location tests
 - sign statistic, 536
 - signed rank statistic, 536
 - Student's t statistic, 536
- distributions
 - comparing in box plots, 478
- Dixon, W.J., 543, 564
- Dobson, A.J., 643
- DOLLAR format, 354
- double-click, 48
- double-clicking, 458
- draftsman's display
 - see scatter plot matrix
- dragging, 8, 89
 - brush, 96
 - creating a brush, 94
- drilling
 - MINING data set, 19
- DRUG data set, 18, 236, 396
- Dunnett's test with control, 485

E

- E
 - see exponential format
- Edit:Delete**, 228, 270, 324, 383
- Edit:Formats**, 352–353, 356, 358
- Edit:Formats:Other**, 353, 360
- Edit:Observations:Exclude in Calculations**, 321
- Edit:Observations:Find**, 57, 314
- Edit:Observations:Hide in Graphs**, 144
- Edit:Observations:Invert Selection**, 150
- Edit:Observations:Label in Plots**, 135
- Edit:Observations:Show in Graphs**, 146
- Edit:Observations:UnLabel in Plots**, 136
- Edit:Variables**, 296, 307
- Edit:Variables:log(Y)**, 265, 326
- Edit:Variables:log(Y)**, 297

- Edit:Variables:Other**, 300, 304
- Edit:Windows:Align**, 336, 391
- Edit:Windows:Animate**, 343
- Edit:Windows:Copy Window**, 319, 324–325, 334
- Edit:Windows>Delete**, 384
- Edit:Windows:Display Options**, 406, 430
- Edit:Windows:Fonts**, 404
- Edit:Windows:Freeze**, 320
- Edit:Windows:Renew**, 137, 147, 327, 375–376
- Edit:Windows:Tools**, 157, 167, 369
- editing
 - data values, 464
 - variables, 295
- editing formats
 - see formats
- editing graphs
 - see graphs
- editing marker sizes
 - see markers
- editing observations
 - excluding, 321
 - hiding, 144
 - labeling, 135
 - showing in graphs, 146
- editing windows, 367
- effects
 - deleting, 228, 323
 - in model, 238
 - nominal, 240, 590
 - removing from model, 227, 258
 - specifying, 583
- Eigenvalue, 605
- Eigenvalues, 288
- eigenvalues, 651
- Eigenvectors, 288
- eigenvectors, 651
- ellipses
 - confidence, 278
- empirical
 - cumulative distribution, 554
- empirical distribution
 - cumulative distribution, 554
- End**, 65, 318
- entering
 - numeric data with keypad, 42
- Epanechnikov, V.A., 552, 564
- error term
 - in linear model, 568
- estimated CORR matrix
 - fit analyses, 606
- estimated COV matrix
 - fit analyses, 606
- Eubank, R.L., 643
- Exact Distribution**, 585–586
- Exact Distribution
 - fit analyses, 585–586
- examining
 - data, 47

examining the means
 analysis of variance, 244
Exclude in Calculations, 321
 Exclude in Calculations, 321
 excluding observations, 321
 excluding observations from calculations, 318
 exiting SAS/INSIGHT software, 65
Expand button, 239, 266, 584
 expanded effects
 fit analyses, 584
 explanatory variable, 568–569, 583
 explanatory variables, 214
 exploration, 5
 exploring data, 69, 85, 108
 exponential
 quantile, 547
 test for distribution, 559
 exponential distribution
 distribution analyses, 523
 fit parametric, 556
 parametric distributions, 523
 testing for, 559
 exponential family of distributions
 fit analyses, 572
 generalized linear models, 572
 exponential format, 353
 exponential quantile
 distribution analyses, 547
 extended
 selection, 9–10
 extended selection, 10
 and color blends, 171
 brushing, 96
Extract, 316, 465
 extracted data windows
 names of, 316
 extracting
 observations, 314
 extracting data, 465

F

F statistic
 in analysis of variance, 241–242
 in multiple regression, 217–218
 F test
 in analysis of variance, 218, 242
 F-statistic
 in analysis of variance, 594
 in type I tests, 595
 in type III tests, 597
 factorial expansion, 584
 features of
 bar charts, 72
 box plots, 78
 SAS/INSIGHT software, 6
 Feller, W., 564
 FILE option, 707
File:End, 65, 318
File:Open, 65, 458

File:Print, 399
File:Print:Print file, 420
File:Save:Data, 396
File:Save:Initial Tables, 420
File:Save:Options, 44
File:Save:Tables, 418
 files
 printing, 420
Fill Areas, 507
Fill Values, 464
Find, 57, 314
Find Next, 59, 463
 finding
 observations, 149
 finding observations, 57, 314, 463
First 2 Components Plot, 683
First 3 Components Plot, 683
 Fisher
 IRIS data set, 19
 FISHER option, 714
Fisher's Scoring, 586
 Fisher's Scoring
 fit analyses, 586
 Fisher's scoring method
 generalized linear models, 575
 Fisher, R.A., 19, 442, 564, 701
 fisheye lens, 499
Fit (Y X), 196, 251, 253, 263, 266, 567, 583
Fit (Y X), 214, 235, 302, 318, 323
 fit analyses, 567
 analysis of deviance for generalized linear models,
 595
 analysis of variance for linear models, 594
 Anscombe residuals, 637
 Apply button, 584
 Binomial variable, 585
 collinearity, 600
 collinearity diagnostics, 569, 605
 condition index, 605
 condition number, 605
 confidence ellipses, 615
 confidence interval for parameters, 602
 Constant, 585
 Cook's D, 639
 correlations of the parameter estimates, 571
 covariance matrix of the parameter estimates, 570
 Covratio, 640
 crossed effects, 583
 deviance residuals, 636
 Dfbetas, 640
 Dffits, 639
 estimated CORR matrix, 606
 estimated COV matrix, 606
 Exact Distribution, 585–586
 expanded effects, 584
 exponential family of distributions, 572
 Fisher's Scoring, 586
 fit curves, 615
 Freq variable, 584

- generalized linear models, 572
- goodness of fit, 576
- Group variables, 584
- hat matrix, 570
- hat matrix diagonal, 631
- influence diagnostics, 630
- kernel estimator, 612, 624
- kernel function, 612, 624
- Label variable, 584
- leverage plots, 608
- leverage variables, 638
- likelihood function, 574
- linear model, 568–569
- linear models, 569
- link function, 573
- maximum-likelihood estimation, 574
- mean confidence curves, 620
- mean square error, 570
- method, 585
- model equation, 240, 590
- model information, 240, 590
- multicollinearity, 600
- nested effects, 584
- nominal variable information, 240, 590
- nonparametric model, 568
- nonparametric smoothers, 580
- normal equation, 570
- normal kernel, 612, 624
- normal weight, 626
- Offset variable, 585
- output, 587
- parameter estimates for generalized linear models, 601
- parameter estimates for linear models, 599
- parameter information, 240, 590
- parametric confidence curves, 620
- parametric polynomial, 618
- parametric regression model, 568
- partial leverage plots, 608
- partial leverage variables, 638
- Pearson residuals, 636
- predicted curves, 634
- predicted mean vector, 570
- predicted surfaces, 633
- predicted values, 632
- prediction confidence curves, 620
- prediction confidence ellipses, 616, 694
- projection matrix, 570
- quadratic kernel, 612, 624
- quadratic weight, 626
- Quasi-Likelihood, 585
- quasi-likelihood functions, 577
- residual normal QQ Plot, 608
- residual normal quantiles, 632
- residual plots, 607
- residual-by-predicted plot, 607
- residuals, 632
- scale parameter, 576
- scatter plot smoother, 580
- smoother degrees of freedom, 581
- smoother generalized cross validation, 582
- smoothing spline, 610, 622
- standardized residuals, 635
- statistical models, 568
- studentized residuals, 635
- sum of squares for error, 570
- summary of fit for generalized linear models, 593
- summary of fit for linear models, 592
- tables, 590
- tolerance, 600
- tri-cube weight, 626
- triangular kernel, 612, 624
- triangular weight, 626
- type I tests, 595
- type III tests, 597
- variables, 583, 630
- variance, 570
- variance inflation factor, 600
- Weight variable, 584
- weighted analyses, 641
- X variable, 583
- X variable effects, 583
- X'X matrix, 591
- Y variable, 583
- fit curves
 - fit analyses, 615
 - kernel, 624
 - nonparametric local polynomial smoother, 626
 - nonparametric smoothers, 580
 - parameter estimates, 618
 - parametric confidence curves, 620
 - parametric confidence ellipses, 615
 - parametric polynomial, 618
 - polynomial equation, 618
 - smoother degrees of freedom, 581
 - smoother generalized cross validation, 582
 - smoothing spline, 610, 622
- fit parametric
 - cumulative distribution, 556
- Fit Parametric:Normal:Sample Mean, Std Dev**, 556
- FIT statement, 713
- fitting curves, 195
 - cross validation, 206
 - generalized cross validation, 206
 - loess smoother, 208
 - loess smoother fit, 208
 - normal kernel fit, 205
 - parametric regression, 196
 - polynomial, 196
- fitting techniques, 615
- five-color blends, 172
- flipping graphs, 386–388
- focus
 - see zooming
- fonts
 - choosing, 404
- footnotes, 408–409, 412

FORMAT procedure, 351, 359

Formats, 352–353, 356, 358

formats

and group variables, 339

assigning, 352

creating, 359

currency, 354

decimal, 352

exponential, 353

in analysis tables, 357

in data window, 356

in groups, 361

of axes, 355–356

of values, 357

scientific, 353

sorting by, 464

use in calculations, 361

Formats:Other, 353, 360

formatting, 351

group variables, 339

formula

see transformation

Freedman, D., 231

Freeze, 320

Freeze, 320

freezing windows, 320

Freq

see frequency

FREQ option, 710, 712–713

Freq variable

fit analyses, 584

multivariate analyses, 648

frequency role, 460

frequency table

descriptive statistics, 537

distribution analyses, 537

frequency values

in bar charts, 471

in box plots, 480

in distribution analyses, 525

in fit analyses, 585

in multivariate analyses, 649

frequency variable

in box plot, 470

in box plots, 478

in distribution analyses, 524

G

Gamma, 573

gamma

deviance, 577

log-likelihood function, 574

response distribution, 573

gamma deviance

generalized linear models, 577

gamma distribution

generalized linear models, 573

gamma log-likelihood function

generalized linear models, 574

GCV

see generalized cross validation

general linear model, 235

see linear model

generalized cross validation

fitting curves, 206

generalized linear model, 567–568

components of, 252–253, 264–265

logistic regression, 251

Poisson regression, 263

specifying, 253, 266

generalized linear models, 572

binomial deviance, 577

binomial distribution, 573

binomial log-likelihood function, 574

canonical link function, 574

canonical parameter, 572

complement log-log link function, 573

confidence interval, 603

constant for scale parameter, 576

correlation matrix of the parameter estimates, 575

covariance matrix of the parameter estimates, 575

deviance, 576

dispersion parameter, 572, 576

exponential family of distributions, 572

Fisher's scoring method, 575

fit analyses, 572

gamma deviance, 577

gamma distribution, 573

gamma log-likelihood function, 574

goodness of fit, 576

gradient vector, 575

Hessian matrix, 575

identity link function, 573

inverse Gaussian deviance, 577

inverse Gaussian distributions, 573

inverse Gaussian log-likelihood function, 574

likelihood function, 574

linear predictor, 572

link function, 572–573

log link function, 573

logit link function, 573

maximum quasi-likelihood estimation, 579

maximum-likelihood estimate for scale parameter,
576

maximum-likelihood estimation, 574

mean deviance, 577

mean deviance for scale parameter, 576

mean Pearson chi-squared, 577

mean Pearson chi-squared for scale parameter, 576

natural parameter, 572

normal deviance, 577

normal distribution, 573

normal log-likelihood function, 574

offset, 572

overdispersion, 577

Pearson chi-squared, 577

Poisson deviance, 577

Poisson distribution, 573

- Poisson log-likelihood function, 574
- power link function, 573
- probit link function, 573
- quasi-likelihood functions, 577
- response distribution, 573
- scale parameter, 576
- scale parameter estimates, 576
- scaled deviance, 576
- scaled Pearson chi-squared, 577
- variance function, 572
- generalized residuals, 631
- Gini's mean difference
 - distribution analyses, 538
 - robust estimation, 538
- Goldstein, M., 701
- goodness of fit, 576, 610, 622
 - fit analyses, 576
 - generalized linear models, 576
- GPA data set, 89, 108, 144, 156, 214, 276, 368
- grade point average, 18
- grabber
 - see hand tool
- grade point average
 - GPA data set, 18
- gradient vector
 - generalized linear models, 575
- graph
 - options, 430
- Graph options, 430
- graphics
 - printing, 403
 - saving, 403
- Graphs**, 239, 254, 545, 681
- graphs
 - adding, 378, 380–381
 - aligning, 391
 - bar chart, 545
 - box plot, 545
 - deleting, 382, 384
 - flipping, 386–388
 - growing, 385
 - histogram, 545
 - margin between, 432
 - mosaic plot, 545
 - moving, 385
 - multivariate analyses, 681
 - orienting, 386–388
 - QQ plot, 546
 - shrinking, 385
 - size of, 432
 - sizing, 385
- Graphs:First 2 Components Plot**, 683
- Graphs:First 3 Components Plot**, 683
- Graphs:Partial Leverage**, 221
- Graphs:QQ Plot**, 546, 548
- Grosse, E., 643
- group
 - default variables, 337
- group role, 460

- group variable
 - in box plots, 478
 - in line plot, 490
 - in rotating plots, 512
- group variables, 331–332
 - default roles, 337
- Group variables
 - fit analyses, 584
- group variables
 - formatting, 339
 - in contour plots, 504
 - in distribution analyses, 524
 - in rotating plots, 496
- Group variables
 - multivariate analyses, 648
- group variables
 - order of, 338
- groups
 - analyzing by, 331
 - order of, 460

H

- hand
 - adjusting axes, 127
- hand tool, 52, 463
- Hastie, Y.J., 206–207, 643
- Hat Diag**, 222
- hat diagonal, 222
- hat matrix
 - fit analyses, 570
- hat matrix diagonal
 - fit analyses, 631
- heights
 - of bars, 472
- Help**, 14
- help
 - context-sensitive, 15
- Help key, 15
- help system, 14, 17
 - index, 16
 - SAS/INSIGHT software, 14, 17
- Help:Index**, 16
- Help:Introduction**, 16
- Help:Reference**, 16
- Help:Techniques**, 16
- Hessian matrix
 - generalized linear models, 575
- Hide in Graphs**, 144
- hiding observations, 143–144
- Hinkley, D.V., 643
- histogram, 469
 - distribution analyses, 545
 - graphs, 545
- Histogram/Bar Chart (Y)**, 70, 74
- Hoaglin, D.C., 643
- holding the mouse button, 374
- horizontal
 - see orientation

Horizontal Axis at Bottom, 472, 482, 491, 497, 506

host, 8
 available colors, 169
 host resources, 425, 438
 Hotelling's T-squared statistic, 615, 694
 Hotelling, H., 701
 Hsu's test for best, 485
 Hsu's test for worst, 485
 Hsu, J. C., 483, 485
 HTML, 422
 hypothesis testing, 217–218, 241–242, 256, 521, 535, 549, 554–555, 569, 594–598, 600, 604

I

identifying observations, 90, 133, 289
 in box plots, 79

Identity, 573

identity
 link function, 573
 identity link function
 generalized linear models, 573
 ill conditioned, 605
 Iman, R.L., 536, 564
 in analysis of variance
 mean, 244
 in distribution analyses
 frequency variable, 524
 group variables, 524
 label variable, 524
 in multiple regression
 parameter estimates, 218
 in Multivariate analysis
 scatter plot matrix, 278
 in principal component analysis
 correlation coefficients, 289
 include/exclude state, 444
 Include/Exclude state, 461
 independent variable
 see explanatory variable

Index, 16

index
 help system, 16
 SAS/INSIGHT User's Guide, 14
 INFILE option, 707
 influence diagnostics
 fit analyses, 630
 influential observations, 226, 631, 639–640
Initial Tables, 420
 initial values
 see default values
 initializing
 see configuring SAS/INSIGHT software
 input data set
 see DATA= option
 interaction effect, 238
 interaction effects
 specifying, 266
 Interactive Data Analysis, 28

Intercept, 584

intercept
 QQ ref line, 561
 interpreting
 confidence ellipses, 279
 interquartile range
 distribution analyses, 533
 interval variable, 460
 interval variables, 49, 70
 in analysis of variance, 236

Introduction, 16

inverse correlation matrix
 descriptive statistics, 666
 multivariate analyses, 666

Inverse Gaussian, 573

inverse Gaussian
 deviance, 577
 log-likelihood function, 574
 response distribution, 573
 inverse Gaussian deviance
 generalized linear models, 577
 inverse Gaussian distributions
 generalized linear models, 573
 inverse Gaussian log-likelihood function
 generalized linear models, 574

Invert Selection, 150

invisible observations, 146

invoking
 SAS/INSIGHT software, 48
 IRIS data set, 442
 Fisher, 19

J

Jobson, J.D., 701
 Johnson, N.L., 564
 joint distribution, 151
 journaling SAS/INSIGHT session
 see saving tables

K

Kaiser, H.F., 652, 701
 Kent, J.T., 701
 kernel
 fit curves, 624
 normal, 205
 kernel estimation
 approximate mean integrated square error, 552
 bandwidth, 552, 612, 624
 density estimation, 552
 distribution analyses, 552
 mean integrated square error, 552
 normal, 552
 normal distribution, 552
 quadratic, 552
 quadratic distribution, 552
 triangular, 552
 triangular distribution, 552
 kernel estimator
 fit analyses, 612, 624

- in fit analyses, 568
- kernel function
 - choice of, 552
 - fit analyses, 612, 624
 - normal, 612, 624
 - quadratic, 612, 624
 - triangular, 612, 624
- Kleiner, B., 564
- Kolmogorov statistic, 558
 - cumulative distribution, 554
- Kotz, S., 564
- Krzanowski, W.J., 701
- Kuh, E., 225, 231, 605, 631, 643
- kurtosis, 531–532
 - distribution analyses, 525, 531–532
- Kutner, M.H., 238
- Kvalseth, T.O., 643

L

- label
 - in data window, 136
 - observations, 133
 - permanent, 135
 - removing, 136
 - temporary, 134–135
- Label** button, 137
- Label in Plots**, 135
- LABEL option, 710–713
- label role, 460
- label variable, 137, 139
- Label variable
 - fit analyses, 584
- label variable
 - in box plot, 470
 - in box plots, 478
 - in contour plots, 504
 - in distribution analyses, 524
 - in line plot, 490
 - in rotating plots, 512
- Label variable
 - multivariate analyses, 648
- label variables
 - in box plots, 78
 - in rotating plots, 496
- label/unlabel state, 444
- Label/UnLabel state, 461
- labeling observations, 90
- Labels**, 472, 482, 491, 497, 506, 514
- labels
 - bar chart axes, 472
 - box plot axes, 482
 - contour plot axes, 506
 - line plot axes, 491
 - of transformed variables, 304
 - rotating plot axes, 514
 - scatter plot axes, 497
- lack of fit
 - see goodness of fit
- layout

- scatter plot matrix, 93
- learning
 - SAS/INSIGHT software, 14
- least-squares estimates, 569
- Lee, E.T., 20
- Lehmann, E.L., 536, 564
- level
 - see classification variable
 - see group
 - see measurement level
- level sets, 116
- leverage plots
 - fit analyses, 608
- leverage variables
 - fit analyses, 638
- LIBNAME statement, 458
- library, 48
- Library**, 458
- likelihood function
 - fit analyses, 574
 - generalized linear models, 574
- likelihood ratio, 604
- likelihood ratio test, 257
- likelihood-based
 - confidence interval, 604
- likelihood-ratio statistic
 - type III tests, 598
- line fit, 198
- line plot, 489
- Line Plot (Y X)**, 98, 490
- line plot
 - method, 490
 - output, 491
 - variables, 490
- line plots, 85
- LINE statement, 710
- linear model, 568
 - fit analyses, 568–569
- linear models
 - confidence interval, 603
 - fit analyses, 569
- linear predictor
 - generalized linear models, 572
- linear regression, 198
- link function, 572
- Link Function**, 585
- link function, 585, 590
 - canonical, 574
 - complement log-log, 573
 - fit analyses, 573
 - generalized linear models, 572–573
 - identity, 573
 - log, 573
 - logit, 573
 - power, 573
 - probit, 573
- LINK option, 713
- linking of windows, 90, 320
- local polynomial fit

- weight function, 626
- locating observations
 - see finding observations
- Location Tests**, 537
- location tests, 537
 - descriptive statistics, 535
 - distribution analyses, 535
- loess fit
 - weight function, 626
- loess smoother
 - fitting curves, 208
- loess smoother fit
 - fitting curves, 208
- log, 326
- Log**, 573
- log
 - link function, 573
- log link function
 - generalized linear models, 573
- log transformation, 265, 296
- log(Y)**, 265, 326
- log(Y)**, 297
- log-likelihood function
 - binomial, 574
 - gamma, 574
 - inverse Gaussian, 574
 - normal, 574
 - Poisson, 574
- logistic regression, 251
 - analysis of deviance, 256
 - model equation, 255
 - modifying the model, 257
 - parameter estimates, 256
 - residuals-by-predicted plot, 256
 - summary of fit, 256
 - type III (LR) tests, 257
 - type III (Wald) tests, 256
- Logit**, 573
- logit
 - link function, 573
- logit link function
 - generalized linear models, 573
- lognormal
 - quantile, 547
 - test for distribution, 559
- lognormal distribution
 - distribution analyses, 522
 - fit parametric, 556
 - parametric distributions, 522
 - testing for, 559
- lognormal quantile
 - distribution analyses, 547
- LR
 - see likelihood ratio

M

- magnifying glass tool, 368–370
- main effect, 238
- major ticks, 124

- manager, 441
- Mardia, K.V., 701
- margin between
 - graphs, 432
- marginal histograms, 378, 390
- marker, 49
- Marker Sizes**, 160–161
- marker sizes
 - in bar chart, 473
- marker state, 461
- markers, 90, 155, 157, 444
 - assigning by variable, 158
 - size of, 160
- MARKERSIZE option, 710–712
- matrix
 - of rotating plots, 113
- matrix, correlation
 - see correlation matrix
- matrix, covariance
 - see covariance matrix
- matrix, design
 - see design matrix
- matrix, hat
 - see hat matrix
- matrix, Hessian
 - see Hessian matrix
- matrix, patter
 - see pattern matrix
- matrix, X'X
 - see X'X matrix
- maximum, 663
 - distribution analyses, 533
- maximum quasi-likelihood estimation
 - generalized linear models, 579
- maximum redundancy
 - multivariate analyses, 655
- maximum-likelihood estimate
 - scale parameter estimates, 576
- maximum-likelihood estimate for scale parameter
 - generalized linear models, 576
- maximum-likelihood estimation
 - fit analyses, 574
 - generalized linear models, 574
- McCabe, G.P., 18, 217, 231, 241, 276, 280
- McCullagh, P., 20, 260, 264, 572, 577, 643
- McLaughlin, D.H., 542–543
- McLaughlin, D.H., 564
- mean, 217, 240
- Mean**, 245
- mean, 256, 269, 357, 478
- Mean**, 481
- mean, 531–532, 556, 574, 592, 663, 699
 - box plot, 245
 - confidence curves, 620
 - confidence ellipse, 694
 - in analysis of variance, 244
- mean confidence curves
 - fit analyses, 620
- mean confidence ellipse

- multivariate analyses, 694
- mean confidence ellipses, 617
- mean deviance
 - generalized linear models, 577
 - scale parameter estimates, 576
- mean deviance for scale parameter
 - generalized linear models, 576
- mean diamonds, 80, 247
- mean integrated square error
 - kernel estimation, 552
- mean line fit, 199
- mean Pearson chi-squared
 - generalized linear models, 577
 - scale parameter estimates, 576
- mean Pearson chi-squared for scale parameter
 - generalized linear models, 576
- mean square error, 206
 - fit analyses, 570
- means, 80
- measurement level, 49, 236, 460
 - assigning, 237
 - variables, 460
- median, 78, 477, 480
 - distribution analyses, 533
- memory
 - storing data set in, 396
- memory, optimizing, 162
- menu, 8, 10
 - pulldown, 10
- menu bar, 10
- method
 - bar chart, 471
 - box plots, 480
 - contour plots, 505
 - distribution analyses, 525
 - fit analyses, 585
 - line plot, 490
 - multivariate analyses, 649
 - options, 426, 428
 - rotating plots, 513
 - scatter plots, 496
- Method** button, 266, 480, 527, 585, 650, 653
- Method dialog
 - Fit window, 253, 266
- method options, 426, 428
- minimum, 663
 - distribution analyses, 533
- MINING data set, 314
 - drilling, 19
- MININGX data set, 19, 196
- minor ticks, 124
- MISE**, 553
- MISE
 - see mean integrated square error
- missing values, 56, 299
 - in bar charts, 471
 - in box plots, 480
 - in contour plots, 505
 - in distribution analyses, 525, 527
 - in fit analyses, 585
 - in line plots, 490
 - in multivariate analyses, 649
 - in rotating plots, 513
 - in scatter plots, 496
- MLE**, 576
- MLE
 - see maximum-likelihood estimate
- MLE, Theta=0**, 556
- mode
 - distribution analyses, 533
 - parametric density, 551
- model
 - modifying, 584
 - removing effects, 227, 258
 - specifying effects, 583
- model effects, 238
- model equation
 - fit analyses, 240, 590
 - logistic regression, 255
 - multiple regression, 217, 289
- model information
 - fit analyses, 240, 590
 - in Fit window, 254, 269
- modifying
 - see editing
- modifying the model
 - logistic regression, 257
 - multiple regression, 227
 - poisson regression, 270
- moments, 533
 - descriptive statistics, 531
 - distribution analyses, 531
- monochrome images, 406
- Moore, D.S., 217, 231, 241, 276, 280
- Morrison, D.F., 701
- mosaic plot
 - distribution analyses, 545
 - graphs, 545
- mosaic plots, 85, 478
- Motif window manager
 - setting X resources, 438
- mouse, 8
- mouse button, 8
- Move to First**, 463
- Move to Last**, 51, 463
- moving
 - columns, 54
 - graphs, 385
 - tables, 385
- moving observations, 463
- MSE
 - see mean square error
- Muenchen, R.A., 517
- MULT statement, 712
- multicollinearity
 - fit analyses, 600
- multiple
 - selection, 8

multiple color blends, 170
multiple comparison circles, 485
multiple comparison of means, 81
Multiple Comparison of Means, 481
Multiple Comparison Options, 482–483
Multiple Comparison Test, 483
multiple comparison tests
 Dunnett's test with control, 485
 Hsu's test for best, 485
 Hsu's test for worst, 485
 pairwise Bonferroni, 484
 pairwise t-test, 484
 Tukey-Kramer all pairs, 484
multiple regression, 213
 adding tables and graphs, 220
 analysis of variance, 217
 collinearity diagnostics, 220
 model equation, 217, 289
 modifying the model, 227
 parameter estimates, 218
 partial leverage plots, 221
 residual-by-hat diagonal plot, 222
 residual-by-predicted plot, 219
 saving the residuals, 230
 summary of fit, 217
 type III tests, 218
Multivariate (Y's), 276, 647–648
Multivariate (Y's), 284
multivariate analyses, 647
 canonical correlation, 654
 canonical discriminant, 655
 canonical variables, 698
 confidence ellipses, 694
 corrected sums of squares and crossproducts, 664
 correlation matrix, 664
 Freq variable, 648
 graphs, 681
 Group variables, 648
 inverse correlation matrix, 666
 Label variable, 648
 maximum redundancy, 655
 mean confidence ellipse, 694
 method, 649
 output, 657
 p-values of the correlations, 665
 prediction confidence ellipse, 694
 principal component plots, 682
 principal components, 651, 697–698
 principal components rotation, 653
 scatter plot matrix, 681
 sums of squares and crossproducts, 663
 tables, 663
 univariate statistics, 663
 variables, 648
 variance divisor, 650
 Weight variable, 648
 weighted analyses, 699
Multivariate analysis, 283
Myers, R.H., 230–231

N

N, 663
 see number of observations
name mangling, 409
Names, 472, 482, 491, 497, 506, 514
names
 of data windows, 316
 of transformed variables, 304
names of
 extracted data windows, 316
names of tables, 422
naming
 catalog entries, 408–409
 Cook's D variables, 639
 Covratio variables, 640
 data sets, 397
 dfbetas variables, 640
 Dffits variables, 639
 partial leverage variables, 638
 residual variables, 633, 635–638
 variables, 631
natural parameter
 generalized linear models, 572
navigating, 33
Nelder, J.A., 20, 260, 264, 572, 577, 643
Nest button, 584
nested effects
 fit analyses, 584
New Observations, 464
New Variables, 464
NOBUTTON option, 708
NOCONFIRM option, 708
NOEXACT option, 714
NOINT option, 713
NOMENU option, 708
nominal variable, 460
 distribution analyses, 562
nominal variable information
 fit analyses, 240, 590
nominal variables, 49, 73
 in analysis of variance, 236
noncontiguous
 selection, 9–10
noncontiguous selection, 10
nonparametric curves, 205
Nonparametric Curves button, 588
nonparametric local polynomial smoother
 fit curves, 626
nonparametric model
 fit analyses, 568
nonparametric regression, 205
nonparametric smoothers
 fit analyses, 580
 fit curves, 580
Normal, 573
normal
 deviance, 577
 kernel estimation, 552
 kernel function, 612, 624

- log-likelihood function, 574
- quantile, 547
- response distribution, 573
- test for distribution, 559
- weight function, 626
- normal deviance
 - generalized linear models, 577
- normal distribution, 279
 - distribution analyses, 522
 - fit parametric, 556
 - generalized linear models, 573
 - kernel estimation, 552
 - parametric distributions, 522
 - testing for, 559
- normal equation
 - fit analyses, 570
- normal kernel
 - fit analyses, 612, 624
- normal kernel fit
 - fitting curves, 205
- normal log-likelihood function
 - generalized linear models, 574
- normal quantile
 - distribution analyses, 547
- normal quantile-quantile plot
 - fit analyses, 608
- normal quantiles, 633
- normal weight
 - fit analyses, 626
- NOSCROLL option, 708
- null hypothesis
 - see hypothesis testing
- number of observations
 - as label, 135
 - as observation label, 90
 - in data window, 461
 - in Moments table, 531–532
- number of variables
 - in data window, 459

O

- objects, 418
 - output, 422
- observation, 27
- observation number
 - as label, 135
 - as observation label, 90
- observation state, 444
- observation states, 444, 461
 - saving, 396, 462
- Observations**, 246
- observations, 461
- Observations**, 473
- observations
 - number of, see number of observations
 - adding, 34
 - brushing, 94, 151
 - coloring, 165
 - deselecting, 145

- excluding, 318
- extracting, 314
- finding, 57, 149, 314, 463
- hiding, 143–144
- identifying, 90
- in bar chart, 473
- invisible, 149
- labeling, 90
- markers, 49, 90
- marking, 155
- new, 464
- querying for, 57
- selecting, 90
- slicing, 143, 151
- sorting, 54, 464
- states, 461
- toggling display of, 143, 147, 246
- Observations:Exclude in Calculations**, 321
- Observations:Hide in Graphs**, 144
- Observations:Invert Selection**, 150
- Observations:Label in Plots**, 135
- Observations:Show in Graphs**, 146
- Observations:UnLabel in Plots**, 136
- ODS
 - see Output Delivery System
- of data windows
 - names, 316
- offset
 - generalized linear models, 572
 - of bars, 471, 473
- OFFSET option, 713
- Offset variable
 - fit analyses, 585
- OK** button, 214
- Open**, 65, 458
- OPEN statement, 708
- opening
 - data set, 458
 - data window, 458
- operation of
 - SAS/INSIGHT software, 8
- optimizing memory, 162
- optional variables, 78
- options, 426, 428
- Options**, 430
- options
 - BINOM, 713
 - box plot, 245
 - CONSTANT, 714
 - DATA, 707
 - display, 406, 430
 - distribution, 379
 - FILE, 707
 - FISHER, 714
 - FREQ, 710, 712–713
 - graph, 430
 - grey scale graphics, 409
 - in fit analysis, 197

- INFILE, 707
 - LABEL, 710–713
 - LINK, 713
 - MARKERSIZE, 710–712
 - method, 426, 428
 - NOBUTTON, 708
 - NOCONFIRM, 708
 - NOEXACT, 714
 - NOINT, 713
 - NOMENU, 708
 - NOSCROLL, 708
 - OFFSET, 713
 - OTHER, 709–710
 - output, 426, 428
 - POWER, 713
 - QUASI, 714
 - RESP, 713
 - SAS/INSIGHT, 426
 - saving, 425, 437
 - SCALE, 714
 - setting default, 44
 - TOOLS, 707
 - used in this book, 406
 - WEIGHT, 712–713
 - window, 430–431
 - XAXIS, 709, 711–712
 - YAXIS, 709–712
 - ZAXIS, 711–712
 - order of expansion
 - see degree of expansion
 - order of observations
 - see moving, sorting
 - order of polynomial
 - see degree of polynomial
 - order of variables
 - see moving
 - orientation
 - of bar chart, 472
 - of box plots, 482
 - of contour plots, 506
 - of line plot, 491
 - of scatter plots, 497
 - Orientation:Horizontal Axis at Bottom,** 472, 482, 491, 497, 506
 - Orientation:Vertical Axis at Left,** 472, 482, 491, 497, 506
 - Orientation:Y Axis Vertical,** 472, 482, 491, 497, 506
 - orienting graphs, 386–388
 - OTHER option, 709–710
 - outlier, 542, 607, 682
 - outliers, 93, 292
 - output
 - bar chart, 472
 - box plots, 481
 - contour plots, 506
 - distribution analyses, 528
 - fit analyses, 587
 - line plot, 491
 - multivariate analyses, 657
 - objects, 422
 - options, 426, 428
 - rotating plots, 514
 - scatter plots, 497
 - Output** button, 217, 472, 481, 491, 497, 514, 528, 587, 657
 - Output Components,** 697
 - Output Delivery System, 418, 420
 - Output Principal Components:2,** 292
 - Output Variables** button, 588
 - output window, 398
 - overdispersion, 271
 - generalized linear models, 577
 - Poisson regression, 267
- ## P
- p-value
 - for F statistic, 217, 241
 - p-values
 - for likelihood ratio type III tests, 257
 - p-values of the correlations
 - descriptive statistics, 665
 - multivariate analyses, 665
 - pairwise Bonferroni, 484
 - pairwise t-test, 484
 - parameter estimates, 599
 - analysis of variance, 242
 - fit curves, 618
 - in multiple regression, 218
 - logistic regression, 256
 - multiple regression, 218
 - Poisson regression, 272
 - parameter estimates for generalized linear models
 - fit analyses, 601
 - parameter estimates for linear models
 - fit analyses, 599
 - parameter information
 - fit analyses, 240, 590
 - parametric
 - regression, 196
 - parametric confidence curves
 - fit analyses, 620
 - fit curves, 620
 - parametric confidence ellipses
 - fit curves, 615
 - Parametric Curves** button, 588
 - parametric density
 - distribution analyses, 550
 - mode, 551
 - parametric distribution
 - cumulative distribution, 556
 - parametric distributions
 - distribution analyses, 522
 - exponential distribution, 523
 - lognormal distribution, 522
 - normal distribution, 522
 - Weibull distribution, 523
 - parametric estimation

- density, 550
- parametric polynomial
 - fit analyses, 618
 - fit curves, 618
- parametric regression, 196, 198–199
 - fitting curves, 196
- parametric regression model
 - fit analyses, 568
- Partial Leverage**, 221
- partial leverage plots
 - fit analyses, 608
 - multiple regression, 221
 - residual plots, 608
- partial leverage variables
 - fit analyses, 638
- paste buffer
 - see clipboard
- PATIENT data set, 252
 - cancer, 20
- pattern
 - of curves, 202
- pause animation, 345
- PC
 - see principal component
- PCA
 - see principal component analysis
- Pearson**, 576
- Pearson chi-squared
 - generalized linear models, 577
- Pearson chi-squared statistic
 - see chi-squared statistic
- Pearson product-moment correlations, 664
- Pearson residuals
 - fit analyses, 636
- Pearson, K., 701
- Penner, R., 19
- percentile, 477
- permanent
 - label, 135
- perspective
 - see depth cueing
- Pisani, R., 231
- plane, rotating, 517
- players, 17
 - see BASEBALL data set
- plot
 - see graph
 - quantile-quantile, 546
- plotting symbols
 - see markers
- pointer
 - see cursor
- pointing, 8
- Poisson**, 573
- Poisson
 - deviance, 577
 - log-likelihood function, 574
 - response distribution, 573
- Poisson deviance
 - generalized linear models, 577
- Poisson distribution
 - generalized linear models, 573
- Poisson log-likelihood function
 - generalized linear models, 574
- Poisson regression, 263
 - analysis of deviance, 269
- poisson regression
 - modifying the model, 270
- Poisson regression
 - overdispersion, 267
 - parameter estimates, 272
 - summary of fit, 269
 - type III (Wald) tests, 269
- pollutants, 17
- Polynomial**, 201
- polynomial
 - fitting curves, 196
- polynomial curves, 196
- polynomial equation
 - fit curves, 618
- polynomial expansion, 584
- polynomial fit, 196
- position of
 - windows, 432
- position of windows, 432
- Power**, 573, 585
- power
 - fit analyses, 585
 - link function, 573
- power link function
 - generalized linear models, 573
- POWER option, 713
- precision
 - of formatted values, 354
- predicted
 - confidence curves, 620
- predicted confidence ellipses, 617
- predicted curves
 - fit analyses, 634
- predicted mean vector
 - fit analyses, 570
- predicted surfaces
 - fit analyses, 633
- predicted values
 - fit analyses, 632
- prediction
 - confidence ellipse, 616, 694
- prediction confidence curves
 - fit analyses, 620
- Prediction Confidence Ellipse**, 278
- prediction confidence ellipse
 - multivariate analyses, 694
- prediction confidence ellipses
 - fit analyses, 616, 694
- pressing the mouse button, 374
- principal component analysis, 283
- principal component options, 657
- Principal Component Options** button, 658

principal component plots
 multivariate analyses, 682
 principal components, 284
 component plots, 682
 components, 697–698
 multivariate analyses, 651, 697–698
 saving, 292
 principal components rotation
 multivariate analyses, 653
Principal Components:Output Components, 697
 Pringle, R.M., 643, 701
Print, 399
Print file, 420
 PRINT procedure, 395, 398
Print:Print file, 420
 printing, 410
 all contents of window, 407, 411
 color images, 406
 data, 395
 files, 399, 420
 from clipboard, 410
 from window, 411
 graphics, 403
 selected portion of window, 407, 411
 tables, 417
 PRINTTO procedure, 400, 421
Probit, 573
 probit
 link function, 573
 probit link function
 generalized linear models, 573
 PROC DISCRIM, 443
 see DISCRIM procedure
 PROC FORMAT, 351, 359
 see FORMAT procedure
 proc insight, 28
 PROC INSIGHT statement, 707
 PROC OUTPUT
 see OUTPUT procedure
 PROC PRINT, 395, 398
 see PRINT procedure
 PROC PRINTTO, 400, 421
 see PRINTTO procedure
 PROFILE catalog, 437
 program editor, 359, 398, 441, 443
 invoking SAS/INSIGHT software from, 28
 projection matrix
 fit analyses, 570
 properties
 see variable properties
 pulldown
 menu, 10
 pulldown menu, 10
 purpose of
 SAS/INSIGHT Software, 5
 Purves, R., 231
 Pythagorean theorem, 485

Q

Q1
 distribution analyses, 533
 Q3
 distribution analyses, 533
 QQ Plot
 see quantile-quantile plot
 QQ plot
 distribution analyses, 546
 graphs, 546
 QQ ref line, 561
 distribution analyses, 561
 intercept, 561
 slope, 561
 quadratic
 kernel estimation, 552
 kernel function, 612, 624
 weight function, 626
 quadratic distribution
 kernel estimation, 552
 quadratic kernel
 fit analyses, 612, 624
 quadratic polynomial fit, 199
 quadratic weight
 fit analyses, 626
 qualitative variable
 see nominal variable
 quantile
 exponential, 547
 lognormal, 547
 normal, 547
 Weibull, 547
 quantile-quantile plot, 633
 distribution analyses, 546
 fit analyses, 608
 quantiles
 calculation of, 533
 descriptive statistics, 533
 distribution analyses, 533
 quantitative variable
 see interval variable
 quartiles, 78, 477, 480
 QUASI option, 714
 quasi-likelihood, 267, 577–578
Quasi-Likelihood, 585
 quasi-likelihood
 canonical link, 578
 dispersion parameter, 579
 Quasi-Likelihood
 fit analyses, 585
 quasi-likelihood
 scale parameter, 578
 variance function, 578
 quasi-likelihood functions
 fit analyses, 577
 generalized linear models, 577
 querying, 463
 querying for observations, 57
 QUIT statement, 715

R

R-square, 198–199, 217, 240

R-Square, 592–593

range

distribution analyses, 533

of data displayed, 144

Rawlings, J.O., 222, 231, 643

Raynor, A.A., 643, 701

Rays, 514

recording SAS/INSIGHT session

see saving tables

recording statements, 451

recreating

see Renew

reference, 14

Reference, 16

Reference Lines, 473

reference lines

in bar chart, 473

regression, 235, 567–569

linear, 198

multiple, 213

nonparametric, 205

parametric, 196, 198–199

simple, 198

Reid, N., 643

Reinsch, C., 622, 643

removing

see deleting

removing variable from model, 258

removing variables from model, 227

Renew, 137, 147, 327, 375–376

renewing windows, 375

repeated points

in contour plots, 505

required variables, 77, 108

residual, 219

residual normal QQ Plot

fit analyses, 608

residual plots, 608

residual normal quantiles

fit analyses, 632

residual plots

fit analyses, 607

partial leverage plots, 608

residual normal QQ Plot, 608

residual-by-predicted plot, 607

residual-by-hat diagonal plot

multiple regression, 222

residual-by-predicted plot

fit analyses, 607

multiple regression, 219

residual plots, 607

residuals, 630

fit analyses, 632

generalized, 631

saving, 230

studentized, 230

residuals-by-predicted plot

analysis of variance, 243

logistic regression, 256

resizing

see sizing

resources, 438

RESP option, 713

Response Dist., 585

response distribution, 572, 585, 590

binomial, 573

gamma, 573

generalized linear models, 573

inverse Gaussian, 573

normal, 573

Poisson, 573

response surface, 114

response variable, 214, 568–569, 583

results window, 419

robust estimation

Gini's mean difference, 538

trimmed means, 542

Winsorized means, 542

role, 460

variables, 77

root mean square error, 217, 240, 592

Root MSE

see root mean square error

ROTATE statement, 712

rotating planes and surfaces, 517

rotating plot, 108

Rotating Plot (Z Y X), 108, 113–114, 512

rotating plot

features of, 112

matrix of, 113

of principal components, 682

rotating plots, 511

method, 513

of canonical scores, 446

output, 514

variables, 512

rows

in data window, 461

RUN statement, 714

Run:Submit, 28, 359, 398, 444

S

Sall, J., 481, 485

sample mean, 592–593

in box plots, 80

Sample Mean, Std Dev, 556

SAS data set, 27

SAS/GRAPH software, 403, 407

SAS/INSIGHT

options, 426

SAS/INSIGHT software

configuring, 425

exiting, 65

features of, 6

help system, 14, 17

invoking, 28, 48

- learning, 14
- operation of, 8
- SAS/INSIGHT Software
 - purpose of, 5
- SAS/INSIGHT statements, 705
- SAS/STAT software, 442
- SASHELP library, 458
- SASUSER library, 458
- SASUSER.PROFILE catalog, 437
- Save:Data**, 396
- Save:Tables**, 418
- saving
 - bitmaps, 408
 - catalogs, 407
 - colors, 444
 - data, 395–396
 - defaults, 129
 - formats, 352
 - graphics, 403, 407
 - graphics files, 408
 - include/exclude state, 444
 - label/unlabel state, 444
 - markers, 444
 - observation states, 396, 462
 - options, 425, 437
 - principal components, 292
 - residuals, 230
 - select state, 444
 - show/hide state, 444
 - tables, 417, 420, 422
 - tables as data sets, 422
 - tables as html, 422
 - variables, 292, 630
- Scale**, 585
- scale
 - of graphs, 145
- SCALE option, 714
- scale parameter, 593
 - fit analyses, 576
 - generalized linear models, 576
 - quasi-likelihood, 578
- scale parameter estimates
 - constant, 576
 - generalized linear models, 576
 - maximum-likelihood estimate, 576
 - mean deviance, 576
 - mean Pearson chi-squared, 576
- scale parameters, 578
- scaled deviance
 - generalized linear models, 576
- scaled Pearson chi-squared
 - generalized linear models, 577
- Scatter Plot (Y X)**, 89, 92, 134, 256, 290, 368, 381, 496
- Scatter Plot (Y X)**, 224
- scatter plot
 - adding curves, 201
 - confidence ellipses, 278, 694
 - of principal components, 290, 682
 - scatter plot matrix, 92, 368, 495–496
 - bivariate plots, 681
 - in Multivariate analysis, 278
 - layout, 93
 - multivariate analyses, 681
 - scatter plot smoother
 - fit analyses, 580
 - scatter plots, 85, 89, 495
 - clicking in, 90
 - method, 496
 - output, 497
 - variables, 496
 - viewing brushed observations, 499
 - SCATTER statement, 711
 - schematic plot
 - see box plot
 - scientific format, 353
 - scientific notation
 - see exponential format
 - Scott, D.W., 471
 - screen
 - see display
 - scroll bar, 49
 - scrolling, 49
 - data window, 49
 - searching, 463
 - searching for observations, 57
 - seed, random
 - see random
 - select state, 444, 461
 - selecting, 8
 - area, 244, 380
 - comparison circles, 485
 - contours, 507
 - level curves, 507
 - observations, 90
 - tables, 418
 - values in tables, 357
 - selection, 8
 - extended, 9–10, 96
 - multiple, 8
 - noncontiguous, 9–10
 - order of, 78
 - Serifs**, 481
 - set properties, 139
 - see variable properties
 - setting
 - default window options, 44
 - shape
 - of cursor, see cursor
 - of observation markers, see marker
 - shape parameter, 547
 - Shift key, 9
 - SHIP data set, 264–265, 405
 - wave damage, 20
 - Show in Graphs**, 146
 - show/hide state, 444
 - Show/Hide state, 461
 - sign statistic

- distribution location tests, 536
- signed rank statistic
 - distribution location tests, 536
- significance, 218, 241
- Silverman, B.W., 553, 564, 643
- simple regression, 198
- simultaneous confidence intervals, 484
- Singpurwalla, N.D., 559, 564
- size of
 - graphs, 432
- size of markers, 160
- Size to Fit**, 162
- sizing
 - graphs, 385
- skewness, 525, 531–532
 - distribution analyses, 525, 531–532
 - in box plots, 78
- slicing
 - observations, 143, 151
- slider
 - in scroll bar, 49
- slope
 - QQ ref line, 561
- Smirnov, N., 564
- smoother degrees of freedom
 - fit analyses, 581
 - fit curves, 581
- smoother generalized cross validation
 - fit analyses, 582
 - fit curves, 582
- smoothing parameter, 580
 - kernel estimation, 552
 - of kernel curve, 206
- smoothing spline, 505, 513, 610, 622
 - fit analyses, 610, 622
 - fit curves, 610, 622
- smoothness of fit, 610
- Snell, E.J., 643
- Solutions**, 442
- Sort**, 464
- sorting
 - data, 54
 - observations, 54, 464
 - order of, 464
- spinning
 - see rotating
- spline, 568
- Spread**, 438
- spreading
 - window positions, 432, 438
- spreadsheet
 - see data window
- Sqrt
 - see square root
- SSCP, 699
 - see sums of squares and crossproducts
- standard deviation, 357, 481, 531–532, 556, 601, 663
 - in box plots, 80
- standard error, 256, 599–600
 - trimmed mean, 542
 - Winsorized mean, 542
- standard error of the mean
 - distribution analyses, 531–532
- standardized residuals
 - fit analyses, 635
- statements
 - BAR, 709
 - BOX, 710
 - BY, 709
 - CLASS, 709
 - CONTOUR, 711
 - DIST, 712
 - FIT, 713
 - LINE, 710
 - MULT, 712
 - OPEN, 708
 - PROC INSIGHT, 707
 - QUIT, 715
 - recording, 451
 - ROTATE, 712
 - RUN, 714
 - SAS/INSIGHT, 705
 - SCATTER, 711
 - TABLES, 714
 - WINDOW, 708
- states
 - see observation states
- statistical models
 - fit analyses, 568
- statistical significance, 218, 241
- statistics, descriptive
 - see descriptive statistics
- statistics, diagnostic
 - see diagnostic statistics
- statistics, summary
 - see summary statistics
- statistics, univariate
 - see univariate statistics
- Std Dev
 - see standard deviation
- Stephens, M.A., 559, 564
- storing
 - see saving
- Student's t statistic
 - distribution location tests, 536
- studentized residuals, 230
 - fit analyses, 635
- Submit**, 28, 359, 398, 444
- subsets
 - coloring observations, 168
 - group variables, 331
 - hiding observations, 144
 - marking observations, 158
 - of data, 465
 - of observations, 314
 - toggling display of observations, 147
- sum, 531–532
- sum of squares, 217, 241, 594, 597

sum of squares corrected for the mean
 distribution analyses, 531–532
 sum of squares for error
 fit analyses, 570
 sum of weights, 531–532
 summary of fit, 217, 240, 256, 594
 analysis of variance, 240
 logistic regression, 256
 multiple regression, 217
 Poisson regression, 269
 summary of fit for generalized linear models
 fit analyses, 593
 summary of fit for linear models
 fit analyses, 592
 summary statistics, 217, 240, 256, 269
 sums of squares
 Type III, 218, 241
 sums of squares and crossproducts, 663
 surface plots, 114, 512
 surface, rotating, 517
 symbols
 see markers

T

Tab key, 31, 43
Tables, 239, 254, 418, 534, 590, 602, 663
 tables
 deleting, 382, 384
 distribution analyses, 531
 fit analyses, 590
 html, 422
 moving, 385
 multivariate analyses, 663
 printing, 417
 saving, 417, 422
 TABLES statement, 714
Tables:Collinearity Diagnostics, 220
Tables:Location Tests, 537
Tables:Type III (LR) Tests, 257, 259
 techniques, 14
Techniques, 16
 temporary
 label, 135
 Terrell, G.R., 471
 test for a specific distribution
 cumulative distribution, 558
 distribution analyses, 558
 test for distribution
 cumulative distribution, 559
 distribution analyses, 559
 exponential, 559
 lognormal, 559
 normal, 559
 Weibull, 559
 tests
 type I, 595
 type I (LR), 596
 type III, 596–597
 type III (LR), 598

 type III (Wald), 598
 thin-plate smoothing spline, 610
 thin-plate splines, 505, 513
 threshold parameter, 556
 throwing, 96
 Tibshirani, R.J., 206–207, 643
Ticks, 335, 473
 ticks
 adjusting, 124, 335
 aligning, 391
 font for labels, 405
 in bar chart, 473
 major, 124
 minor, 124
 size of labels, 405
 titles, 408–409, 412
 toggling display of
 observations, 143, 147
 TOL
 see tolerance
 tolerance, 599
 fit analyses, 600
 in multiple regression, 218
Tools, 157, 167, 369
 tools
 magnifying glass, 369
 windows, 52
 TOOLS option, 707
 tools window, 369–370
 trace, 651
 transformation, 295
 log, 265
 transformations, 307
 transforming variables, 295, 325–326
 tri-cube weight
 fit analyses, 626
 triangular
 kernel estimation, 552
 kernel function, 612, 624
 weight function, 626
 triangular distribution
 kernel estimation, 552
 triangular kernel
 fit analyses, 612, 624
 triangular weight
 fit analyses, 626
 trimmed mean
 distribution analyses, 542
 standard error, 542
 trimmed means
 distribution analyses, 542
 robust estimation, 542
 trimmed t statistic
 distribution analyses, 542
Trimmed/Winsorized Means, 529
 Tukey, J.W., 477, 542–543, 564
 Tukey, P.A., 564
 Tukey-Kramer method, 484
 two-color blends, 169

type I tests
 fit analyses, 595
Type III (LR) Tests, 257, 259
 type III (LR) tests
 logistic regression, 257
 type III (Wald) tests
 logistic regression, 256
 Poisson regression, 269
 type III tests
 analysis of variance, 241
 fit analyses, 597
 likelihood-ratio statistic, 598
 multiple regression, 218
 Wald statistic, 598

U

uncorrected sum of squares
 distribution analyses, 531–532
 undo
 see Renew
 Renew, 327
Unf/For button, 464
 uniform lens, 499
 univariate statistics
 descriptive statistics, 663
 multivariate analyses, 663
 UNIX operating system
 setting X resources, 438
UnLabel in Plots, 136
Use Obs with Missing Values, 527
 user's guide
 conventions of, 14
 using, 14
 USS
 see uncorrected sums of squares
 distribution analyses, 531–532

V

Values, 246, 473
 values
 in bar chart, 473
 variable roles, 470, 478
Variable:Both, 472, 482, 491, 497, 506, 514
Variable:Labels, 472, 482, 491, 497, 506, 514
Variable:Names, 472, 482, 491, 497, 506, 514
 variables, 27
Variables, 296
 variables, 459
 adding, 34
 arranging, 50
 bar chart, 470
 box plots, 478
 contour plots, 504
 default role, 139
 defining, 36
 deleting, 323
 distribution analyses, 524
 editing, 295
 explanatory, 214

 fit analyses, 583, 630
 frequency, 470, 478, 524, 584, 648
 generated, 631
 group, 478, 490, 496, 504, 512, 524, 584, 648
 in box plot, 478
 in scatter plots, 496
 influence diagnostics, 630
 interval, 49, 70
 label, 470, 478, 490, 496, 504, 512–513, 524, 584, 648
 line plot, 490
 measurement level, 49, 460
 moving, 50
 multivariate analyses, 648
 names of, 631
 new, 464
 nominal, 49, 73
 optional, 78
 removing from model, 227, 258
 response, 214
 role, 77, 460
 rotating plots, 512
 saving, 292, 630
 selected, 42
 selecting, 51
 transforming, 295, 325–326
 weight, 524, 584, 648
 X, 490, 496, 504, 512
 Y, 470, 478, 490, 496, 504, 512, 524
 Z, 504, 512
Variables:log(Y), 265, 326
Variables:log(Y), 297
Variables:Other, 300, 304
 variance, 525, 531–532
 fit analyses, 570
 variance divisor
 multivariate analyses, 650
 variance function, 573
 generalized linear models, 572
 quasi-likelihood, 578
 variance inflation
 in multiple regression, 218
 variance inflation factor, 599
 fit analyses, 600
 variance proportion, 605
 variation
 sources of, 217, 241, 594–595
Vars, 630
Vars:Dffits, 226
Vars:Hat Diag, 222
Vars:Output Principal Components:2, 292
Vars:Studentized Residual, 230
 Velleman, P.F., 643
 vertical
 see orientation
Vertical Axis at Left, 472, 482, 491, 497, 506
View:Results, 419
 viewing clustered data, 499
 VIF

see variance inflation factor
 visualization, 514

W

Wald
 confidence interval, 603
 Wald statistic
 type III tests, 598
 Wald tests, 256, 269
 Watts, D.G., 19
 wave damage
 SHIP data set, 20
 Weibull
 quantile, 547
 test for distribution, 559
 Weibull distribution
 distribution analyses, 523
 fit parametric, 556
 parametric distributions, 523
 testing for, 559
 Weibull quantile
 distribution analyses, 547
 weight function
 local polynomial fit, 626
 loess fit, 626
 normal, 626
 quadratic, 626
 triangular, 626
 WEIGHT option, 712–713
 weight role, 460
 weight values
 in distribution analyses, 525
 in fit analyses, 585
 in multivariate analyses, 649
 weight variable, 699
 Weight variable
 distribution analyses, 524
 fit analyses, 584
 multivariate analyses, 648
 weighted analyses
 fit analyses, 641
 multivariate analyses, 699
 Weil, G., 511
 Weisberg, S., 230–231, 643
 Welsch, R.E., 225, 231, 605, 631, 643
Whisker Length, 480
 whiskers, 78, 480
 width
 of bars, 471, 473
 of curves, 202
 of formatted values, 354
 Wilks, A.R., 94
 window, 8
 options, 430–431
Window Layout:Spread, 438
 Window options, 430–431
 WINDOW statement, 708
 windows
 closing, 65

 copying, 319
 data, 48, 458
 editing, 367
 output, 398
 position of, 432
 printing, 411
 renewing, 375–376
 results, 419
 tools, 52, 370
 zooming, 368

Windows:Align, 336, 391
Windows:Animate, 343
Windows:Copy Window, 319, 324–325, 334
Windows>Delete, 384
Windows:Display Options, 406
Windows:Freeze, 320
Windows:Options, 430
Windows:Renew, 137, 147, 327, 375–376
Windows:Tools, 157, 167, 369
 Winsorized mean
 distribution analyses, 542
 standard error, 542
 Winsorized means
 distribution analyses, 542
 robust estimation, 542
 Winsorized sum of squared deviations
 distribution analyses, 542
 Winsorized t statistic
 distribution analyses, 542
 WORK library, 458
 working with other SAS products, 441

X

X button, 583
 X resources, 438
 X variable
 fit analyses, 583
 in contour plots, 504
 in line plot, 490
 in rotating plots, 512
 X variable effects
 fit analyses, 583
 X variables
 in scatter plots, 496
 X'X matrix, 600, 605
 fit analyses, 591
 XAXIS option, 709, 711–712

Y

Y Axis Vertical, 472, 482, 491, 497, 506
 Y variable
 fit analyses, 583
 in box plot, 470
 in box plots, 478
 in contour plots, 504
 in distribution analyses, 524
 in line plot, 490
 in rotating plots, 512
 Y variables

- in scatter plots, 496
- YAXIS option, 709–712

Z

- Z variable
 - in contour plots, 504
 - in rotating plots, 512
- ZAXIS option, 711–712
- ZColor variable
 - in rotating plots, 513
- zooming, 368, 371–373