

Index

- A**
- ACCESS procedure, ORACLE 24
 - data conversions 35
 - example 26
 - statements 24
- B**
- BL_BADFILE= data set option, ORACLE 19
 - BL_CONTROL= data set option, ORACLE 20
 - BL_DATAFILE= data set option, ORACLE 20
 - BL_DELETE_DATAFILE= data set option, ORACLE 21
 - BL_DIRECT_PATH= data set option, ORACLE 21
 - BL_DISCARDFILE= data set option, ORACLE 22
 - BL_LOAD_METHOD= data set option, ORACLE 22
 - BL_LOG= data set option, ORACLE 23
 - BL_OPTIONS= data set option, ORACLE 23
 - BL_SQLLDR_PATH= data set option, ORACLE 24
 - BUFSIZE= connection argument, ORACLE 30
 - bulk loading options, ORACLE 17
 - BULKLOAD= data set option, ORACLE 18
- C**
- character data
 - ORACLE 32
 - CONNECT statement, SQL Pass-Through Facility
 - ORACLE 30
- D**
- data conversions
 - ORACLE, ACCESS procedure 35
 - ORACLE, DBLOAD procedure 36
 - ORACLE, LIBNAME statement 34
 - data set options
 - ORACLE 8, 17
 - data types
 - ORACLE 11, 12, 32
 - date informats and formats
 - ORACLE 15
 - DBFORCE= data set option
 - ORACLE 9
 - DBINDEX= data set option
 - ORACLE 9
 - DBINDEX= option, SAS/ACCESS LIBNAME
 - statement
 - ORACLE 4
 - DBLINK= data set option
 - ORACLE 10
 - DBLINK= option, SAS/ACCESS LIBNAME
 - statement
 - ORACLE 4
 - DBLOAD procedure, ORACLE 27
 - data conversions 36
 - examples 28
 - statements 27
 - DBNULL= data set option
 - ORACLE 10
 - DBPROMPT= data set option
 - ORACLE 10
 - DBPROMPT= option, SAS/ACCESS LIBNAME
 - statement
 - ORACLE 4
 - DBSASTYPE= data set option
 - ORACLE 11
 - DBTYPE= data set option
 - ORACLE 12
- E**
- engine connection options
 - ORACLE 3, 10
- I**
- indexes
 - ORACLE 9
 - INSERTBUFF= data set option, ORACLE 12
 - INSERTBUFF= option, LIBNAME statement
 - (ORACLE) 4
 - isolation levels
 - ORACLE 13, 16
- L**
- locks
 - ORACLE 14, 16
 - LOCKWAIT= option, SAS/ACCESS LIBNAME
 - statement
 - ORACLE 5
- N**
- naming conventions
 - ORACLE 32
 - NULL values
 - ORACLE 10, 33
 - numeric data
 - ORACLE 33
- O**
- ORACLE 1
 - ACCESS procedure 24
 - bulk loading options 17
 - connections 29
 - data conversions, ACCESS procedure 35
 - data conversions, DBLOAD procedure 36
 - data conversions, LIBNAME statement 34
 - data set options 8, 17
 - data types 11, 12, 32
 - date formats 15
 - DBLOAD procedure 27
 - default values 33
 - engine connection options 3, 10
 - hints 13
 - indexes 9
 - isolation levels 13, 16
 - locks 14, 16
 - naming conventions 32
 - NULL values 10, 33
 - remote database access 10
 - rows, deleting 17
 - rows, inserting 12
 - rows, loading 17
 - rows, reading 14
 - rows, updating 17
 - SAS/ACCESS LIBNAME statement 2
 - schemas 15
 - SQL Procedure Pass-Through Facility 29
 - SQL*Loader 17
 - truncating data 9
 - Versions 7 and 8 2
 - ORACLEPW= statement, ACCESS procedure 25

ORACLE_73_OR_ABOVE= option, SAS/ACCESS LIBNAME statement 5
 ORAPW= connection argument 30
 ORAPW= statement, DBLOAD procedure 28
 ORHINTS= data set option, ORACLE 13

P

PASSWORD= connection argument
 ORACLE 30
 PASSWORD= connection option
 ORACLE 3
 PASSWORD= statement, DBLOAD procedure
 ORACLE 28
 PATH= connection argument (ORACLE) 30
 PATH= connection option, LIBNAME statement (ORACLE) 3
 PATH= statement, ORACLE
 ACCESS procedure 26
 DBLOAD procedure 28
 PRESERVE_COL_NAMES= option, SAS/ACCESS LIBNAME statement
 ORACLE 5
 PRESERVE_COMMENTS= connection argument, ORACLE 30
 PRESERVE_TAB_NAMES= option, SAS/ACCESS LIBNAME statement
 ORACLE 5
 PW= connection argument, ORACLE 30
 PW= statement
 DBLOAD procedure, ORACLE 28

R

READBUFF= data set option, ORACLE 14
 READBUFF= option, LIBNAME statement (ORACLE) 6

READ_ISOLATION_LEVEL= data set option
 ORACLE 13
 READ_ISOLATION_LEVEL= option, SAS/ACCESS LIBNAME statement
 ORACLE 6
 READ_LOCK_TYPE= data set option
 ORACLE 14
 READ_LOCK_TYPE= option, SAS/ACCESS LIBNAME statement
 ORACLE 6

S

SAS/ACCESS LIBNAME statement, ORACLE 2
 data conversions 34
 engine connection options 3
 example 8
 options 3
 SASDATEFMT= data set option
 ORACLE 15
 SCHEMA= data set option
 ORACLE 15
 SCHEMA= option, SAS/ACCESS LIBNAME statement
 ORACLE 6
 schemas
 ORACLE 15
 SHOW_SYNONYMS= option, LIBNAME statement (ORACLE) 6
 SPOOL= option, SAS/ACCESS LIBNAME statement
 ORACLE 7
 SQL Procedure Pass-Through Facility
 CONNECT statement, ORACLE 30
 ORACLE 29
 SQL*Loader, ORACLE 17

T

TABLE= statement, ACCESS procedure
 ORACLE 25
 TABLE= statement, DBLOAD procedure
 ORACLE 28
 TABLESPACE= statement, DBLOAD procedure (ORACLE) 28

U

UIL= data set option
 ORACLE 16
 UPDATEBUFF= data set option, ORACLE 17
 UPDATEBUFF= option, LIBNAME statement (ORACLE) 8
 UPDATE_ISOLATION_LEVEL= data set option
 ORACLE 16
 UPDATE_ISOLATION_LEVEL= option, SAS/ACCESS LIBNAME statement
 ORACLE 7
 UPDATE_LOCK_TYPE= data set option
 ORACLE 16
 UPDATE_LOCK_TYPE= option, SAS/ACCESS LIBNAME statement
 ORACLE 7
 USER= connection argument
 ORACLE 30
 USER= connection option
 ORACLE 3
 USER= statement, ACCESS procedure
 ORACLE 25
 USER= statement, DBLOAD procedure
 ORACLE 28