

Subject Index

A

- Active Set Methods, 445
 - ACTIVEIN= data set
 - LP procedure, 116
 - ACTIVEIN= option
 - LP procedure, 70, 107
 - ACTIVEOUT= data set
 - LP procedure, 114
 - ACTIVEOUT= dataset
 - LP procedure, 114
 - ACTIVEOUT= option
 - LP procedure, 71, 107
 - AlBaali, 439
 - Algorithms, 428
 - Selection, 430
 - type of constraints supported, 429
 - ALLART option
 - NETFLOW procedure, 215
 - _ANUMB_ variable
 - ARCOUT and CONOUT data sets (NETFLOW), 276
 - AOUT= option
 - NETFLOW procedure, 214, 243
 - Arc names
 - NETFLOW procedure, 196, 199, 222, 228, 231, 268, 306, 320
 - ARC_SINGLE_OBS option
 - NETFLOW procedure, 216
 - ARCDATA= option
 - NETFLOW procedure, 196–197, 199, 205, 214, 222, 224, 226–230, 240, 264, 267, 293, 305–306, 311, 319–320, 328
 - _ARCID_ variable
 - NODEDATA data set (NETFLOW), 341
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
 - ARCNAME statement
 - NETFLOW procedure, 231
 - ARCOUT= option
 - NETFLOW procedure, 197, 214, 230, 240, 243, 245, 276, 284, 292
 - ARCS_ONLY_ARCDATA option
 - NETFLOW procedure, 216
 - Arithmetic overflow, 450
 - ARRAY Statement, 406
 - ASSIGN procedure
 - ASSIGN statement, 42
 - BY statement, 43
 - COST statement, 43
 - Data set options, 42
 - DATA= option, 42
 - DEC= option, 43
 - Details, 44
 - Examples, 45
 - functional summary, 42
 - ID statement, 44
 - Input data sets, 42
 - Introductory example, 40
 - macro variable _ORASSIG, 44
 - MAXIMUM option, 43, 46
 - missing values, 44
 - objective value, 44
 - Optimization Control Options, 43
 - options classified by function, 42
 - _ORASSIG macro variable, 12
 - OUT= option, 43
 - output data set, 44
 - Output data sets, 42
 - Overview, 39
 - scaling, 45
 - Summary of PROC ASSIGN Options, 42
 - Syntax, 42
 - syntax skeleton, 42
 - table of syntax elements, 42
 - ASSIGN statement
 - ASSIGN procedure, 42
 - AUTO option
 - LP procedure, 74
- ## B
- BACKTRACK= option
 - LP procedure, 74, 104
 - Bard Function, 470
 - Bartels-Golub decomposition
 - NETFLOW procedure, 221, 249, 286
 - Beale, 437
 - BEST option
 - PRINT statement (LP), 82
 - BFGS, 434
 - BFGS option, 405
 - BIGM1 option
 - NETFLOW procedure, 246
 - BIGM2 option
 - NETFLOW procedure, 248
 - BINFST option
 - LP procedure, 74
 - blending constraints
 - NETFLOW procedure, 189

- Boundary Constraints, 407
- BOUNDS Statement, 407
- BPDIV= option
 - NETFLOW procedure, 216
- branch and bound technique
 - LP procedure, 100
- Broyden-Fletcher-Goldfarb-Shanno, 405
- BY Statement, 408
- BY statement
 - ASSIGN procedure, 43
- BYPASSDIV= option
 - NETFLOW procedure, 216
- BYPASSDIVIDE= option
 - NETFLOW procedure, 216
- BYTES= option
 - NETFLOW procedure, 217
- C**
- CANSELECT= option
 - LP procedure, 102
- CAPAC statement
 - NETFLOW procedure, 228
- _CAPAC_ variable
 - ARCDATA data set (NETFLOW), 228
 - ARCOUT and CONOUT data sets (NETFLOW), 276
- CAPACITY statement
 - NETFLOW procedure, 228, 235, 336
- case-sensitivity
 - NETFLOW procedure, 279
- case-sensitivity:ARCDATA= option
 - NETFLOW procedure, 226
- CD option, 405
- CDIGITS option, 441
- Central Path
 - NETFLOW procedure, 317
- CF= option
 - NETFLOW procedure, 217
- CHOLTINYTOL= option
 - NETFLOW procedure, 254
- CLPARM option
 - Output options, 462
- COBYLA, 438
- _COE, SAS variables with names that begin with
 - CONDATA data set (NETFLOW), 228
- COEF statement
 - LP procedure, 80
 - NETFLOW procedure, 228, 235, 265, 270
- COL statement
 - LP procedure, 81
- COLUMN option
 - PRINT statement (LP), 82
- COLUMN statement
 - NETFLOW procedure, 222, 224, 227–228, 270
- _COLUMN_ variable
 - CONDATA data set (NETFLOW), 229
- Computational Problems, 450
- Computational Resources, 467
- _CON, SAS variables with names that begin with
 - CONDATA data set (NETFLOW), 257
 - _CON_ variable
 - CONDATA data set (NETFLOW), 257
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
- CON_SINGLE_OBS option
 - NETFLOW procedure, 217
- CONDATA= option
 - NETFLOW procedure, 196–197, 199, 205, 215, 222, 224, 226–228, 231, 240, 265–267, 292, 306, 311, 320, 328
- confidence intervals
 - Output options, 462
- Confidence Intervals
 - Parameters for profile confidence limits, 388
 - profile Statement, 419
- CONGRA option, 404, 437
- conjugate descent, 405
- conjugate gradient, 404
- Conjugate Gradients, 437
- CONOPT statement
 - NETFLOW procedure, 205, 229, 263, 311, 328
- CONOUT= option
 - NETFLOW procedure, 197, 215, 230, 240, 243–244, 276, 284, 293, 306, 320
- constraint summary
 - LP procedure, 118
- Constraints
 - availability with algorithms, 429
 - LINCON Statement, 413
 - NLC Statement, 417, 419
 - NLINCON Statement, 417, 419
- CONTROL= option
 - LP procedure, 75
- Controlling Interactive Features
 - LP procedure, 112
- Controlling the Branch and Bound Search
 - LP procedure, 102
- Convergence Problems, 450–451
- Converting MPS Format
 - LP procedure, 93
- COREFACTOR= option
 - NETFLOW procedure, 217
- _COST_ variable
 - ARCDATA data set (NETFLOW), 229
- COST statement
 - ASSIGN procedure, 43
 - NETFLOW procedure, 229, 235, 293
- _COST_ variable
 - ARCDATA data set (NETFLOW), 328
 - ARCOUT and CONOUT data sets (NETFLOW), 276
- COUT= option
 - NETFLOW procedure, 215, 244
- Covariance Matrix, 452
 - formula for computing Covariance matrix, 389
 - threshold for eigenvalues, 389
- Criteria for Optimality, 425
- CRPJAC Statement, 408

- current tableau
 - LP procedure, 96
- Customizing search heuristics
 - LP procedure, 105
- CYCLEMULT1= option
 - NETFLOW procedure, 246
- D**
- DAMPSTEP option, 449
- data flow
 - ASSIGN procedure, 12
 - LP procedure, 5
 - NETFLOW procedure, 6–7
 - NETFLOW procedure: LP Problems, 7
 - NLP procedure, 9
 - TRANS procedure, 11
- Data set options
 - LP procedure, 42
- Data Set options
 - NETFLOW procedure, 214
- DATA SETS option;SHOW statement
 - NETFLOW procedure, 259, 261
- DATA= option
 - ASSIGN procedure, 42
 - LP procedure, 71
- DATA=option
 - additional information, 456
- Dataset options
 - LP procedure, 70
- DBFGS option, 405
- DBLDOG option, 404, 437
- DC= option
 - NETFLOW procedure, 218
- DCT= option
 - NETFLOW procedure, 218
- DDFP option, 405
- DEC= option
 - ASSIGN procedure, 43
- Decision Variables, 419
- DECVAR Statement, 419
- DEFCAPACITY= option
 - NETFLOW procedure, 218
- DEFCONTYPE= option
 - NETFLOW procedure, 218, 265, 270, 336
- DEFCOST= option
 - NETFLOW procedure, 218
- DEFMINFLOW= option
 - NETFLOW procedure, 218
- DEFTYPE= option
 - NETFLOW procedure, 218
- DELTAIT= option
 - LP procedure, 75
- DEMAND statement
 - NETFLOW procedure, 229, 288
- _DEMAND_ variable
 - ARCDATA data set (NETFLOW), 229
 - ARCOUT and CONOUT data sets (NETFLOW), 276
- DEMAND= option
 - NETFLOW procedure, 219, 221
- Dennis, 433, 437, 442
- dense data input format
 - LP procedure, 57
- Dense input format
 - NETFLOW procedure, 192, 196, 217, 219, 222, 226, 256–257, 265–267, 297, 300, 306, 320
- DENSETHR= option
 - NETFLOW procedure, 254
- Derivatives, 427
 - Finite-Differences, 440
- Details
 - ASSIGN procedure, 44
 - LP procedure, 91
 - NETFLOW procedure, 267
- DEVEX option
 - LP procedure, 78
- DFP, 434
- DFP option, 405
- display control options
 - LP procedure, 71
- Displayed Output, 464
- displayed output
 - LP procedure, 117
- displaying intermediate results
 - LP procedure, 113
- DMF= option
 - NETFLOW procedure, 218
- DOBJECTIVE= option
 - LP procedure, 75
- Double Dogleg, 437
- double dogleg method, 404
- DOUT= option
 - NETFLOW procedure, 215, 244
- dual activities
 - LP procedure, 96
- _DUAL_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 277
- Dual Variables
 - NETFLOW procedure, 282, 284
- DUALFREQ= option
 - NETFLOW procedure, 250, 282
- DUALIN= option
 - NETFLOW procedure, 215, 227, 293
- DUALOUT= data set
 - LP procedure, 116
- DUALOUT= dataset
 - LP procedure, 114
- DUALOUT= option
 - LP procedure, 71
 - NETFLOW procedure, 215, 240, 243–244, 276–277, 293
- DWIA= option
 - NETFLOW procedure, 219
- E**
- ENDPAUSE option

- LP procedure, 72
- ENDPAUSE1 option
 - NETFLOW procedure, 245
- EPSILON= option
 - LP procedure, 78
- ESTDATA= data set
 - Extended discussion, 456
- EVERYOBS option, 418
- Example Hock and Schittkowski # 24, 473
- Examples
 - ASSIGN procedure, 45
 - Bound Constraints, 375
 - Chemical Equilibrium, 498
 - Covariance Matrix, 476
 - Introductory Examples, 373
 - Least-Squares, 374, 470
 - Linear Constraints, 376
 - LP procedure, 123
 - Maximum Likelihood, 380
 - Maximum Likelihood Weibull Estimation, 482
 - NETFLOW procedure, 334
 - Nonlinear Constraints, 378
 - Nonlinear Network Problem, 503
 - Quadratic Programming, 471
 - Statistical Analysis, 476
 - TRANS procedure, 523
 - Unconstrained Optimization, 373
 - Using INEST=Options, 473
 - using OUTEST,INEST,OUTMODEL,MODEL options, 474
 - variety of constraints, 489
- F**
- _FBQ_ variable
 - NODEDATA data set (NETFLOW), 341
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
- _FCOST_ variable
 - ARCOUT and CONOUT data sets (NETFLOW), 201, 276, 310, 323
- FDIGITS option, 441
- FDINT= option, 441
- Feasible region, 425
- Feasible Region, 445
- Feasible solution, 425
- Feasible Starting Point, 447
- FEASIBLEPAUSE option
 - LP procedure, 72
- FEASIBLEPAUSE1 option
 - NETFLOW procedure, 245
- FEASIBLEPAUSE2 option
 - NETFLOW procedure, 246
- Fletcher, 396–397, 405, 437, 439
- Fletcher-Reeves, 405
- flow conservation constraints
 - NETFLOW procedure, 185, 189–190, 194, 245, 273, 287–288, 296, 304–305, 308
- FLOW option
 - LP procedure, 71
- _FLOW_ variable
 - ARCOUT and CONOUT data sets (NETFLOW), 201, 276, 310, 323
- _FLOW_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
- FP1 option
 - NETFLOW procedure, 245
- FP2 option
 - NETFLOW procedure, 246
- FR option, 405
- FROM statement
 - NETFLOW procedure, 235, 264
- _FROM_ variable
 - ARCDATA data set (NETFLOW), 264, 334
 - ARCOUT and CONOUT data sets (NETFLOW), 276
- FROMNODE statement
 - NETFLOW procedure, 264
- functional summary
 - ASSIGN procedure, 42
 - LP procedure, 66
 - NETFLOW procedure, 207, 212, 240
 - NLP procedure, 384
 - TRANS procedure, 515
- functional summary Interior Point Algorithm
 - NETFLOW procedure, 330
- Functional Summary: Network Models: Interior Point algorithm
 - NETFLOW procedure, 313
- Further Discussion on AUTO and CONTROL= options
 - LP procedure, 106
- FUTURE1 option
 - NETFLOW procedure, 197, 243, 250, 292
 - PROC NETFLOW, and RESET statements, 341
- FUTURE2 option
 - NETFLOW procedure, 197, 243, 251, 292
 - PROC NETFLOW, and RESET statements, 341
- FUZZ= option
 - LP procedure, 71
- G**
- Gay, 437, 442
- Getting Started
 - LP procedure, 40
 - NETFLOW procedure, 196
 - TRANS procedure, 513
- Getting Started Interior Point Algorithm
 - NETFLOW procedure, 319
- Global solution, 425
- GOALPROGRAM option
 - LP procedure, 78
- GRADCHECK option, 443
- gradient, 427
- Gradient
 - checking correctness, 443
 - Definition, 427
 - Gradient Statement, 409

- GRADIENT Statement, 409
- Gradient Test, 443
- Grid
 - Best Grid Points, 388
 - radius of ball, 399
- GROUPED= option
 - NETFLOW procedure, 216, 219
- H**
- HEAD statement
 - NETFLOW procedure, 230
- _HEAD_ variable
 - ARCADATA data set (NETFLOW), 230, 334
 - NODEDATA data set (NETFLOW), 341
- HEADNODE statement
 - NETFLOW procedure, 229–231, 334
 - TRANS procedure, 517
- Hessian
 - Definition, 427
 - Hessian initial estimate, 394
 - Hessian Scaling, 393
 - Hessian Statement, 410
 - Hessian update method, 405
 - Scaling, 442
 - second order finite differences, 391
- Hessian matrix, 427
- HESSIAN Statement, 410
- _HL_ . variable
 - ARCADATA data set (NETFLOW), 228
- Hybrid Quasi Newton, 439
- hybrid quasi-Newton, 404
- HYQUAN option, 404, 439
- I**
- ID statement
 - ASSIGN procedure, 44
 - LP procedure, 81
 - NETFLOW procedure, 230, 339
- ID variables
 - ARCOUT and CONOUT data sets (NETFLOW), 277
- IEPSILON= option
 - LP procedure, 75
- IFEASIBLEPAUSE= option
 - LP procedure, 72
- IMAXIT= option
 - LP procedure, 75
- IMAXITERB= option
 - NETFLOW procedure, 255
- INCLUDE statement, 399
- INCLUDE Statement, 411
- INEST= data set
 - Extended discussion, 456
- INF= option
 - NETFLOW procedure, 220
- Infeasibility
 - NETFLOW procedure, 287
- infeasible information summary
 - LP procedure, 119
- INFINITY= option
 - LP procedure, 78
 - NETFLOW procedure, 216, 218, 220–221
- initial basic feasible solution
 - NETFLOW procedure, 197, 216, 229, 240
- initial values, 456
- Input data sets
 - ASSIGN procedure, 42
- input data sets
 - LP procedure, 116
- Input data sets
 - NETFLOW procedure, 214, 267
- Input datasets
 - LP procedure, 70
- INQUAD=option
 - detailed discussion, 457
- INSTEP= option, 449
- integer iteration log
 - LP procedure, 101
- INTEGER option
 - PRINT statement (LP), 82
- integer programming
 - LP procedure, 99
- integer programs, 55
- INTEGER_NONZEROS option
 - PRINT statement (LP), 82
- INTEGER_ZEROS option
 - PRINT statement (LP), 83
- interactive facilities in batch mode
 - LP procedure, 113
- interactive features
 - LP procedure, 112
- Interactivity
 - NETFLOW procedure, 205
- Interactivity Interior Point Algorithm
 - NETFLOW procedure, 328
- Interior Point algorithm
 - NETFLOW procedure, 303
- Interior Point algorithm options
 - NETFLOW procedure, 254
- Interior Point algorithm: Functional Summary: Network Models
 - NETFLOW procedure, 313
- Interior Point Algorithm: Getting Started
 - NETFLOW procedure, 305
- Interior Point Algorithm: Interactivity
 - NETFLOW procedure, 311
- Interior Point Algorithm: Introductory example
 - NETFLOW procedure, 307
- Interior Point Algorithm: linear programming problems
 - NETFLOW procedure, 315
- Interior Point Algorithm: NETFLOW statement
 - NETFLOW procedure, 311
- Interior Point Algorithm: Summary of PROC NETFLOW Options
 - NETFLOW procedure, 313
- Interior Point: Algorithmic Details
 - NETFLOW procedure, 316

- INTFIRST option
 - NETFLOW procedure, 248
 - INTPOINT option
 - NETFLOW procedure, 254, 305
 - Introduction to Optimization
 - Overview, 3
 - Introductory example
 - ASSIGN procedure, 40
 - NETFLOW procedure, 197, 235, 268–269
 - Introductory example Interior Point Algorithm
 - NETFLOW procedure, 320
 - INVAR= data set
 - Extended discussion, 456
 - INVD_2D option
 - NETFLOW procedure, 220, 248–250, 286
 - INVFREQ= option
 - LP procedure, 78
 - NETFLOW procedure, 248
 - INVREQ= option
 - NETFLOW procedure, 248
 - INVTOL= option
 - LP procedure, 78
 - IOBJECTIVE= option
 - LP procedure, 75
 - IPAUSE= option
 - LP procedure, 72
 - IPIVOT statement
 - LP procedure, 82
 - IPRSLTYPE= option
 - NETFLOW procedure, 255
 - Iteration History, 464
 - iteration log
 - LP procedure, 120
- J**
- JACNLC Statement, 411
 - Jacobian
 - Definition, 427
 - JACNLC Statement, 411
 - JACOBIAN Statement, 412
 - Scaling, 442
 - Jacobian matrix, 427
- K**
- Karush-Kuhn-Tucker (KKT) conditions
 - NETFLOW procedure, 316
 - Karush-Kuhn-Tucker condition, 426
 - Kuhn-Tucker condition, 426
- L**
- LABEL Statement, 413
 - Lagrange multipliers, 425
 - Lagrange Multipliers, 446
 - Lagrangian function, 425
 - LCE= option, 396
 - LCP option, 404
 - _LENGTH_ variable
 - ARCADATA data set (NETFLOW), 229
 - Levenberg-Marquardt, 404, 439
 - LEVMAR option, 439
 - LICOMP option, 433
 - LIFOTYPE= option
 - LP procedure, 75
 - LINCON Statement, 413
 - Lindström, 439
 - Line-Search
 - initial step size for line-search, 389
 - line-search method, 396
 - Linear constraints
 - in Input data set, 456
 - Linear Constraints
 - LINCON Statement, 413
 - linear programming problem
 - NETFLOW procedure, 192, 254–255, 273, 296, 303, 315
 - linear programming problems: Interior Point Algorithm
 - NETFLOW procedure, 315
 - linear programs, 55
 - Linearly Constrained Optimization, 434
 - Linearly Dependent Constraints, 446
 - LINESEARCH= option, 448
 - LIS= option, 448
 - LIST option, 401
 - LISTCODE option, 401
 - LM option, 404
 - LO statement
 - NETFLOW procedure, 230, 235
 - _LO_ variable
 - ARCADATA data set (NETFLOW), 231
 - ARCOUT and CONOUT data sets (NETFLOW), 276
 - Local solution, 425
 - Longest path problem
 - NETFLOW procedure, 221
 - Loop arcs
 - NETFLOW procedure, 279
 - Lower Bounds, 456
 - LOWER option
 - RESET statement (LP), 85
 - _LOWER_ variable
 - ARCADATA data set (NETFLOW), 231
 - LOWERBD statement
 - NETFLOW procedure, 230
 - _LOWERBD_ variable
 - ARCADATA data set (NETFLOW), 231
 - LP
 - NETFLOW procedure, 315
 - LP procedure
 - _ORLP_ macro variable, 96
 - ACTIVEIN= data set, 116
 - ACTIVEIN= option, 70, 107
 - ACTIVEOUT= data set, 114
 - ACTIVEOUT= dataset, 114
 - ACTIVEOUT= option, 71, 107
 - AUTO option, 74
 - BACKTRACK= option, 74, 104
 - BINFST option, 74

- branch and bound technique, 100
- CANSELECT= option, 102
- COEF statement, 80
- COL statement, 81
- constraint summary, 118
- CONTROL= option, 75
- Controlling Interactive Features, 112
- Controlling the Branch and Bound Search, 102
- Converting MPS Format, 93
- current tableau, 96
- Customizing search heuristics, 105
- DATA= option, 71
- Dataset options, 70
- DELTAIT= option, 75
- dense data input format, 57
- Details, 91
- DEVEX option, 78
- display control options, 71
- displayed output, 117
- displaying intermediate results, 113
- DOBJECTIVE= option, 75
- dual activities, 96
- DUALOUT= data set, 116
- DUALOUT= dataset, 114
- DUALOUT= option, 71
- ENDPAUSE option, 72
- EPSILON= option, 78
- Examples, 123
- FEASIBLEPAUSE option, 72
- FLOW option, 71
- functional summary, 66
- Further Discussion on AUTO and CONTROL= options, 106
- FUZZ= option, 71
- Getting Started, 40
- GOALPROGRAM option, 78
- ID statement, 81
- IEPSILON= option, 75
- IFEASIBLEPAUSE= option, 72
- IMAXIT= option, 75
- infeasible information summary, 119
- INFINITY= option, 78
- input data sets, 116
- Input datasets, 70
- integer iteration log, 101
- integer programming, 99
- interactive facilities in batch mode, 113
- interactive features, 112
- INVFREQ= option, 78
- INVTOL= option, 78
- IOBJECTIVE= option, 75
- IPAUSE= option, 72
- IPIVOT statement, 82
- iteration log, 120
- LIFOYPE= option, 75
- LP statement, 70
- MAXIT= option, 79
- MAXIT1= option, 79
- MAXIT2= option, 79
- MAXIT3= option, 79
- memory management, 113
- missing values, 91
- MPS File conversion, 64
- multiple pricing, 97
- NOAUTO option, 76
- NOBINFST option, 76
- NODEVEX option, 79
- NOENDPAUSE option, 72
- NOFEASIBLEPAUSE option, 73
- NOFLOW option, 71
- NOPARAPRINT option, 71
- NOPOSTPROCESS option, 76
- NOPREPROCESS option, 73
- NOPRINT option, 71
- NORANGEPRICE option, 77
- NORANGERHS option, 77
- NOTABLEAUPRINT option, 72
- _OBJ_ID_ variable, 114
- ODS table names, 121
- ODS variable names, 121
- options classified by function, 66
- _ORLP_ macro variable, 5
- output data sets, 114
- Output datasets, 70
- parametric programming, 110
- PARAPRINT option, 72, 111–112
- PARARESTORE option, 79
- PAUSE= option, 73
- PENALTYDEPTH= option, 76
- PEPSILON= option, 73
- PHASEMIX= option, 79
- PIVOT statement, 82
- PMAXIT= option, 73
- POBJECTIVE= option, 76
- POSTPROCESS option, 76
- PREPROCESS option, 73
- preprocessing, 63, 99
- price parametric programming, 111
- price range analysis, 110
- price sensitivity analysis, 109
- price sensitivity analysis summary, 119
- PRICE= option, 79
- PRICEPHI= option, 77
- PRICETYPE= option, 79, 98
- pricing, 97
- PRIMALIN= data set, 116
- PRIMALIN= option, 71, 107
- PRIMALOUT= data set, 115
- PRIMALOUT= dataset, 114
- PRIMALOUT= option, 71, 107
- PRINT option, 72
- PRINT statement, 82
- PRINTFREQ= option, 72
- PRINTLEVEL= option, 72
- problem summary, 117
- PROXIMITYPAUSE= option, 73
- PWOBJECTIVE= option, 76
- QUIT statement, 84

- QUIT/SAVE option, 113
 - RANDOMPRICEMULT= option, 79
 - range analysis, 110
 - RANGE statement, 84
 - RANGEPRICE option, 77, 110
 - RANGERHS option, 77, 110
 - READPAUSE option, 73
 - reduced costs, 96
 - REPSILON= option, 80
 - RESET statement, 85
 - RHS sensitivity analysis summary, 119
 - RHS statement, 86
 - _RHS_ID_ variable, 114
 - RHSPHI= option, 77, 111
 - RHSSEN statement, 86
 - right-hand-side parametric programming, 111
 - right-hand-side range analysis, 110
 - right-hand-side sensitivity analysis, 108
 - ROW statement, 87
 - RUN option, 113
 - RUN statement, 87
 - SCALE= option, 80
 - scaling, 98
 - sensitivity analysis, 107, 113
 - SHOW statement, 87, 113
 - SMALL= option, 80
 - solution summary, 118
 - sparse data input format, 91
 - sparse input data format, 57
 - SPARSEDATA option, 71
 - Summary of PROC LP Options, 66
 - Syntax, 65
 - syntax skeleton, 65
 - table of syntax elements, 66
 - TABLEAUOUT= data set, 116
 - TABLEAUOUT= dataset, 114
 - TABLEAUOUT= option, 71
 - TABLEAUPRINT option, 72
 - TIME= option, 80
 - TREETYPE= option, 76
 - TYPE statement, 88
 - U= option, 80
 - VAR statement, 90
 - variable summary, 118
 - VARSELECT= option, 77, 104
 - WOBJECTIVE= option, 77
 - LP statement
 - LP procedure, 70
 - LRATIO1 option
 - NETFLOW procedure, 247
 - LRATIO2 option
 - NETFLOW procedure, 247
 - LSQ Statement, 415
- M**
- macro variable
 - _ORASSIG, 44
 - _ORNETFL, 301
 - macro variable _ORLP_
 - LP procedure, 96
 - MARIX option
 - PRINT statement (LP), 83
 - mathematical description of LP
 - NETFLOW procedure, 315
 - mathematical description of NPSC
 - NETFLOW procedure, 193
 - Matrix
 - MATRIX Statement, 414
 - MATRIX statement, 417
 - Matrix Update formulas, 434
 - MAX option
 - NETFLOW procedure, 221
 - MAX Statement, 415
 - MAXARRAYBYTES= option
 - NETFLOW procedure, 221
 - MAXFLOW option
 - NETFLOW procedure, 219, 221–222, 226–227
 - Maximal flow problem
 - NETFLOW procedure, 216, 226
 - Maximal flow problem option
 - NETFLOW procedure, 221
 - MAXIMIZE option
 - NETFLOW procedure, 221
 - MAXIMUM option
 - ASSIGN procedure, 43
 - MAXIT= option
 - LP procedure, 79
 - MAXIT1= option
 - LP procedure, 79
 - NETFLOW procedure, 231, 245
 - MAXIT2= option
 - LP procedure, 79
 - NETFLOW procedure, 231, 245–246
 - MAXIT3= option
 - LP procedure, 79
 - MAXITERB= option
 - NETFLOW procedure, 255
 - MAXL= option
 - NETFLOW procedure, 248
 - MAXLUUPDATES= option
 - NETFLOW procedure, 248–249
 - MAXQUAD statement, 416
 - memory management
 - LP procedure, 113
 - MEMREP option
 - NETFLOW procedure, 217, 221–222
 - MF option
 - NETFLOW procedure, 221
 - MIN Statement, 415
 - MINBLOCK1= option
 - NETFLOW procedure, 246
 - MINFLOW statement
 - NETFLOW procedure, 230
 - _MINFLOW variable
 - ARC DATA data set (NETFLOW), 231
 - Minimum flow problem
 - NETFLOW procedure, 222
 - MINQUAD statement, 416

- MISC option;SHOW statement
 - NETFLOW procedure, 262
 - Missing S Supply and Missing D Demand
 - NETFLOW procedure, 288
 - Missing Values, 466
 - missing values
 - ASSIGN procedure, 44
 - LP procedure, 91
 - mixed-integer programs, 55
 - MLUU= option
 - NETFLOW procedure, 249
 - Model Files, 463
 - MODEL=option
 - Model files, 463
 - Moré, 433, 439, 442
 - MOREOPT option
 - NETFLOW procedure, 251
 - MPS file conversion
 - LP procedure, 64
 - multicommodity problems
 - NETFLOW procedure, 190
 - Multiple arcs
 - NETFLOW procedure, 280
 - multiple pricing
 - LP procedure, 97
- N**
- NAME statement
 - NETFLOW procedure, 222, 226, 228–229, 231, 235, 268
 - _NAME_ variable
 - ARCDATA data set (NETFLOW), 231
 - ARCOUT and CONOUT data sets (NETFLOW), 276
 - NAMECTRL= option
 - NETFLOW procedure, 222, 231
 - NARCS= option
 - NETFLOW procedure, 224
 - NCOEFS= option
 - NETFLOW procedure, 224
 - NCONS= option
 - NETFLOW procedure, 224
 - Nelder-Mead, 438
 - Nelder-Mead Simplex, 404
 - NETFLOW procedure
 - ALLART option, 215
 - AOUT= option, 214, 243
 - Arc names, 196, 199, 222, 228, 231, 268, 306, 320
 - ARC_SINGLE_OBS option, 216
 - ARCDATA= option, 196–197, 199, 205, 214, 222, 224, 226–230, 240, 264, 267, 293, 305–306, 311, 319–320, 328
 - ARCNAME statement, 231
 - ARCOUT= option, 197, 214, 230, 240, 243, 245, 276, 284, 292
 - ARCS_ONLY_ARCDATA option, 216
 - Bartels-Golub decomposition, 221, 249, 286
 - BIGM1 option, 246
 - BIGM2 option, 248
 - blending constraints, 189
 - BPDIV= option, 216
 - BYPASSDIV= option, 216
 - BYPASSDIVIDE= option, 216
 - BYTES= option, 217
 - CAPAC statement, 228
 - CAPACITY statement, 228, 235, 336
 - case-sensitivity, 279
 - case-sensitivity;ARCDATA= option, 226
 - Central Path, 317
 - CF= option, 217
 - CHOLTINYTOL= option, 254
 - COEF statement, 228, 235, 265, 270
 - COLUMN statement, 222, 224, 227–228, 270
 - CON_SINGLE_OBS option, 217
 - CONDATA= option, 196–197, 199, 205, 215, 222, 224, 226–228, 231, 240, 265–267, 292, 306, 311, 320, 328
 - CONOPT statement, 205, 229, 263, 311, 328
 - CONOUT= option, 197, 215, 230, 240, 243–244, 276, 284, 293, 306, 320
 - COREFACTOR= option, 217
 - COST statement, 229, 235, 293
 - COUT= option, 215, 244
 - CYCLEMULT1= option, 246
 - Data Set options, 214
 - DATA SETS option;SHOW statement, 259, 261
 - DC= option, 218
 - DCT= option, 218
 - DEFCAPACITY= option, 218
 - DEFCTYPE= option, 218, 265, 270, 336
 - DEFCOST= option, 218
 - DEFMINFLOW= option, 218
 - DEFTYPE= option, 218
 - DEMAND statement, 229, 288
 - DEMAND= option, 219, 221
 - Dense input format, 192, 196, 217, 219, 222, 226, 256–257, 265–267, 297, 300, 306, 320
 - DENSETHR= option, 254
 - Details, 267
 - DMF= option, 218
 - DOUT= option, 215, 244
 - Dual Variables, 282, 284
 - DUALFREQ= option, 250, 282
 - DUALIN= option, 215, 227, 293
 - DUALOUT= option, 215, 240, 243–244, 276–277, 293
 - DWIA= option, 219
 - ENDPAUSE1 option, 245
 - Examples, 334
 - FEASIBLEPAUSE1 option, 245
 - FEASIBLEPAUSE2 option, 246
 - flow conservation constraints, 185, 189–190, 194, 245, 273, 287–288, 296, 304–305, 308
 - FP1 option, 245
 - FP2 option, 246
 - FROM statement, 235, 264
 - FROMNODE statement, 264
 - functional summary, 207, 212, 240

- functional summary Interior Point Algorithm, 330
- Functional Summary: Network Models: Interior Point algorithm, 313
- FUTURE1 option, 197, 243, 250, 292
- FUTURE2 option, 197, 243, 251, 292
- Getting Started, 196
- Getting Started Interior Point Algorithm, 319
- GROUPEd= option, 216, 219
- HEAD statement, 230
- HEADNODE statement, 229–231, 334
- ID statement, 230, 339
- IMAXITERB= option, 255
- INF= option, 220
- Infeasibility, 287
- INFINITY= option, 216, 218, 220–221
- initial basic feasible solution, 197, 216, 229, 240
- Input data sets, 214, 267
- Interactivity, 205
- Interactivity Interior Point Algorithm, 328
- Interior Point algorithm, 303
- Interior Point algorithm options, 254
- Interior Point algorithm: Functional Summary: Network Models, 313
- Interior Point Algorithm: Getting Started, 305
- Interior Point Algorithm: Interactivity, 311
- Interior Point Algorithm: Introductory example, 307
- Interior Point Algorithm: linear programming problems, 315
- Interior Point Algorithm: NETFLOW statement, 311
- Interior Point Algorithm: Summary of PROC NETFLOW Options, 313
- Interior Point: Algorithmic Details, 316
- INTFIRST option, 248
- INTPOINT option, 254, 305
- Introductory example, 197, 235, 268–269
- Introductory example Interior Point Algorithm, 320
- INVD_2D option, 220, 248–250, 286
- INVREQ= option, 248
- INVREQ= option, 248
- IPRSLTYPE= option, 255
- Karush-Kuhn-Tucker (KKT) conditions, 316
- linear programming problem, 192, 254–255, 273, 296, 303, 315
- linear programming problems: Interior Point Algorithm, 315
- LO statement, 230, 235
- Longest path problem, 221
- Loop arcs, 279
- LOWERBD statement, 230
- LP, 315
- LRATIO1 option, 247
- LRATIO2 option, 247
- macro variable `_ORNETFL`, 301
- mathematical description of LP, 315
- mathematical description of NPSC, 193
- MAX option, 221
- MAXARRAYBYTES= option, 221
- MAXFLOW option, 219, 221–222, 226–227
- Maximal flow problem, 216, 221, 226
- MAXIMIZE option, 221
- MAXIT1= option, 231, 245
- MAXIT2= option, 231, 245–246
- MAXITERB= option, 255
- MAXL= option, 248
- MAXLUUPDATES= option, 248–249
- MEMREP option, 217, 221–222
- MF option, 221
- MINBLOCK1= option, 246
- MINFLOW statement, 230
- Minimum flow problem, 222
- MISC option;SHOW statement, 262
- Missing S Supply and Missing D Demand, 288
- MLUU= option, 249
- MOREOPT option, 251
- multicommodity problems, 190
- Multiple arcs, 280
- NAME statement, 222, 226, 228–229, 231, 235, 268
- NAMECTRL= option, 222, 231
- NARCS= option, 224
- NCOEFS= option, 224
- NCONS= option, 224
- NETFLOW statement, 197, 205, 212
- NETFLOW statement Interior Point Algorithm, 311, 328
- network problems, 185
- network problems Interior Point Algorithm, 304
- network programming problem with side constraints, 193
- NNAS= option, 224
- NNODES= option, 224
- NOBIGM1 option, 246
- NOBIGM2 option, 248
- NODE statement, 231, 264, 278
- NODEDATA= data set, 196, 305
- NODEDATA= option, 197–198, 205, 215, 226–227, 231, 240, 264, 293, 306, 311
- NODEOUT= option, 197, 215, 240, 243–245, 276–277, 292
- NOENDPAUSE1 option, 245
- NOEP1 option, 245
- NOFEASIBLEPAUSE1 option, 245
- NOFEASIBLEPAUSE2 option, 246
- NOFP1 option, 245
- NOFP2 option, 246
- NOFUTURE1 option, 251
- NOFUTURE2 option, 251
- NOINTFIRST option, 249
- NOLRATIO1 option, 247
- NOLRATIO2 option, 247
- NON_REPLIC= option, 224
- nonarc variable, 187
- nonarc variables, 194
- NOPERTURB1 option, 246
- NOSCRATCH option, 251

- NOTWOPHASE1 option, 246
 NOTWOPHASE2 option, 248
 NOUT= option, 244
 NOZTOL1 option, 251
 NOZTOL2 option, 252
 NPSC, 193
 OBJFN statement, 229
 options classified by function, 207, 212, 240
 options classified by function Interior Point Algorithm, 313, 330
 _ORNETFL macro variable, 6–7
 Output data sets, 214, 276
 Overview, 185
 P x NPARTIAL= option, 250, 282
 P x NPARTIAL= option, PRICETYPE x =NOQ, 281
 P x SCAN= option, 250
 P x SCAN= option, PRICETYPE x =NOQ, 281
 P x SCAN= option, PRICETYPE x =Q, 282
 PINPARTIAL= option, 263
 PISCAN=BEST option, 263
 PISCAN=FIRST option, 263
 P2NPARTIAL= option, 263
 P2SCAN=ANY, 282
 P2SCAN=BEST option, 263
 P2SCAN=FIRST option, 263
 PAUSE option;SHOW statement, 261
 PAUSE1= option, 245
 PAUSE2= option, 246
 PDGAPTOL= option, 255
 PDSSTEPMULT= option, 255
 PERTURB1 option, 246
 PIVOT statement, 205, 231, 311, 328
 preprocessing, 255
 PRICETYPE x = option, 250, 280
 PRICETYPE x =BLAND, 283
 PRICETYPE x =NOQ, 281
 PRICETYPE x =Q, 281
 PRICETYPE1=BLAND, 263
 PRICETYPE1=NOQ, 263
 PRICETYPE2=BLAND, 263
 PRICETYPE2=NOQ, 263
 PRICING option;SHOW statement, 262
 Pricing Strategies, 280
 PRINT statement, 205, 232, 311, 328
 PRINT statement cautions, 238
 proportional constraints, 188, 199
 PRSLTYPE= option, 255
 Q x FILLNPARTIAL= option, 250, 282
 Q x FILLSCAN= option, 250, 282
 Q1FILLNPARTIAL= option, 263
 Q1FILLSCAN= option, 263
 Q1FILLSCAN=BEST, 263
 Q1FILLSCAN=FIRST, 263
 Q2FILLNPARTIAL= option, 263
 Q2FILLSCAN= option, 263
 Q2FILLSCAN=BEST, 263
 Q2FILLSCAN=FIRST, 263
 QSIZE x = option, 250, 281
 QSIZE1= option, 263
 QSIZE2= option, 263
 QUIT statement, 205, 239, 311, 328
 RCHOLTINYTOL= option, 254
 RDENSETHR= option, 254
 Reduced Costs, 282, 284
 REDUCEQ x = option, 250
 REDUCEQSIZE x = option, 250, 282
 REDUCEQSIZE1= option, 263
 REDUCEQSIZE2= option, 263
 REFACTFREQ= option, 248–249
 REFRESHQ x = option, 250, 282
 REFRESHQ1= option, 263
 REFRESHQ2= option, 263
 RELEVANT option;SHOW statement, 263
 RESET statement, 197, 205, 239, 311, 328
 RFF= option, 249
 RHS statement, 256, 268, 278
 RHSOBS= option, 224, 228, 270
 ROW statement, 228, 257, 266, 268, 278
 RPDGAPTOL= option, 255
 RPDSTEPMULT= option, 255
 RTOLDINF= option, 254
 RTOLPINF= option, 254
 RUN statement, 205, 257, 311, 328
 SAME_NONARC_DATA option, 224
 SAVE statement, 197, 205, 244, 258, 311, 328
 SCALE= option, 225
 SCDATA option, 226
 SCRATCH option, 229, 252, 263
 SET statement, 239
 Shortest path problem, 226, 334
 SHORTPATH option, 219, 221, 226–227, 334
 SHOW statement, 205, 239, 259, 311, 328
 SHOW statement;DATA SETS option, 259, 261
 SHOW statement;MISC option, 262
 SHOW statement;PAUSE option, 261
 SHOW statement;PRICING option, 262
 SHOW statement;RELEVANT option, 263
 SHOW statement;SIMPLEX option, 262
 SHOW statement;STAGE option, 263
 SHOW statement;STATUS option, 260
 side constraints, 187, 193–194
 SIMPLEX option;SHOW statement, 262
 SINK= option, 216, 219, 221, 226, 334
 SND option, 224
 SOURCE= option, 216, 221, 226–227
 SP option, 226
 SP2 option, 227
 Sparse input format, 192, 197, 217, 220, 222, 224, 226–228, 257, 265, 269, 279, 297, 300, 306, 320, 327, 352
 SPARSECONDATA option, 226, 269
 SPARSEP2 option, 227
 Special rows, 228, 265, 269, 272
 STAGE option;SHOW statement, 263
 stages, 197, 229, 240, 280, 288
 stages Interior Point Algorithm, 306, 320
 Status, 284

- STATUS option;SHOW statement, 260
- Summary of PRINT Options, 232
- Summary of PROC NETFLOW Options, 207, 212
- Summary of PROC NETFLOW Options Interior Point Algorithm, 330
- Summary of PROC NETFLOW Options: Interior Point Algorithm, 313
- Summary of RESET Statement Options, 240
- Summary of SAVE Options, 258
- Summary of SHOW Options, 259
- SUPDEM statement, 264, 278, 288
- SUPPLY statement, 264, 288
- SUPPLY= option, 221, 227
- Syntax, 203
- Syntax Interior Point Algorithm, 332
- syntax skeleton, 203
- table of syntax elements, 207, 212, 240
- table of syntax elements Interior Point Algorithm, 313, 330
- TAIL statement, 264
- TAILNODE statement, 231, 264, 334
- THRUNET option, 227, 288
- TO statement, 230, 235
- TOLDINF= option, 254
- TOLPINF= option, 254
- TONODE statement, 230
- TWOPHASE1 option, 246
- TWOPHASE2 option, 248
- TYPE statement, 265, 268, 278
- TYPEOBS= option, 227–228, 270
- U= option, 248–249
- UPPERBD statement, 228
- VAR statement, 222, 265–266, 268
- VARNAME statement, 231
- VERBOSE= option, 252
- WARM option, 227, 293, 347
- Warm starts, 195, 197, 225, 227, 240, 280, 292, 339, 347
- Working basis matrix, 219–220, 227, 248, 285
- Z1= option, 253
- Z2= option, 253
- ZERO1= option, 253
- ZERO2= option, 253
- ZEROTOL= option, 253
- ZTOL1 option, 254
- ZTOL2 option, 254
- NETFLOW procedure Interior Point Algorithm
 - syntax skeleton, 332
- NETFLOW statement
 - NETFLOW procedure, 197, 205, 212
- NETFLOW statement Interior Point Algorithm
 - NETFLOW procedure, 311, 328
- network problems
 - NETFLOW procedure, 185
- network problems Interior Point Algorithm
 - NETFLOW procedure, 304
- network programming problem with side constraints
 - NETFLOW procedure, 193
- NEWRAP option, 404, 433
- Newton-Raphson, 404–405
- NLINCON Statement, 417
- NLP procedure
 - Absolute Function Convergence, 387
 - Absolute Gradient Convergence, 387
 - Absolute Parameter Convergence, 388
 - Absolute Singularity Criterion, 388
 - accurate digits in Nonlinear Constraints, 388
 - accurate digits in Objective Function, 391
 - alt. relative gradient convergence, 392
 - Best Grid Points, 388
 - checking gradient computation, 393
 - finite difference option, 391
 - formula for computing Covariance matrix, 389
 - Function Convergence, 387
 - functional summary, 384
 - Hessian initial estimate, 394
 - Hessian Scaling, 393
 - Hessian update method, 405
 - initial step size for line-search, 389
 - initial values, 394
 - line-search method, 396
 - max. number of function calls, 397
 - max. number of iterations, 398
 - optimization technique, 404
 - options classified by function, 384
 - overview, 371
 - Parameters for profile confidence limits, 388
 - predicted reduction convergence, 390
 - print all, 401
 - print covariance matrix, 401
 - print function values, 401
 - print optimization history, 402
 - print suppress, 399
 - relative function convergence, 390
 - relative gradient convergence, 392
 - Relative Parameter Convergence, 406
 - Relative Singularity Criterion, 399, 406
 - restrict output, 402
 - restrict output to short form, 403
 - second order finite differences, 391
 - Sparsity Structure in quadratic opt., 395
 - table of syntax elements, 384
 - threshold for eigenvalues, 389
 - time limit, 398
- NMSIMP option, 404, 438
- NNAS= option
 - NETFLOW procedure, 224
- NNODES= option
 - NETFLOW procedure, 224
- _NNUMB_ variable
 - NODEDATA data set (NETFLOW), 341
- _NNUMB_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 277
- NOAUTO option
 - LP procedure, 76
- NOBIGM1 option
 - NETFLOW procedure, 246

- NOBIGM2 option
 - NETFLOW procedure, 248
 - NOBINFST option
 - LP procedure, 76
 - NODE statement
 - NETFLOW procedure, 231, 264, 278
 - _NODE_ variable
 - NODEDATA data set (NETFLOW), 231
 - NODEOUT and DUALOUT data sets (NETFLOW), 277
 - NODEDATA= data set
 - NETFLOW procedure, 196, 305
 - NODEDATA= option
 - NETFLOW procedure, 197–198, 205, 215, 226–227, 231, 240, 264, 293, 306, 311
 - NODEOUT= option
 - NETFLOW procedure, 197, 215, 240, 243–245, 276–277, 292
 - NODEVEX option
 - LP procedure, 79
 - NOENDPAUSE option
 - LP procedure, 72
 - NOENDPAUSE1 option
 - NETFLOW procedure, 245
 - NOEP1 option
 - NETFLOW procedure, 245
 - NOFEASIBLEPAUSE option
 - LP procedure, 73
 - NOFEASIBLEPAUSE1 option
 - NETFLOW procedure, 245
 - NOFEASIBLEPAUSE2 option
 - NETFLOW procedure, 246
 - NOFLOW option
 - LP procedure, 71
 - NOFP1 option
 - NETFLOW procedure, 245
 - NOFP2 option
 - NETFLOW procedure, 246
 - NOFUTURE1 option
 - NETFLOW procedure, 251
 - NOFUTURE2 option
 - NETFLOW procedure, 251
 - NOINTFIRST option
 - NETFLOW procedure, 249
 - NOLRATIO1 option
 - NETFLOW procedure, 247
 - NOLRATIO2 option
 - NETFLOW procedure, 247
 - NON_REPLIC= option
 - NETFLOW procedure, 224
 - nonarc variable
 - NETFLOW procedure, 187
 - nonarc variables
 - NETFLOW procedure, 194
 - NONE option, 404
 - NONINTEGER option
 - PRINT statement (LP), 83
 - NONINTEGER_NONZEROS option
 - PRINT statement (LP), 83
 - NonLinear Constraints
 - NLC Statement, 417, 419
 - NLINCON Statement, 417, 419
 - Nonlinearly Constrained Optimization, 435
 - NONZEROS option
 - PRINT statement (LP), 83
 - NOPARAPRINT option
 - LP procedure, 71
 - NOPERTURB1 option
 - NETFLOW procedure, 246
 - NOPOSTPROCESS option
 - LP procedure, 76
 - NOPREPROCESS option
 - LP procedure, 73
 - NOPRINT option
 - LP procedure, 71
 - NORANGEPRICE option
 - LP procedure, 77
 - NORANGERHS option
 - LP procedure, 77
 - NOSCRATCH option
 - NETFLOW procedure, 251
 - NOTABLEAUPRINT option
 - LP procedure, 72
 - NOTWOPHASE1 option
 - NETFLOW procedure, 246
 - NOTWOPHASE2 option
 - NETFLOW procedure, 248
 - NOUT= option
 - NETFLOW procedure, 244
 - NOZTOL1 option
 - NETFLOW procedure, 251
 - NOZTOL2 option
 - NETFLOW procedure, 252
 - NPSC
 - NETFLOW procedure, 193
 - NRRIDG option, 405, 434
- O**
- objective value
 - ASSIGN procedure, 44
 - OBJFN statement
 - NETFLOW procedure, 229
 - _OBJ_ID_ variable
 - LP procedure, 114
 - OPTCHECK Statement
 - Overcoming convergence to a stationary point, 451
 - Optimization
 - Conjugate Gradients, 437
 - Double dogleg, 437
 - Hybrid Quasi Newton, 439
 - optimization
 - introduction, 5
 - Optimization
 - Levenberg-Marquardt, 439
 - Linear constraints, 434
 - LSQ Statement, 415
 - MAX Statement, 415
 - MIN Statement, 415

- Nelder-Mead, Simplex, 438
 - Nonlinear constraints, 435
 - Quadratic, 432
 - Quasi-Newton, 434
 - Unconstrained, 434
 - with line-search, 433
 - with Ridging, 434
 - Optimization Algorithms, 428
 - Optimization Control Options
 - LP procedure, 43
 - options classified by function
 - See functional summary
 - options classified by function Interior Point Algorithm
 - See functional summary
 - OPTIONS option
 - SHOW statement (LP), 87
 - _ORASSIG macro variable, 12, 44
 - _ORLP_ macro variable, 5
 - _ORNETFL macro variable, 6–7, 301
 - _ORTRANS macro variable, 12
 - out-of-kilter algorithm
 - ASSIGN procedure, 45
 - OUT= option
 - ASSIGN procedure, 43
 - OUT=option
 - Extended Discussion, 458
 - OUTEST= data set
 - Extended Discussion, 459
 - OUTMODEL=option
 - Extended description, 463
 - output data set
 - ASSIGN procedure, 44
 - Output data sets
 - ASSIGN procedure, 42
 - output data sets
 - LP procedure, 114
 - Output data sets
 - NETFLOW procedure, 214, 276
 - Output datasets
 - LP procedure, 70
 - OUTVAR= data set
 - Extended Discussion, 459
 - Overflow, 450
 - Overview
 - ASSIGN procedure, 39
 - Introduction to Optimization, 3
 - NETFLOW procedure, 185
 - overview
 - NLP procedure, 371
 - Overview
 - TRANS procedure, 513
- P**
- PxNPARTIAL= option
 - NETFLOW procedure, 250, 282
 - PxNPARTIAL= option, PRICETYPEx=NOQ
 - NETFLOW procedure, 281
 - PxSCAN= option
 - NETFLOW procedure, 250
 - PxSCAN= option, PRICETYPEx=NOQ
 - NETFLOW procedure, 281
 - PxSCAN= option, PRICETYPEx=Q
 - NETFLOW procedure, 282
 - PINPARTIAL= option
 - NETFLOW procedure, 263
 - PISCAN=BEST option
 - NETFLOW procedure, 263
 - PISCAN=FIRST option
 - NETFLOW procedure, 263
 - P2NPARTIAL= option
 - NETFLOW procedure, 263
 - P2SCAN=ANY
 - NETFLOW procedure, 282
 - P2SCAN=BEST option
 - NETFLOW procedure, 263
 - P2SCAN=FIRST option
 - NETFLOW procedure, 263
 - Parameter Specification, 419
 - PARAMETERS Statement, 419
 - parametric programming
 - LP procedure, 110
 - PARAPRINT option
 - LP procedure, 72, 111–112
 - PARARESTORE option
 - LP procedure, 79
 - PARMS Statement, 419
 - Overcoming convergence to a stationary point, 451
 - PAUSE option;SHOW statement
 - NETFLOW procedure, 261
 - PAUSE= option
 - LP procedure, 73
 - PAUSE1= option
 - NETFLOW procedure, 245
 - PAUSE2= option
 - NETFLOW procedure, 246
 - PB option, 405
 - PCOV option, 401
 - PDGAPTOL= option
 - NETFLOW procedure, 255
 - PDSTEPMULT= option
 - NETFLOW procedure, 255
 - PENALTYDEPTH= option
 - LP procedure, 76
 - PEPSILON= option
 - LP procedure, 73
 - PERTURB1 option
 - NETFLOW procedure, 246
 - PHASEMIX= option
 - LP procedure, 79
 - PICTURE option
 - PRINT statement (LP), 83
 - PIVOT statement
 - LP procedure, 82
 - NETFLOW procedure, 205, 231, 311, 328
 - PMAXIT= option
 - LP procedure, 73
 - POBJECTIVE= option

- LP procedure, 76
- Polak-Ribiere, 405
- POSTPROCESS option
 - LP procedure, 76
- Powell, 406, 435–438, 450
- Powell-Beale, 405
- PR option, 405
- Precision
 - accurate digits in Nonlinear Constraints, 388
 - accurate digits in Objective Function, 391
- precision
 - Discussion, 452
- _PRED_ variable
 - NODEDATA data set (NETFLOW), 341
- _PRED_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 277
- PREPROCESS option
 - LP procedure, 73
- preprocessing
 - LP procedure, 63, 99
 - NETFLOW procedure, 255
- price parametric programming
 - LP procedure, 111
- price range analysis
 - LP procedure, 110
- price sensitivity analysis
 - LP procedure, 109
- price sensitivity analysis summary
 - LP procedure, 119
- PRICE= option
 - LP procedure, 79
- PRICEPHI= option
 - LP procedure, 77
- PRICESEN option
 - PRINT statement (LP), 83
- PRICETYPE x = option
 - NETFLOW procedure, 250, 280
- PRICETYPE x =BLAND
 - NETFLOW procedure, 283
- PRICETYPE x =NOQ
 - NETFLOW procedure, 281
- PRICETYPE x =Q
 - NETFLOW procedure, 281
- PRICETYPE= option
 - LP procedure, 79, 98
- PRICETYPE1=BLAND
 - NETFLOW procedure, 263
- PRICETYPE1=NOQ
 - NETFLOW procedure, 263
- PRICETYPE2=BLAND
 - NETFLOW procedure, 263
- PRICETYPE2=NOQ
 - NETFLOW procedure, 263
- pricing
 - LP procedure, 97
- PRICING option;SHOW statement
 - NETFLOW procedure, 262
- Pricing Strategies
 - NETFLOW procedure, 280
- PRIMALIN= data set
 - LP procedure, 116
- PRIMALIN= option
 - LP procedure, 71, 107
- PRIMALOUT= data set
 - LP procedure, 115
- PRIMALOUT= dataset
 - LP procedure, 114
- PRIMALOUT= option
 - LP procedure, 71, 107
- PRINT option
 - LP procedure, 72
- PRINT statement (LP)
 - BEST option, 82
 - COLUMN option, 82
 - INTEGER option, 82
 - INTEGER_NONZEROS option, 82
 - INTEGER_ZEROS option, 83
 - MARIX option, 83
 - NONINTEGER option, 83
 - NONINTEGER_NONZEROS option, 83
 - NONZEROS option, 83
 - PICTURE option, 83
 - PRICESEN option, 83
 - RANGEPRICE option, 83
 - RANGERHS option, 83
 - RHSSEN option, 83
 - ROW option, 84
 - SENSITIVITY option, 82, 84
 - SOLUTION option, 84
 - TABLEAU option, 84
 - ZEROS option, 84
 - LP procedure, 82
 - NETFLOW procedure, 205, 232, 311, 328
- PRINT statement cautions
 - NETFLOW procedure, 238
- PRINTFREQ= option
 - LP procedure, 72
- Printing Options
 - optimization technique, 404
 - print $J^T J$, 401
 - print all, 401
 - print covariance matrix, 401
 - print eigenvalues of $J^T J$, 401
 - print function values, 401
 - print Hessian, 402
 - print Jacobian, 402
 - print optimization history, 402
 - print suppress, 399
 - restrict output, 402
 - restrict output to short form, 403
- PRINTLEVEL= option
 - LP procedure, 72
- problem summary
 - LP procedure, 117
- PROC CALIS, 421
- PROC GENMOD, 421
- PROC MODEL, 421

- PROFILE Statement, 419
 - PROFILE statement
 - Output options, 462
 - PROGRAM Statement, 421
 - Program Statements
 - DF, 425
 - DPROC, 423
 - INDF, 423
 - ITER, 423
 - LASTF, 425
 - LIST, 424
 - NOBS, 425
 - OBS, 422
 - TOOBIG, 424
 - Projected Gradient, 446
 - Projected Hessian, 446
 - proportional constraints
 - NETFLOW procedure, 188, 199
 - PROXIMITYPAUSE= option
 - LP procedure, 73
 - PRSLTYPE= option
 - NETFLOW procedure, 255
 - PSH option, 402
 - PSTDERR option, 401
 - PWOBJECTIVE= option
 - LP procedure, 76
- Q**
- Qx FILLNPARTIAL= option
 - NETFLOW procedure, 250, 282
 - Qx FILLSCAN= option
 - NETFLOW procedure, 250, 282
 - Q1 FILLNPARTIAL= option
 - NETFLOW procedure, 263
 - Q1 FILLSCAN= option
 - NETFLOW procedure, 263
 - Q1 FILLSCAN=BEST
 - NETFLOW procedure, 263
 - Q1 FILLSCAN=FIRST
 - NETFLOW procedure, 263
 - Q2 FILLNPARTIAL= option
 - NETFLOW procedure, 263
 - Q2 FILLSCAN= option
 - NETFLOW procedure, 263
 - Q2 FILLSCAN=BEST
 - NETFLOW procedure, 263
 - Q2 FILLSCAN=FIRST
 - NETFLOW procedure, 263
 - QSIZEx= option
 - NETFLOW procedure, 250, 281
 - QSIZE1= option
 - NETFLOW procedure, 263
 - QSIZE2= option
 - NETFLOW procedure, 263
 - QUADAS option, 405, 432
 - Quadratic Problem, 416
 - Quadratic Programming, 432
 - Active Set method, 432
 - data sets, 457
 - Linear Complementary, 433
 - MATRIX Statement, 414
 - quadratic programming
 - Sparsity Structure in quadratic opt., 395
 - QUANEW option, 405, 434
 - quasi-Newton, 405
 - Quasi-Newton, 434
 - QUIT statement
 - LP procedure, 84
 - NETFLOW procedure, 205, 239, 311, 328
 - QUIT/SAVE option
 - LP procedure, 113
- R**
- Random numbers, 403
 - RANDOMPRICEMULT= option
 - LP procedure, 79
 - range analysis
 - LP procedure, 110
 - RANGE statement
 - LP procedure, 84
 - RANGEPRICE option
 - LP procedure, 77, 110
 - PRINT statement (LP), 83
 - RANGERHS option
 - LP procedure, 77, 110
 - PRINT statement (LP), 83
 - RCHOLTINYTOL= option
 - NETFLOW procedure, 254
 - _RCOST_ variable
 - ARCOUT and CONOUT data sets (NETFLOW), 276, 284
 - RDENSETHR= option
 - NETFLOW procedure, 254
 - READPAUSE option
 - LP procedure, 73
 - reduced costs
 - LP procedure, 96
 - Reduced Costs
 - NETFLOW procedure, 282, 284
 - REDUCEQx= option
 - NETFLOW procedure, 250
 - REDUCEQSIZEx= option
 - NETFLOW procedure, 250, 282
 - REDUCEQSIZE1= option
 - NETFLOW procedure, 263
 - REDUCEQSIZE2= option
 - NETFLOW procedure, 263
 - REFACTFREQ= option
 - NETFLOW procedure, 248–249
 - references
 - NETFLOW procedure, 368
 - REFRESHQx= option
 - NETFLOW procedure, 250, 282
 - REFRESHQ1= option
 - NETFLOW procedure, 263
 - REFRESHQ2= option
 - NETFLOW procedure, 263
 - RELEVANT option;SHOW statement

- NETFLOW procedure, 263
- REPSILON= option
 - LP procedure, 80
- RESET statement (LP)
 - LOWER option, 85
 - UPPER option, 85
 - LP procedure, 85
 - NETFLOW procedure, 197, 205, 239, 311, 328
- RFF= option
 - NETFLOW procedure, 249
- RHS sensitivity analysis summary
 - LP procedure, 119
- RHS statement
 - LP procedure, 86
 - NETFLOW procedure, 256, 268, 278
- _RHS_ variable
 - CONDATA data set (NETFLOW), 256
- _RHS_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
- _RHS_ID_ variable
 - LP procedure, 114
- RHSOBS= option
 - NETFLOW procedure, 224, 228, 270
- RHSPHI= option
 - LP procedure, 77, 111
- RHSSEN option
 - PRINT statement (LP), 83
- RHSSEN statement
 - LP procedure, 86
- Ridging, 434
- right-hand-side parametric programming
 - LP procedure, 111
- right-hand-side range analysis
 - LP procedure, 110
- right-hand-side sensitivity analysis
 - LP procedure, 108
- _ROW, SAS variables with names that begin with
 - CONDATA data set (NETFLOW), 257
- ROW option
 - PRINT statement (LP), 84
- ROW statement
 - LP procedure, 87
 - NETFLOW procedure, 228, 257, 266, 268, 278
- _ROW_ variable
 - CONDATA data set (NETFLOW), 257
- RPDGAPTOL= option
 - NETFLOW procedure, 255
- RPDSTEPMULT= option
 - NETFLOW procedure, 255
- RTOLDINF= option
 - NETFLOW procedure, 254
- RTOLPINF= option
 - NETFLOW procedure, 254
- RUN option
 - LP procedure, 113
- RUN statement
 - LP procedure, 87
 - NETFLOW procedure, 205, 257, 311, 328

S

- SAME_NONARC_DATA option
 - NETFLOW procedure, 224
- SAVE statement
 - NETFLOW procedure, 197, 205, 244, 258, 311, 328
- SCALE= option
 - LP procedure, 80
 - NETFLOW procedure, 225
- Scaling, 442
- scaling
 - ASSIGN procedure, 45
 - LP procedure, 98
- SCDATA option
 - NETFLOW procedure, 226
- _SCESS_ variable
 - NODEDATA data set (NETFLOW), 341
- _SCESS_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
- Schittkowski, 447
- SCRATCH option
 - NETFLOW procedure, 229, 252, 263
- _SD_ variable
 - NODEDATA data set (NETFLOW), 264
 - NODEOUT and DUALOUT data sets (NETFLOW), 277
- Seed for random number generator, 403
- sensitivity analysis
 - LP procedure, 107, 113
- SENSITIVITY option
 - PRINT statement (LP), 82, 84
- SET statement
 - NETFLOW procedure, 239
- Shortest path problem
 - NETFLOW procedure, 226, 334
- SHORTPATH option
 - NETFLOW procedure, 219, 221, 226–227, 334
- SHOW statement (LP)
 - OPTIONS option, 87
 - STATUS option, 87
 - LP procedure, 87, 113
 - NETFLOW procedure, 205, 239, 259, 311, 328
- SHOW statement;DATA SETS option
 - NETFLOW procedure, 259, 261
- SHOW statement;MISC option
 - NETFLOW procedure, 262
- SHOW statement;PAUSE option
 - NETFLOW procedure, 261
- SHOW statement;PRICING option
 - NETFLOW procedure, 262
- SHOW statement;RELEVANT option
 - NETFLOW procedure, 263
- SHOW statement;SIMPLEX option
 - NETFLOW procedure, 262
- SHOW statement;STAGE option
 - NETFLOW procedure, 263
- SHOW statement;STATUS option
 - NETFLOW procedure, 260

- side constraints
 - NETFLOW procedure, 187, 193–194
 - Simplex method, 438
 - SIMPLEX option;SHOW statement
 - NETFLOW procedure, 262
 - Singularity
 - Absolute Singularity Criterion, 388
 - Relative Singularity Criterion, 399, 406
 - SINK= option
 - NETFLOW procedure, 216, 219, 221, 226, 334
 - SMALL= option
 - LP procedure, 80
 - SND option
 - NETFLOW procedure, 224
 - SOLUTION option
 - PRINT statement (LP), 84
 - solution summary
 - LP procedure, 118
 - Sorensen, 433
 - SOURCE= option
 - NETFLOW procedure, 216, 221, 226–227
 - SP option
 - NETFLOW procedure, 226
 - SP2 option
 - NETFLOW procedure, 227
 - sparse data input format
 - LP procedure, 91
 - sparse input data format
 - LP procedure, 57
 - Sparse input format
 - NETFLOW procedure, 192, 197, 217, 220, 222, 224, 226–228, 257, 265, 269, 279, 297, 300, 306, 320, 327, 352
 - Sparse INQUAD= data set, 458
 - SPARSECONDATA option
 - NETFLOW procedure, 226, 269
 - SPARSEDATA option
 - LP procedure, 71
 - SPARSEP2 option
 - NETFLOW procedure, 227
 - Special rows
 - NETFLOW procedure, 228, 265, 269, 272
 - STAGE option;SHOW statement
 - NETFLOW procedure, 263
 - stages
 - NETFLOW procedure, 197, 229, 240, 280, 288
 - stages Interior Point Algorithm
 - NETFLOW procedure, 306, 320
 - Starting Point, 447
 - Stationary Point, 451
 - Status
 - NETFLOW procedure, 284
 - STATUS option
 - SHOW statement (LP), 87
 - STATUS option;SHOW statement
 - NETFLOW procedure, 260
 - _STATUS_ variable
 - ARCOUT and CONOUT data sets (NETFLOW), 277, 284
 - Step Length Options, 448
 - Stoer, 447
 - Storing model files, 463
 - Summary of PRINT Options
 - NETFLOW procedure, 232
 - Summary of PROC ASSIGN Options
 - ASSIGN procedure, 42
 - Summary of PROC LP Options
 - LP procedure, 66
 - Summary of PROC NETFLOW Options
 - NETFLOW procedure, 207, 212
 - Summary of PROC NETFLOW Options Interior Point Algorithm
 - NETFLOW procedure, 330
 - Summary of PROC NETFLOW Options: Interior Point Algorithm
 - NETFLOW procedure, 313
 - Summary of PROC TRANS Options
 - TRANS procedure, 515
 - Summary of RESET Statement Options
 - NETFLOW procedure, 240
 - Summary of SAVE Options
 - NETFLOW procedure, 258
 - Summary of SHOW Options
 - NETFLOW procedure, 259
 - Summary of Syntax, 384
 - SUMOBS option, 418
 - SUPDEM statement
 - NETFLOW procedure, 264, 278, 288
 - _SUPDEM_ variable
 - NODEDATA data set (NETFLOW), 264
 - SUPPLY statement
 - NETFLOW procedure, 264, 288
 - TRANS procedure, 517
 - _SUPPLY_ variable
 - ARCADATA data set (NETFLOW), 264
 - ARCOUT and CONOUT data sets (NETFLOW), 276
 - SUPPLY= option
 - NETFLOW procedure, 221, 227
 - Syntax
 - ASSIGN procedure, 42
 - LP procedure, 65
 - NETFLOW procedure, 203
 - TRANS procedure, 515
 - Syntax Interior Point Algorithm
 - NETFLOW procedure, 332
 - syntax skeleton
 - ASSIGN procedure, 42
 - LP procedure, 65
 - NETFLOW procedure, 203
 - NETFLOW procedure Interior Point Algorithm, 332
 - TRANS procedure, 515
- T**
- table of syntax elements
 - See functional summary
 - table of syntax elements Interior Point Algorithm

- See functional summary Interior Point Algorithm
 - TABLEAU option
 - PRINT statement (LP), 84
 - TABLEAUOUT= data set
 - LP procedure, 116
 - TABLEAUOUT= dataset
 - LP procedure, 114
 - TABLEAUOUT= option
 - LP procedure, 71
 - TABLEAUPRINT option
 - LP procedure, 72
 - TAIL statement
 - NETFLOW procedure, 264
 - TAILNODE statement
 - NETFLOW procedure, 231, 264, 334
 - TRANS procedure, 518
 - _TAIL_ variable
 - ARCDATA data set (NETFLOW), 205, 264, 311, 334
 - Termination Criteria
 - Function Convergence, 387
 - Termination Criteria, 444
 - Absolute Function Convergence, 387
 - Absolute Gradient Convergence, 387
 - Absolute Parameter Convergence, 388
 - alt. relative gradient convergence, 392
 - max. number of function calls, 397
 - max. number of iterations, 398
 - predicted reduction convergence, 390
 - relative function convergence, 390
 - relative gradient convergence, 392
 - Relative Parameter Convergence, 406
 - time limit, 398
 - THRUNET option
 - NETFLOW procedure, 227, 288
 - TIME= option
 - LP procedure, 80
 - _TNUMB_ variable
 - ARCOUT and CONOUT data sets (NETFLOW), 277
 - TO statement
 - NETFLOW procedure, 230, 235
 - _TO_ variable
 - ARCDATA data set (NETFLOW), 230, 334
 - ARCOUT and CONOUT data sets (NETFLOW), 276
 - TOLDINF= option
 - NETFLOW procedure, 254
 - TOLPINF= option
 - NETFLOW procedure, 254
 - TONODE statement
 - NETFLOW procedure, 230
 - TRANS procedure
 - Examples, 523
 - functional summary, 515
 - Getting Started, 513
 - HEADNODE statement, 517
 - options classified by function, 515
 - _ORTRANS macro variable, 12
 - Overview, 513
 - Summary of PROC TRANS Options, 515
 - SUPPLY statement, 517
 - Syntax, 515
 - syntax skeleton, 515
 - table of syntax elements, 515
 - TAILNODE statement, 518
 - TRANS statement, 516
 - TRANS statement
 - TRANS procedure, 516
 - _TRAV_ variable
 - NODEDATA data set (NETFLOW), 341
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
 - TREETYPE= option
 - LP procedure, 76
 - TRUREG option, 405, 433
 - trust region, 405
 - Trust Region Method, 433
 - TWOPHASE1 option
 - NETFLOW procedure, 246
 - TWOPHASE2 option
 - NETFLOW procedure, 248
 - TYPE statement
 - LP procedure, 88
 - NETFLOW procedure, 265, 268, 278
 - _TYPE_ variable
 - CONDATA data set (NETFLOW), 265
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
 - TYPEOBS= option
 - NETFLOW procedure, 227–228, 270
- ## U
- U= option
 - LP procedure, 80
 - NETFLOW procedure, 248–249
 - Unconstrained Optimization, 434
 - Upper bounds, 456
 - UPPER option
 - RESET statement (LP), 85
 - _UPPER_ variable
 - ARCDATA data set (NETFLOW), 228
 - UPPERBD statement
 - NETFLOW procedure, 228
 - _UPPERBD variable
 - ARCDATA data set (NETFLOW), 228
- ## V
- _VALUE_ variable
 - NODEOUT and DUALOUT data sets (NETFLOW), 278
 - VAR Statement, 419
 - VAR statement
 - LP procedure, 90
 - NETFLOW procedure, 222, 265–266, 268
 - variable summary
 - LP procedure, 118
 - VARIABLE statement

- NETFLOW procedure, 231
- VARSELECT= option
 - LP procedure, 77, 104
- VERBOSE= option
 - NETFLOW procedure, 252
- VSING= option, 406

W

- WARM option
 - NETFLOW procedure, 227, 293, 347
- Warm starts
 - NETFLOW procedure, 195, 197, 225, 227, 240, 280, 292, 339, 347
- Wedin, 439
- Welsch, 442
- When to use INTPOINT
 - NETFLOW procedure, 304
- WOBJECTIVE= option
 - LP procedure, 77
- Working basis matrix
 - NETFLOW procedure, 219–220, 227, 248, 285

Z

- Z1= option
 - NETFLOW procedure, 253
- Z2= option
 - NETFLOW procedure, 253
- ZERO1= option
 - NETFLOW procedure, 253
- ZERO2= option
 - NETFLOW procedure, 253
- ZEROS option
 - PRINT statement (LP), 84
- ZEROTOL= option
 - NETFLOW procedure, 253
- ZTOL1 option
 - NETFLOW procedure, 254
- ZTOL2 option
 - NETFLOW procedure, 254

Syntax Index

A

- ABSCONV=option
 - PROC NLP statement, 387
- ABSFCONV=option
 - PROC NLP statement, 387
- ABSFTOL=option
 - PROC NLP statement, 387
- ABSGCONV=option
 - PROC NLP statement, 387
- ABSGTOL=option
 - PROC NLP statement, 387
- ABSTOL=option
 - PROC NLP statement, 387
- ABSXCONV=option
 - PROC NLP statement, 388
- ABSXTOL=option
 - PROC NLP statement, 388
- ACTIVEIN= option
 - PROC LP statement, 70
- ACTIVEOUT= option
 - PROC LP statement, 71
- ALL
 - PROC NLP statement, 401
- ALLART option
 - PROC NETFLOW statement, 215
- AOUT= option
 - PROC NETFLOW statement, 214
 - PROC NETFLOW, RESET, or SAVE statement, 243
- ARC_SINGLE_OBS option
 - PROC NETFLOW statement, 216
- ARCDATA= option
 - PROC NETFLOW statement, 214
- ARCNAME statement
 - NETFLOW procedure, 231
- ARCOUT= option
 - PROC NETFLOW statement, 214
 - PROC NETFLOW, RESET, or SAVE statement, 243
- ARCS_ONLY_ARCDATA option
 - PROC NETFLOW statement, 216
- ASING=option
 - PROC NLP statement, 388
- ASINGULAR=option
 - PROC NLP statement, 388
 - use in computing Covariance Matrix, 454
- AUTO option
 - PROC LP statement, 74

B

- BACKTRACK= option
 - PROC LP statement, 74
- BEST option
 - PROC LP statement, 82
- BEST=option
 - PROC NLP statement, 388
- BIGM1 option
 - PROC NETFLOW, or RESET statement, 246
- BIGM2 option
 - PROC NETFLOW, or RESET statement, 248
- BINFST option
 - PROC LP statement, 74
- BPD= option
 - PROC NETFLOW statement, 216
- BY statement
 - ASSIGN procedure, 43
- BYPASSDIV= option
 - PROC NETFLOW statement, 216
- BYPASSDIVIDE= option
 - PROC NETFLOW statement, 216
- BYTES= option
 - PROC NETFLOW statement, 217

C

- CANSELECT= option
 - PROC LP statement, 74
- CAPAC statement
 - NETFLOW procedure, 228
- CAPACITY statement
 - NETFLOW procedure, 228
- CDIGITS=option
 - PROC NLP statement, 388
- CF= option
 - PROC NETFLOW statement, 217
- CLPARAM=option
 - PROC NLP statement, 388
- COEF statement
 - NETFLOW procedure, 228
- COLUMN option
 - PROC LP statement, 82
- COLUMN statement
 - NETFLOW procedure, 228
- CON_SINGLE_OBS option
 - PROC NETFLOW statement, 217
- CONDATA= option
 - PROC NETFLOW statement, 215
- CONOPT statement
 - NETFLOW procedure, 229

- CONOUT= option
 - PROC NETFLOW statement, 215
 - PROC NETFLOW, RESET, or SAVE statement, 244
 - CONTROL= option
 - PROC LP statement, 75
 - COREFACTOR= option
 - PROC NETFLOW statement, 217
 - COST statement
 - ASSIGN procedure, 43
 - NETFLOW procedure, 229
 - COUT= option
 - PROC NETFLOW statement, 215
 - PROC NETFLOW, RESET, or SAVE statement, 244
 - COV=option
 - PROC NLP statement, 389
 - COVARIANCE=option
 - Full discussion on Covariance Matrix, 452
 - PROC NLP statement, 389
 - COVSING=option
 - PROC NLP statement, 389
 - CYCLEMULT1= option
 - PROC NETFLOW, or RESET statement, 246
- D**
- DAMPSTEP=option
 - PROC NLP statement, 389
 - use in line-searches, 448
 - DATA SETS option
 - SHOW statement (NETFLOW), 261
 - DATA= option
 - PROC ASSIGN statement, 42
 - PROC LP statement, 71
 - DATA=option
 - PROC NLP statement, 389
 - DC= option
 - PROC NETFLOW statement, 218
 - DCT= option
 - PROC NETFLOW statement, 218
 - DEC= option
 - PROC ASSIGN statement, 43
 - DEFCAPACITY= option
 - PROC NETFLOW statement, 218
 - DEFCONTYPE= option
 - PROC NETFLOW statement, 218
 - DEFCOST= option
 - PROC NETFLOW statement, 218
 - DEFMINFLOW= option
 - PROC NETFLOW statement, 218
 - DEFTYPE= option
 - PROC NETFLOW statement, 218
 - DELTAIT= option
 - PROC LP statement, 75
 - DEMAND statement
 - NETFLOW procedure, 229
 - DEMAND= option
 - PROC NETFLOW statement, 219
 - DEVEX option
 - PROC LP statement, 78
 - DIAHES
 - PROC NLP statement, 389
 - DMF= option
 - PROC NETFLOW statement, 218
 - DOBJECTIVE= option
 - PROC LP statement, 75
 - DOUT= option
 - PROC NETFLOW statement, 215
 - PROC NETFLOW, RESET, or SAVE statement, 244
 - DS=option
 - PROC NLP statement, 389
 - DUALIN= option
 - PROC NETFLOW statement, 215
 - DUALOUT= option
 - PROC LP statement, 71
 - PROC NETFLOW statement, 215
 - PROC NETFLOW, RESET or SAVE statement, 244
 - DWIA= option
 - PROC NETFLOW statement, 219
- E**
- ENDPAUSE option
 - PROC LP statement, 72
 - ENDPAUSE1 option
 - PROC NETFLOW, or RESET statement, 245
 - EPSILON= option
 - PROC LP statement, 78
 - ESTDATA=option
 - PROC NLP statement, 394
- F**
- FCONV=option
 - PROC NLP statement, 390
 - FCONV2=option
 - PROC NLP statement, 390
 - FD=option
 - PROC NLP statement, 391
 - FDH=option
 - PROC NLP statement, 391
 - FDHES=option
 - PROC NLP statement, 391
 - FDHESSIAN=option
 - PROC NLP statement, 391
 - FDIGITS=option
 - PROC NLP statement, 391
 - FDINT=option
 - PROC NLP statement, 392
 - FEASIBLEPAUSE option
 - PROC LP statement, 72
 - FEASIBLEPAUSE1 option
 - PROC NETFLOW, or RESET statement, 245
 - FEASIBLEPAUSE2 option
 - PROC NETFLOW, or RESET statement, 246
 - FLOW option
 - PROC LP statement, 71
 - FP1 option

PROC NETFLOW, or RESET statement, 245
 FP2 option
 PROC NETFLOW, or RESET statement, 246
 FROM statement
 NETFLOW procedure, 264
 FROMNODE statement
 NETFLOW procedure, 264
 FSIZE=option
 PROC NLP statement, 392
 FTOL=option
 PROC NLP statement, 390
 FTOL2=option
 PROC NLP statement, 390
 FUTURE1 option
 PROC NETFLOW, or RESET statement, 250
 FUTURE2 option
 PROC NETFLOW, or RESET statement, 251
 FUZZ= option
 PROC LP statement, 71

G

G4=option
 PROC NLP statement, 392
 GC=option
 PROC NLP statement, 393
 GCONV=option
 PROC NLP statement, 392
 GCONV2=option
 PROC NLP statement, 392
 GOALPROGRAM option
 PROC LP statement, 78
 GRADCHECK=option
 PROC NLP statement, 393
 GROUPED= option
 PROC NETFLOW statement, 219
 GTOL=option
 PROC NLP statement, 392
 GTOL2=option
 PROC NLP statement, 392

H

HEAD statement
 NETFLOW procedure, 230
 HEADNODE statement
 NETFLOW procedure, 230
 TRANS procedure, 517
 HESCA=option
 PROC NLP statement, 393
 HS=option
 PROC NLP statement, 393

I

ID statement
 ASSIGN procedure, 44
 NETFLOW procedure, 230
 IEPSILON= option
 PROC LP statement, 75
 IFEASIBLEPAUSE= option
 PROC LP statement, 72

IFP
 PROC NLP statement, 394
 IMAXIT= option
 PROC LP statement, 75
 INEST=option
 PROC NLP statement, 394
 INF= option
 PROC NETFLOW statement, 220
 INFEASIBLE
 PROC NLP statement, 394
 INFINITY= option
 PROC LP statement, 78
 PROC NETFLOW statement, 220
 INHESS=option
 PROC NLP statement, 394
 INHESSIAN=option
 PROC NLP statement, 394
 INITIAL=option
 PROC NLP statement, 395
 INQUAD=option
 PROC NLP statement, 395
 INSTEP=option
 PROC NLP statement, 395
 use in line-searches, 448
 INTEGER option
 PRINT statement (LP), 82
 INTEGER_NONZEROS option
 PRINT statement (LP), 82
 INTEGER_ZEROS option
 PRINT statement (LP), 83
 INTFIRST option
 PROC NETFLOW, or RESET statement, 248
 INVAR=option
 PROC NLP statement, 394
 INV2D option
 PROC NETFLOW statement, 220
 INVREQ= option
 PROC LP statement, 78
 PROC NETFLOW, or RESET statement, 248
 INVTOL= option
 PROC LP statement, 78
 IOBJECTIVE= option
 PROC LP statement, 75
 IPAUSE= option
 PROC LP statement, 72

L

LCD=option
 PROC NLP statement, 395
 LCDEACT=option
 PROC NLP statement, 395
 LCE=option
 PROC NLP statement, 396
 LCEPS=option
 PROC NLP statement, 396
 LCEPSILON=option
 PROC NLP statement, 396
 LCS=option
 PROC NLP statement, 396

- LCSING=option
 - PROC NLP statement, 396
 - LCSINGULAR=option
 - PROC NLP statement, 396
 - LIFOTYPE= option
 - PROC LP statement, 75
 - LINESEARCH=option
 - PROC NLP statement, 396
 - LIS option
 - Use in Line-Search, 448
 - LIS=option
 - PROC NLP statement, 396
 - LIST
 - PROC NLP statement, 397
 - LISTCODE
 - PROC NLP statement, 397
 - LO statement
 - NETFLOW procedure, 230
 - LOWER option
 - RESET statement (LP), 85
 - LOWERBD statement
 - NETFLOW procedure, 230
 - LRATIO1 option
 - PROC NETFLOW, or RESET statement, 247
 - LRATIO2 option
 - PROC NETFLOW, or RESET statement, 247
 - LSP=option
 - PROC NLP statement, 397
 - LSPRECISION=option
 - PROC NLP statement, 397
- M**
- MATRIX option
 - PROC LP statement, 83
 - MAX option
 - PROC NETFLOW statement, 221
 - MAXARRAYBYTES= option
 - PROC NETFLOW statement, 221
 - MAXFLOW option
 - PROC NETFLOW statement, 221
 - MAXFU=option
 - PROC NLP statement, 397
 - MAXFUNC=option
 - PROC NLP statement, 397
 - MAXIMIZE option
 - PROC NETFLOW statement, 221
 - MAXIMUM option
 - PROC ASSIGN statement, 43
 - MAXIT= option
 - PROC LP statement, 79
 - MAXIT=option
 - PROC NLP statement, 398
 - MAXIT1= option
 - PROC LP statement, 79
 - PROC NETFLOW, or RESET statement, 245
 - MAXIT2= option
 - PROC LP statement, 79
 - PROC NETFLOW, or RESET statement, 246
 - MAXIT3= option
 - PROC LP statement, 79
 - MAXITER=option
 - PROC NLP statement, 398
 - MAXL= option
 - PROC NETFLOW, or RESET statement, 248
 - MAXLUUPDATES= option
 - PROC NETFLOW, or RESET statement, 249
 - MAXSTEP=option
 - PROC NLP statement, 398
 - MAXTIME=option
 - PROC NLP statement, 398
 - MEMREPOption
 - PROC NETFLOW statement, 222
 - MF option
 - PROC NETFLOW statement, 221
 - MINBLOCK1= option
 - PROC NETFLOW, or RESET statement, 246
 - MINFLOW statement
 - NETFLOW procedure, 230
 - MINIT=option
 - PROC NLP statement, 398
 - MINITER=option
 - PROC NLP statement, 398
 - MISC option
 - SHOW statement (NETFLOW), 262
 - MLUU= option
 - PROC NETFLOW, or RESET statement, 249
 - MOD=option
 - PROC NLP statement, 398
 - MODEL=option
 - PROC NLP statement, 398
 - MODFILE=option
 - PROC NLP statement, 398
 - MOREOPT option
 - PROC NETFLOW, or RESET statement, 251
 - MSING=option
 - PROC NLP statement, 399
 - MSINGULAR=option
 - PROC NLP statement, 399
 - use in computing Covariance Matrix, 454
- N**
- NAME statement
 - NETFLOW procedure, 231
 - NAMECTRL=option
 - PROC NETFLOW statement, 222
 - NARCS= option
 - PROC NETFLOW statement, 224
 - NCOEFS= option
 - PROC NETFLOW statement, 224
 - NCONS= option
 - PROC NETFLOW statement, 224
 - NLP procedure
 - BOUNDS statement, 407
 - BY statement, 408
 - CRPJAC statement, 408
 - DECVAR statement, 419
 - GRADIENT statement, 409
 - HESSIAN statement, 410

- INCLUDE statement, 411
 - JACNLC statement, 411
 - JACOBIAN statement, 412
 - LABEL statement, 413
 - LINCON statement, 413
 - LSQ statement, 415
 - MATRIX statement, 414
 - MAX statement, 415
 - MIN statement, 415
 - NLC statement, 417
 - NLINCON statement, 417
 - PARAMETERS statement, 419
 - PARMS statement, 419
 - PROC NLP statement, 387
 - PROFILE statement, 419
 - PROGRAM statement, 421
 - VAR statement, 419
 - NNAS= option
 - PROC NETFLOW statement, 224
 - NNODES= option
 - PROC NETFLOW statement, 224
 - NOAUTO option
 - PROC LP statement, 76
 - NOBIGM1 option
 - PROC NETFLOW, or RESET statement, 246
 - NOBIGM2 option
 - PROC NETFLOW, or RESET statement, 248
 - NOBINFST option
 - PROC LP statement, 76
 - NODE statement
 - NETFLOW procedure, 231
 - NODEDATA= option
 - PROC NETFLOW statement, 215
 - NODEOUT= option
 - PROC NETFLOW statement, 215
 - PROC NETFLOW, RESET, or SAVE statement, 244
 - NODEVEX option
 - PROC LP statement, 79
 - NOEIGNUM
 - PROC NLP statement, 399
 - NOENDPAUSE option
 - PROC LP statement, 72
 - NOENDPAUSE1 option
 - PROC NETFLOW, or RESET statement, 245
 - NOEP1 option
 - PROC NETFLOW, or RESET statement, 245
 - NOFEASIBLEPAUSE option
 - PROC LP statement, 73
 - NOFEASIBLEPAUSE1 option
 - PROC NETFLOW, or RESET statement, 245
 - NOFEASIBLEPAUSE2 option
 - PROC NETFLOW, or RESET statement, 246
 - NOFLOW option
 - PROC LP statement, 71
 - NOFP1 option
 - PROC NETFLOW, or RESET statement, 245
 - NOFP2 option
 - PROC NETFLOW, or RESET statement, 246
 - NOFUTURE1 option
 - PROC NETFLOW, or RESET statement, 251
 - NOFUTURE2 option
 - PROC NETFLOW, or RESET statement, 251
 - NOINTFIRST option
 - PROC NETFLOW, or RESET statement, 249
 - NOLRATIO1 option
 - PROC NETFLOW, or RESET statement, 247
 - NOLRATIO2 option
 - PROC NETFLOW, or RESET statement, 247
 - NOMISS
 - PROC NLP statement, 399
 - NON_REPLIC= option
 - PROC NETFLOW statement, 224
 - NONINTEGER option
 - PRINT statement (LP), 83
 - NONINTEGER_NONZEROS option
 - PRINT statement (LP), 83
 - NONZEROS option
 - PRINT statement (LP), 83
 - NOP
 - PROC NLP statement, 399
 - NOPARAPRINT option
 - PROC LP statement, 71
 - NOPERTURB1 option
 - PROC NETFLOW, or RESET statement, 246
 - NOPOSTPROCESS option
 - PROC LP statement, 76
 - NOPREPROCESS option
 - PROC LP statement, 73
 - NOPRINT
 - PROC NLP statement, 399
 - NOPRINT option
 - PROC LP statement, 71
 - NORANGEPRICE option
 - PROC LP statement, 77
 - NORANGERHS option
 - PROC LP statement, 77
 - NOSCRATCH option
 - PROC NETFLOW, or RESET statement, 251
 - NOTABLEAUPRINT option
 - PROC LP statement, 72
 - NOTWOPHASE1 option
 - PROC NETFLOW, or RESET statement, 246
 - NOTWOPHASE2 option
 - PROC NETFLOW, or RESET statement, 248
 - NOUT= option
 - PROC NETFLOW, RESET, or SAVE statement, 244
 - NOZTOL1 option
 - PROC NETFLOW, or RESET statement, 251
 - NOZTOL2 option
 - PROC NETFLOW, or RESET statement, 252
- O**
- OBJFN statement
 - NETFLOW procedure, 229
 - OPTCHECK=option
 - PROC NLP statement, 399

- OPTIONS option
 - SHOW statement (LP), 87
 - OUT= option
 - PROC ASSIGN statement, 43
 - OUT=option
 - PROC NLP statement, 399
 - OUTALL
 - PROC NLP statement, 399
 - OUTCRPJAC
 - PROC NLP statement, 400
 - OUTDER=option
 - PROC NLP statement, 400
 - OUTEST=option
 - PROC NLP statement, 400
 - OUTGRID
 - PROC NLP statement, 400
 - OUTHES
 - PROC NLP statement, 400
 - OUTHESSIAN
 - PROC NLP statement, 400
 - OUTITER
 - PROC NLP statement, 400
 - OUTJAC
 - PROC NLP statement, 400
 - OUTM=option
 - PROC NLP statement, 400
 - OUTMOD=option
 - PROC NLP statement, 400
 - OUTMODEL=option
 - PROC NLP statement, 400
 - OUTNCJAC
 - PROC NLP statement, 401
 - OUTTIME
 - PROC NLP statement, 401
 - OUTVAR=option
 - PROC NLP statement, 400
- P**
- PALL
 - PROC NLP statement, 401
 - PARAPRINT option
 - PROC LP statement, 72
 - PARARESTORE option
 - PROC LP statement, 79
 - PAUSE option
 - SHOW statement (NETFLOW), 261
 - PAUSE= option
 - PROC LP statement, 73
 - PAUSE1= option
 - PROC NETFLOW, or RESET statement, 245
 - PAUSE2= option
 - PROC NETFLOW, or RESET statement, 246
 - PCOV
 - PROC NLP statement, 401
 - PCRPJAC
 - PROC NLP statement, 401
 - PEIGVAL
 - PROC NLP statement, 401
 - PENALTYDEPTH= option
 - PROC LP statement, 76
 - PEPSILON= option
 - PROC LP statement, 73
 - PERROR
 - PROC NLP statement, 401
 - PERTURB1 option
 - PROC NETFLOW, or RESET statement, 246
 - PFUNCTION
 - PROC NLP statement, 401
 - PGRID
 - PROC NLP statement, 401
 - PHASEMIX= option
 - PROC LP statement, 79
 - PHES
 - PROC NLP statement, 402
 - PHESSIAN
 - PROC NLP statement, 402
 - PHIS
 - PROC NLP statement, 402
 - PHISTORY
 - PROC NLP statement, 402
 - PIN
 - PROC NLP statement, 402
 - PINIT
 - PROC NLP statement, 402
 - PIVOT statement
 - NETFLOW procedure, 231
 - PJAC
 - PROC NLP statement, 402
 - PJACOBI
 - PROC NLP statement, 402
 - PJTJ
 - PROC NLP statement, 401
 - PMAXIT= option
 - PROC LP statement, 73
 - PNLCJAC
 - PROC NLP statement, 402
 - POBJECTIVE= option
 - PROC LP statement, 76
 - POSTPROCESS option
 - PROC LP statement, 76
 - PREPROCESS option
 - PROC LP statement, 73
 - PRICE= option
 - PROC LP statement, 79
 - PRICEPHI= option
 - PROC LP statement, 77
 - PRICESEN option
 - PRINT statement (LP), 83
 - PRICETYPE= option
 - PROC LP statement, 79
 - PRICING option
 - SHOW statement (NETFLOW), 262
 - PRIMALIN= option
 - PROC LP statement, 71
 - PRIMALOUT= option
 - PROC LP statement, 71
 - PRINT ARCS
 - PRINT statement (NETFLOW), 233

PRINT CON_ARCS
 PRINT statement (NETFLOW), 234
 PRINT CON_NONARCS
 PRINT statement (NETFLOW), 234
 PRINT CONSTRAINTS
 PRINT statement (NETFLOW), 234
 PRINT NONARCS
 PRINT statement (NETFLOW), 233
 PRINT option
 PROC LP statement, 72
 PRINT PROBLEM
 PRINT statement (NETFLOW), 234
 PRINT SOME_ARCS
 PRINT statement (NETFLOW), 233
 PRINT SOME_CONS
 PRINT statement (NETFLOW), 234
 PRINT SOME_NONARCS
 PRINT statement (NETFLOW), 234
 PRINT statement
 NETFLOW procedure, 232
 PRINTFREQ= option
 PROC LP statement, 72
 PRINTLEVEL= option
 PROC LP statement, 72
 PROC ASSIGN statement
 ASSIGN procedure, 42
 PROC LP statement
 LP procedure, 70
 PROC NETFLOW statement
 NETFLOW procedure, 212
 PROC NLP procedure
 ARRAY statement, 406
 PROC NLP statement
 statement options, 387
 PROC TRANS statement
 TRANS procedure, 516
 PROXIMITYPAUSE= option
 PROC LP statement, 73
 PSH
 PROC NLP statement, 402
 PSHORT
 PROC NLP statement, 402
 PSTDERR
 PROC NLP statement, 402
 PSUMMARY
 PROC NLP statement, 403
 PTIME
 PROC NLP statement, 403
 PWOBJECTIVE= option
 PROC LP statement, 76

Q

QUIT statement
 NETFLOW procedure, 239

R

RANDOM=option
 PROC NLP statement, 403
 RANDOMPRICEMULT= option

 PROC LP statement, 79
 RANGEPRICE option
 PRINT statement (LP), 83
 PROC LP statement, 77
 RANGERHS option
 PRINT statement (LP), 83
 PROC LP statement, 77
 READPAUSE= option
 PROC LP statement, 73
 REFACTFREQ= option
 PROC NETFLOW, or RESET statement, 249
 RELEVANT option
 SHOW statement (NETFLOW), 263
 REPSILON= option
 PROC LP statement, 80
 RESET statement
 NETFLOW procedure, 239
 REST=option
 PROC NLP statement, 403
 RESTART=option
 PROC NLP statement, 403
 RFF= option
 PROC NETFLOW, or RESET statement, 249
 RHS statement
 NETFLOW procedure, 256
 RHSOBS= option
 PROC NETFLOW statement, 224
 RHSPHI= option
 PROC LP statement, 77
 RHSSEN option
 PRINT statement (LP), 83
 ROW option
 PRINT statement (LP), 84
 ROW statement
 NETFLOW procedure, 257
 RUN statement
 NETFLOW procedure, 257

S

SAME_NONARC_DATA option
 PROC NETFLOW statement, 224
 SAVE statement
 NETFLOW procedure, 258
 SCALE= option
 PROC LP statement, 80
 PROC NETFLOW statement, 225
 SCDATA option
 PROC NETFLOW statement, 226
 SCRATCH option
 PROC NETFLOW, or RESET statement, 252
 SE
 PROC NLP statement, 402
 SET statement
 NETFLOW procedure, 239
 SHORT
 PROC NLP statement, 402
 SHORTPATH option
 PROC NETFLOW statement, 226
 SHOW statement

NETFLOW procedure, 259
 SIGSQ=option
 Full discussion on Covariance Matrix, 452
 PROC NLP statement, 403
 SIMPLEX option
 SHOW statement (NETFLOW), 262
 SING=option
 PROC NLP statement, 404
 SINGULAR=option
 PROC NLP statement, 404
 SINK= option
 PROC NETFLOW statement, 226
 SINKNODE= option
 PROC NETFLOW statement, 226
 SMALL= option
 PROC LP statement, 80
 SND option
 PROC NETFLOW statement, 224
 SOLUTION option
 PRINT statement (LP), 84
 SOURCE= option
 PROC NETFLOW statement, 226
 SOURCENODE= option
 PROC NETFLOW statement, 226
 SP option
 PROC NETFLOW statement, 226
 SP2 option
 PROC NETFLOW statement, 227
 SPARSECONDATA option
 PROC NETFLOW statement, 226
 SPARSEDATA option
 PROC LP statement, 71
 SPARSEP2 option
 PROC NETFLOW statement, 227
 STAGE option
 SHOW statement (NETFLOW), 263
 STATUS option
 SHOW statement (LP), 87
 SHOW statement (NETFLOW), 260
 STDERR
 PROC NLP statement, 402
 SUM
 PROC NLP statement, 403
 SUMMARY
 PROC NLP statement, 403
 SUPDEM statement
 NETFLOW procedure, 264
 SUPPLY statement
 NETFLOW procedure, 264
 TRANS procedure, 517
 SUPPLY= option
 PROC NETFLOW statement, 227

T

TABLEAU option
 PRINT statement (LP), 84
 TABLEAUOUT= option
 PROC LP statement, 71
 TABLEUPRINT option

PROC LP statement, 72
 TAIL statement
 NETFLOW procedure, 264
 TAILNODE statement
 NETFLOW procedure, 264
 TRANS procedure, 518
 TECH=option
 PROC NLP statement, 404
 TECHNIQUE=option
 PROC NLP statement, 404
 THRUNET option
 PROC NETFLOW statement, 227
 TIME= option
 PROC LP statement, 80
 TO statement
 NETFLOW procedure, 230
 TONODE statement
 NETFLOW procedure, 230
 TREETYPE= option
 PROC LP statement, 76
 TWOPHASE1 option
 PROC NETFLOW, or RESET statement, 246
 TWOPHASE2 option
 PROC NETFLOW, or RESET statement, 248
 TYPE statement
 NETFLOW procedure, 265
 TYPEOBS= option
 PROC NETFLOW statement, 227

U

U= option
 PROC LP statement, 80
 PROC NETFLOW, or RESET statement, 249
 UPD=option
 PROC NLP statement, 405
 UPDATE=option
 PROC NLP statement, 405
 UPPER option
 RESET statement (LP), 85
 UPPERBD statement
 NETFLOW procedure, 228

V

VAR statement
 NETFLOW procedure, 266
 VARDEF=option
 Full discussion on Covariance Matrix, 452
 PROC NLP statement, 405
 VARNAME statement
 NETFLOW procedure, 231
 VARSELECT= option
 PROC LP statement, 77
 VERBOSE= option
 PROC NETFLOW, or RESET statement, 252
 VERSION=option
 PROC NLP statement, 405
 VS=option
 PROC NLP statement, 405
 VSING=option

- PROC NLP statement, 406
- VSINGULAR=option
 - PROC NLP statement, 406
 - use in computing Covariance Matrix, 454

W

- WARM option
 - PROC NETFLOW statement, 227
- WOBJECTIVE= option
 - PROC LP statement, 77

X

- XCONV=option
 - PROC NLP statement, 406
- XSIZE=option
 - PROC NLP statement, 406
- XTOL=option
 - PROC NLP statement, 406

Z

- Z1= option
 - PROC NETFLOW, or RESET statement, 253
- Z2= option
 - PROC NETFLOW, or RESET statement, 253
- ZERO1= option
 - PROC NETFLOW, or RESET statement, 253
- ZERO2= option
 - PROC NETFLOW, or RESET statement, 253
- ZEROS option
 - PRINT statement (LP), 84
- ZEROTOL= option
 - PROC NETFLOW, or RESET statement, 253
- ZTOL1 option
 - PROC NETFLOW, or RESET statement, 254
- ZTOL2 option
 - PROC NETFLOW, or RESET statement, 254