

# Index

- A**
- abstract classes 97
  - access control levels 168, 169
  - access modifiers 143
  - ACTIVATE function 249
  - ALARM statement 250
  - alarms, device 250
  - ALLCMDS option, CONTROL statement 74
  - ALWAYS option, CONTROL statement 75
  - ampersand (&), and operator 30
  - analysis tools 6
  - and (&) operator 30
  - AND operator 30
  - APPEND function 251
  - applications
    - flow of execution 65
    - SCL entries 9
    - terminating 616
    - testing 6
  - APPLY function 252
  - APPLY routine 252
  - ARGS command, SCL Debugger 197
  - arguments
    - lists as arguments for methods 53
    - passing objects as method arguments 104
    - passing to functions and CALL routines 34
  - arithmetic operators 28
  - ARRAY statement 254
  - arrays
    - See SCL arrays
  - ASIS option, CONTROL statement 75
  - ASORT function 257
  - assignment statement 33
    - copying arrays with 42
  - ATTRC function 258
  - attribute linking 96
  - attributes 94, 116
    - associating custom access methods with 118
    - camera attributes 778, 780
    - changing values of 117, 122
    - creating, automatically 116
    - dot notation 122
    - initial values 117
    - linking 118
    - list of valid values 117
    - metadata 119
    - querying values 122, 124
    - reading image files 774
    - referencing 99
    - scanner attributes 779, 780
    - scope 117
    - setting values 122, 123
    - writing image files 776
  - ATTRN function 258
  - Autocreate option 116
  - automatic macro variables 88
  - AXIS statements
    - internal table of, deleting 454
    - number of, returning 455
    - text of, returning 453
- B**
- bar codes, getting value of 747
  - \_BLANK\_ system variable 263
  - BLOCK function 263
  - Boolean numeric expressions 31
  - Boolean operators 30
  - branching 456
    - to another entry 72
    - to labeled sections 72
  - BREAK command, SCL Debugger 198
  - BREAK option, CONTROL statement 75
  - BUILD routine 267
  - BUILD window, invoking 267
- C**
- CALCULATE command, SCL Debugger 201
  - CALL DISPLAY routine 73
  - CALL routines
    - See SCL CALL routines
  - CALL SEND statements, converting to dot notation 134
  - camera attributes 778, 780
  - CAMs (custom access methods) 118
  - carriage-return key, cursor response 648
  - case sensitivity, in file names 349, 499
  - catalog entries
    - copying 307
    - filerefs, assigning/deassigning 403
    - running 350
    - selection list, displaying 518, 579, 627
  - catalogs
    - concatenating 272
    - copying 307
    - search paths, creating 635
  - CATCH blocks 160, 163, 365
  - CATCH statement 158, 268
  - CATLIST function 269
  - CATNAME function 272
  - CBT entries, running 274
  - CBT routine 274
  - CENTER function 275
  - CEXIST function 276
  - \_CFRAME\_ system variable 277
  - character constants 27
  - character strings
    - centering 275
    - left-aligned 506
    - length, returning 510
    - right-aligned 620
  - character variables 19
    - DATA step 79
  - check boxes
    - activating 249
    - active box, returning 492
    - graying 249
  - child classes 96
  - choice group stations
    - activating 249
    - graying 249, 457
  - choice groups
    - active station, returning 492
    - gray status, returning 493
  - CLASS blocks 98
    - from CLASS entries 99
    - generating CLASS entries from 99
  - Class class 97
  - class data 139
  - CLASS entries
    - CLASS blocks from 99
    - defining search paths 478
    - generating from CLASS blocks 99
  - CLASS statement 12, 278
  - classes 94, 96
    - abstract classes 97
    - ancestry 96
    - attributes, accessing with dot notation 123
    - binding methods to 698
    - child classes 96
    - CLASS blocks, from CLASS entries 99
    - CLASS entries, from CLASS blocks 99
    - client applications access to 497
    - converting CALL SEND to dot notation 134
    - converting class definitions 134
    - converting labels and LINK statements 133

- converting Version 6 to Version 8 131
  - creating 98, 278
  - data set class 138
  - declaring variables 133
  - defining 12, 98
  - defining shared abstract methods for 486
  - example 137
  - exception classes 158
  - extending 142
  - identifiers, returning 525
  - implementing methods outside of 115
  - inheritance 96
  - instance variables 135
  - instantiating 97, 100
  - loading 525
  - metaclasses 97, 98
  - metadata 585
  - models 98
  - parent classes 96
  - referencing methods or attributes 99
  - relationships among 96
  - removing global variables 132
  - SAS/AF visual objects, creating 151
  - SCLException class 163
  - SCLThrowable class 163
  - subclasses 96, 143
  - syntax 137
  - types of 97
  - views 98
  - CLEARLIST function 290
  - CLOSE function 292
  - CLRFLD routine 293
  - colon modifier, for operators 29
  - color attributes
    - changing 414
    - storing 675
  - color maps
    - generating 745
    - getting RGB values 747
    - grabbing 749
    - mapping colors to 749
    - selecting 766
  - COLORLIST function 293
  - colors
    - converting to black and white 767
    - field, changing 414
    - LOG window, setting 354
    - names, returning 619
    - OUTPUT window, setting 354
    - reducing number of 754
    - selection lists, displaying 293
    - setting 765
    - text entry controls, changing 416
    - text label controls, changing 416
  - COMAMID function 296
  - COMMAND option, SUBMIT statement 83
  - commands
    - assigning to function keys 649
    - current word, deleting 568
    - current, discarding 567
    - executing 380
    - executing a list of 742
    - host system, issuing 687
    - issuing to host operating systems 86
    - last issued, returning 502
    - SCL Debugger 195
    - submitting 676
    - word type, determining 727
    - words, returning 725
  - commands, for images
    - CONVERT 735
    - COPY 736
    - CREATE\_IMAGE 737
    - CROP 738
    - DESTROY 739
    - DESTROY\_ALL 740
    - DITHER 740
    - DITHER\_BW 741
    - EXECLIST 742
    - FILTER 743
    - GAMMA 745
    - GENERATE\_CMAP 745
    - GET\_BARCODE 747
    - GET\_COLORS 747
    - GET\_PIXEL 748
    - GRAB\_CMAP 749
    - MAP\_COLORS 749
    - MIRROR 750
    - NEGATE 751
    - PASTE 751
    - PASTE\_AUTO 752
    - PRINT 752
    - QUANTIZE 754
    - QUERYC 755
    - QUERYL 755
    - QUERYN 755
    - READ 759
    - READ\_CLIPBOARD 760
    - READ\_PASTE 761
    - READ\_PASTE\_AUTO 762
    - ROTATE 763
    - SCALE 763
    - SELECT 764
    - SET\_COLORS 765
    - SET\_PIXEL 765
    - STANDARD\_CMAP 766
    - THRESHOLD 767
    - TILE 768
    - UNPASTE 769
    - WRAISE 769
    - WRITE 770
    - WRITE\_CLIPBOARD 770
    - WSIZE 771
    - WTITLE 772
  - comments, in SCL programs 33
  - communication access methods, displaying 296
  - COMPAREARRAY function 297
  - COMPARELIST function 298
  - comparison operators 28
  - compiler 4
  - compiling SCL programs 4
    - in batch 5
    - interactively 4
    - SCL data vector and 5
  - components 95
  - constants 26
    - character 27
    - numeric 26
    - numeric-to-character conversion 27
  - constructors 102, 112
    - calling explicitly 113
    - example 140
    - overloading 112
    - overriding 113
    - running 563
  - CONTENTS function 299
  - CONTINUE option, SUBMIT statement 84
  - CONTINUE statement 68, 301
  - CONTROL statement 74, 303
  - controls 95, 603
  - CONVERT command 735
  - COPY command 736
  - COPY function 307
  - COPYARRAY function 43, 309
  - COPYLIST function 312
  - Coverage Analyzer 7
  - CREATE\_SCL function 134, 316
  - CREATE\_IMAGE command 737
  - CROP command 738
  - cropping images 738
    - \_CURCOL\_ system variable 318
  - CURFLD function 319
  - CURLIST function 320
  - CUROBS function 322
    - \_CURROW\_ system variable 322
  - CURSOR statement 323
  - cursors
    - current word, returning 325
    - position, returning 319
    - positioning 323, 459
    - response to carriage-return key 648
  - CURTOP function 324
  - CURWORD function 325
  - custom access methods (CAMs) 118
- ## D
- data set class 138
  - DATA step
    - character variables 79
    - expressions 80
    - functions 79
    - numeric variables 79
    - statements 78
    - variables 79
    - with SCL 78
  - data types
    - See SCL data types
  - DATALIST function 326

- DATALISTN function 326
  - DCL (DECLARE) statement 330
  - DCLOSE function 328
  - DCREATE function 329
  - debugging 6
    - See also SCL Debugger
    - SCL lists 63
  - declarative statements 33
  - DECLARE (DCL) statement 330
  - DELARRAY function 333
  - DELETE command, SCL Debugger 202
  - DELETE function 334
  - DELITEM function 335
  - DELLIST function 336
  - DELNITEM function 338
  - DELOBS function 340
  - DESCRIBE command, SCL Debugger 203
  - DESCRIBE function 341
  - DESTROY command 739
  - DESTROY\_ALL command 740
  - device alarms 250
  - DEVLIST function 342
  - DIALOG routine 345
  - DINFO function 346
  - directories
    - attribute names, returning 358
    - closing 328, 386
    - creating 329
    - deleting 334
    - filerefs, assigning/deassigning 403
    - information about, returning 346
    - information items, returning number of 359
    - member files, opening 552
    - members, returning name of 360
    - members, returning number of 356
    - opening 357
    - renaming 612
    - verifying existence of 400
  - directory members, closing 386
  - DIRLIST function 347
  - display attributes
    - changing 414
    - storing 675
  - DISPLAY function
    - receiving parameters from 370
    - syntax 350
  - DISPLAY routine
    - receiving parameters from 370
    - syntax 350
  - DISPLAYED function 353
  - DITHER command 740
  - dithering
    - black and white 741
    - color 740
  - DITHER\_BW command 741
  - DMWINDOW function 354
  - DNUM function 356
  - DO groups, exiting 504
  - DO loops 66
    - CONTINUE statement and 68
    - controlling 68
    - designating 356
    - DO statement 66
    - DO UNTIL statement 68
    - DO WHILE statement 68
    - infinite loops 67
    - iterative 66
    - LEAVE statement and 68
    - terminating 301
    - UNTIL clause 67
    - WHILE clause 67
  - DO statement 66, 356
  - DO UNTIL statement 68
  - DO WHILE statement 68
  - DOPEN function 357
  - DOPTNAME function 358
  - DOPTNUM function 359
  - dot notation 119
    - attribute values, changing or querying 122
    - class attributes, accessing 123
    - converting CALL SEND to 134
    - error handling 74
    - examples 121
    - nested 120
    - specifying a parameter to a method 122
    - syntax 119
  - DREAD function 360
  - DROPNOTE function 361
  - DSID function 362
  - DSNAME function 365
  - dynamic arrays 40
    - array functions with 42
    - deleting 46, 333
    - passing to methods 45
    - resizing 41, 610
  - dynamic extended tables, stopping expansion of 368
- ## E
- EDIT option, SUBMIT statement 83
  - ENDAWS option, CONTROL statement 75
  - ENDBLOCK routine 365
  - ENDCATCH statement 365
  - ENDCLASS statement 366
  - ENDLEGEND routine 366
  - ENDMETHOD statement 367
  - ENDPACKAGE statement 367
  - ENDSAS option, CONTROL statement 75
  - ENDSUBMIT statement 368
  - ENDTABLE routine 368
  - ENDUSECLASS statement 369
  - ENTER command, SCL Debugger 205
  - ENTER key, detecting 378
  - ENTER option, CONTROL statement 75
  - entries, branching to 72
  - ENTRY statement
    - original variables, returning 569
    - syntax 370
  - ENVIRONMENT command, SCL Debugger 206
  - ENVLIST function 374
  - error conditions 228
  - ERROR function 375
  - error handling 157
    - CATCH statement 158
    - dot notation 74
    - exception classes 158
    - exceptions 158
    - program halt handler 157
    - run-time errors 157
    - THROW statement 158
  - ERROR option, CONTROL statement 75
  - ERROROFF statement 376
  - ERRORON statement 377
  - event detection 378
  - EVENT function 378
  - event handlers 94, 96, 125
    - defining 126
    - example 126
    - metadata 128
  - events 94, 125
    - defining 126
    - example 126
    - metadata 128
    - sending 126
    - system events 126
  - \_EVENT\_ system variable 380
  - EXAMINE command, SCL Debugger 207
  - exceptions 158
    - CATCH blocks, determining execution of 160
    - CATCH blocks, ending 365
    - CATCH blocks, nested 163
    - catching 162, 268
    - example 160
    - exception classes 158
    - rethrowing 162
    - SCLException class 163
    - SCLThrowable class 163
    - throwing 688
  - EXECCMD routine 380
  - EXECCMDI routine 381
  - EXECLIST command 742
  - executable statements 32
  - EXIST function 383
  - expressions 31
    - Boolean numeric expressions 31
    - DATA step 80
    - functions in 32
  - extended tables
    - characteristics, determining 665
    - current row number variable 322
    - scrolling to top 689
    - top row 324
  - external files 179
    - accessing 180
    - appending to 385
    - attribute values 186
    - attributes 186

- bookmarking 417
  - browsing 436
  - closing 185, 386
  - creating SAS tables from 476
  - deleting 186, 388
  - directories, changing all files in 187
  - directories, closing 188
  - directories, closing files in 187
  - directories, manipulating files in 187
  - directories, number of files in 187
  - directories, opening files in 187
  - File Data Buffer 426
  - file data buffer (FDB) and 182, 186
  - filerefs 403
  - filerefs for 180
  - finding names of 187
  - information item names, returning 422
  - information items, returning number of 423
  - making available to other programs 181
  - modifying 184, 186
  - note markers, deleting 361
  - opened, number allowed 181
  - opening 181, 187, 420
  - order of reading records 183
  - physical names, returning 586
  - reading record values into SDV 183
  - reading records as separate values 184
  - reading values from 182
  - reading, in same directory 186
  - record pointer, setting to beginning 431
  - record pointer, setting to next 425
  - record size, returning 432
  - renaming 186, 612
  - SCL Data Vector (SDV) and 182, 183
  - selection list, displaying 398
  - sequence of reading records 185
  - starting column for values 184
  - subdirectories 188
  - verifying existence of 392, 400
  - writing to 439
- F**
- FAPPEND function 385
  - FCLOSE function 386
  - FCOL function 387
  - FDB
    - See File Data Buffer (FDB)
  - FDELETE function 388
  - FETCH function 389
  - FETCHOBS function 391
  - FEXIST function 392
  - FGET function
    - syntax 393
  - token delimiters, setting 435
  - FIELD function 394
  - fields
    - attributes, changing 414
    - modification status, returning 550
    - protecting 603
    - unprotecting 696
  - File Data Buffer (FDB) 393, 182, 186
    - column pointer, setting 426
    - copying data from 393
    - external files 430
      - moving data to 428
  - file information items, returning 412
  - file interfaces, SCL lists 63
  - FILEDIALOG function 398
  - FILEEXIST function 400
  - FILELIST function 401
  - FILENAME function 403
  - FILEREF function 406
  - filerefs
    - catalog entries 403
    - directories 403
    - external files 403
      - for external files 180
    - output devices 403
    - selection list, displaying 401
    - verifying assignment of 406
  - FILLIST function 407
  - FILTER command 743
  - filtering images 743
  - FINFO function 412
  - FKEYNAME function 413
  - FLDATTR function 414
  - FLDCOLOR function 416
  - FNOTE function 417
  - fonts, selection window 419
  - FONTSEL function 419
  - footnotes
    - returning text of 441
    - setting text 651
  - FOPEN function 420
  - FOPTNAME function 422
  - FOPTNUM function 423
  - FORMAT function 424
  - formats, validity checking 424
  - formatting values 605
  - FORMULA entries 11
  - FPOINT function 425
  - FPOS function 426
  - FPUT function 428
  - FRAME control visibility, determining 353
  - FRAME entries
    - component values 704
    - cursor position, returning 319
    - identifier variable 429
    - identifiers, returning 277
    - leftmost column value 318
    - running 345
    - sending methods to 572
  - FRAME entry controls
    - attributes, setting 394
    - content validity, checking 375
    - error flags, clearing 376
    - error flags, setting 377
    - event type variable 380
    - gray status, returning 493
    - graying 457
    - modification status, returning 550
    - state of, returning 394
    - unprotecting 696
  - FRAME entry fields
    - attributes, setting 394
    - content validity, checking 375
    - error flags, clearing 376
    - error flags, setting 377
    - state of, returning 394
    - visibility, determining 353
  - \_FRAME\_ system variable 429
  - FREAD function 430
  - FREWIND function 431
  - FRLEN function 432
  - FSEDIT applications
    - returning current row information 575
    - SUBMIT CONTINUE blocks in 84
  - FSEDIT routine 433
  - FSEINIT sections 10
  - FSEP function 435
  - FSETERM sections 11
  - FSLETTER procedure, sending letters from 512
  - FSLETTER window, displaying 512
  - FSLIST routine 436
  - FSVIEW routine 437
  - function keys
    - assigned commands, getting 440
    - assigning commands to 649
    - last used, returning 503
    - number available, returning 574
    - returning name of 413
  - functions
    - See SCL functions
  - functions, DATA step 79
  - FWRITE function 439
- G**
- GAMMA command 745
  - gamma values, applying 745
  - GENERATE\_CMAP command 745
  - GETFKEY function 440
  - GETFOOT function 441
  - GETITEMC function 442
  - GETITEML function 442
  - GETITEMN function 442
  - GETITEMO function 442
  - GETLATTR function 444
  - GETNITEMC function 446
  - GETNITEML function 446
  - GETNITEMN function 446
  - GETNITEMO function 446
  - GETPARMID function 449
  - GETTITLE function 449
  - GETVARC function 450
  - GETVARF function 451
  - GETVARN function 450

GET\_BARCODE command 747  
 GET\_COLORS command 747  
 GET\_PIXEL command 748  
 GGLOBAL function 453  
 GGLOBALE function 454  
 GGLOBALN function 455  
 global commands, executing 381  
 global data environments 61  
 GO command, SCL Debugger 209  
 GOTO routine 456  
 GOTO statement 72  
 GRAB\_CMAP command 749  
 graphics environment  
   *See also* images  
   closing 587  
   initializing 591  
 GRAY function 457  
 gray status, returning 493  
 graying  
   check boxes 249  
   choice group stations 249, 457

## H

HALTONDOATTRIBUTE option, CONTROL statement 75  
 hardware device selection list, displaying 342  
 HASATTR function 458  
 HELP command, SCL Debugger 210  
 HOME statement 459  
 host system commands, issuing 687  
 HP ScanJet scanners 779  
 HP TWAIN scanners 779

## I

ICCREATE function 460  
 ICDELETE function 463  
 ICON function 464  
 icons  
   associating with windows 464  
   displaying list of 643  
 ICREATE function 465  
 ICTYPE function 466  
 ICVALUE function 467  
 IDELETE function 468  
 IF command, SCL Debugger 211  
 IF-THEN/ELSE conditions 71  
 IF-THEN/ELSE statement 71  
 image files  
   file types 773  
   path strings, creating 524  
   reading 774  
   writing 776  
 image operations, performing 472  
 image tasks  
   starting 471  
   terminating 475

Image window  
   control options 469  
   raising to top 769  
   setting titles 772  
   sizing 771  
 images 735  
   bar codes, getting value of 747  
   camera attributes 778, 780  
   color maps, generating 745  
   color maps, getting RGB values 747  
   color maps, grabbing 749  
   color maps, mapping colors to 749  
   color maps, selecting 766  
   color, converting to black and white 767  
   colors, reducing number of 754  
   colors, setting 765  
   converting formats 735  
   converting to negative 751  
   copying 736  
   creating 737  
   cropping 738  
   dithering, black and white 741  
   dithering, color 740  
   filtering 743  
   gamma values, applying 745  
 Image window, raising to top 769  
 Image window, setting titles 772  
 Image window, sizing 771  
 mirroring 750  
 pasting 751, 752  
 pasting and reading 761, 762  
 pixel values, getting 748  
 pixel values, setting 765  
 printing 752  
 querying information about 755  
 reading and pasting 761, 762  
 reading from devices 759  
 reading from external files 759  
 reading from SAS catalogs 759  
 reading from the clipboard 760  
 removing 739, 740, 769  
 rotating 763  
 scaling 763  
 scanner attributes 779, 780  
 selecting 764  
 tiling 768  
 writing to a file 770  
 writing to a SAS catalog 770  
 writing to the clipboard 770  
 IMGCTRL function  
   commands used with 735  
   syntax 469  
 IMGINIT function 471  
 IMGOP function  
   commands used with 735  
   syntax 472  
 IMGTERM function 475  
 IMMEDIATE option, SUBMIT statement 84  
 IMPORT function 476  
 IMPORT statement 478

IN operator 29  
 indexes 177  
 infinite loops 67  
 INFORMAT function 479  
 informats  
   reading values with 481  
   validity checking 479  
 inheritance 96  
 INIT sections 11  
 INITROW function 480  
 input parameters 34  
 INPUTC function 481  
 INPUTN function 481  
 INSERTC function 483  
 INSERTL function 483  
 INSERTN function 483  
 INSERTO function 483  
 INSTANCE function 485  
 instance variables 94, 135  
 instances 95  
 instantiation 97, 100  
 integrity constraints 177  
 INTERFACE statement 486  
 interfaces 94, 128  
   defining 14, 129  
   example 129, 146  
 IOPTION function 491  
 ISACTIVE function 492  
 ISGRAY function 493  
 ISINDEX function 494  
 ISSEL function 495  
 ITEM statement 497  
 ITEMTYPE function 497  
 iterative DO loops 66  
 IVARLIST function 498

## J

JUMP command, SCL Debugger 212

## K

KEYCOUNT function 499  
 keywords 22  
 Kodak DC40 cameras 778

## L

LABEL option, CONTROL statement 75  
 labeled sections 10  
   branching to 72  
   execution of 74  
   reserved labels 10  
   window variable sections 11  
 labels, reserved 10  
 LASTCMD function 502  
 LASTKEY function 503

LEAVE statement 68, 504  
LEFT function 506  
LEGEND routine 507  
LEGEND statement  
  internal table of, deleting 454  
  number of, returning 455  
  returning text of 453  
LEGEND window  
  closing 366  
  displaying 507  
  last saved contents, restoring 596  
  saving contents 604  
  specifying content for 606  
LENGTH function 510  
LENGTH statement 511  
LETTER routine 512  
LEVEL parameter 633  
LIBLIST function 513  
LIBNAME function 516  
LIBREF function 517  
LIBREF variable 632  
librefs  
  for SAS tables 166  
  selection list, displaying 513  
  verifying assignment of 517  
LINK statement 72  
links between sessions, verifying 621  
LIST command, SCL Debugger 213  
List Diagnostic Utility 7  
LISTC function 518  
LISTLEN function 521  
LISTN function 518  
LNAMECHK function 522  
LNAMEGET function 523  
LNAMEMK function 524  
LOADCLASS function 525  
LOADRES function 526  
local data environments 61  
LOCATEC function 172, 527  
LOCATEN function 172, 527  
LOCK function 529  
LOG window  
  color, setting 354  
  displaying SCL lists 607  
  highlighting, setting 354  
  writing to 604  
logical operators 30  
LOOKUPC function 530  
LVARLEVEL function 532

## M

MACEXPAND command, SCL Debugger 214  
macro facility, Debugger interface to 194  
macro variables 87  
  automatic 88  
  names of, same as SCL variables 88  
  retrieving values 87  
  returning values from 684

  storing values 87  
  storing values in 685  
macros 15  
MAIN sections 11  
MAKEARRAY function 533  
MAKELIST function 535  
MAKENLIST function 536  
MAP\_COLORS command 749  
MEMBER variable 632  
memory, conserving with temporary arrays 46  
menus  
  changing 592  
  displaying 263  
  PMENU function 592  
  pop-up, displaying 597  
  POPMENU function 597  
message boxes, displaying 537  
MESSAGEBOX function 537  
messages, displaying 554, 673  
metaclasses 97, 98  
metadata  
  attribute metadata 119  
  class metadata 585  
  events and event handlers 128  
  method metadata 115  
method arguments, passing to SCL lists 679  
method blocks 13  
  defining 541  
  executing 539  
  in USECLASS blocks 14  
METHOD function 539  
METHOD routine 539  
method scope 102  
METHOD statement 13, 541  
METHOD statement blocks, ending 367  
methods 13, 94, 95, 100  
  binding to classes 698  
  calling, when stored in SCL entries 13  
  constructors 102, 112  
  current, identifier variable 644  
  custom access methods 118  
  declaring 100  
  defining 13  
  defining method blocks 13  
  dot notation for 119  
  executing 74  
  forward-referencing 107  
  implementing 101  
  implementing, outside of classes 115  
  inherited definitions 681  
  interfaces and 14  
  invoking 252  
  labels for 102  
  lists as arguments for 53  
  metadata 115  
  name of current, returning 548  
  names of 102  
  overloading 108, 145  
  overriding 111  
  parameters 103

  parameters in 34  
  parameters, specifying with dot notation 122  
  passing dynamic arrays to 45  
  passing objects as arguments for 104  
  referencing 99  
  returning arrays from 45  
  returning values from 105  
  scope 102  
  sending to FRAME entries 572  
  sending to objects 644  
  signatures 105, 146  
  specifying, non-constructors 114  
  storage types 103  
  USECLASS blocks and 14  
\_METHOD\_ system variable 548  
MIRROR command 750  
mirroring images 750  
missing values 263, 480  
MLENGTH function 549  
model/view communication 96  
models 98  
MODIFIED function 550  
MODVAR function 551  
MOPEN function 552  
\_MSG\_ system variable 554

## N

named lists 59  
  determining item names 60  
  finding occurrence of a name 60  
  indexing items by position 60  
  replacing item names 60  
  starting point for searches 60  
NAMEDITEM function 555  
NAMEDIVIDE function 557  
NAMEITEM function 558  
NAMEMERGE function 559  
names 21  
NEGATE command 751  
\_NEO\_ operator 560  
\_NEO\_ system variable 560  
nested lists 55  
  limitless levels of nesting 56  
  SAVELIST recursiveness 59  
  saving to SCL entries 57  
  simulating multidimensional arrays with 57  
NEW routine 561  
NEWVAR function 565  
\_NEW\_ operator 100  
  syntax 563  
  versus \_NEO\_ operator 560  
NEXTCMD routine 567  
NEXTWORD routine 568  
NOALLCMSD option, CONTROL statement 74  
NOALWAYS option, CONTROL statement 75  
NOASIS option, CONTROL statement 75  
NOBREAK option, CONTROL statement 75  
NOCHANGE routine 569

- NOENDAWS option, CONTROL statement 75
  - NOENDSAS option, CONTROL statement 75
  - NOENTER option, CONTROL statement 75
  - NOERROR option, CONTROL statement 75
  - NOHALTONDOATTRIBUTE option, CONTROL statement 75
  - NOLABEL option, CONTROL statement 75
  - nonvisual objects 95
  - nonwindow variables 23
  - not operator 31, 30
  - NOTE function 570
  - NOTERM option, CONTROL statement 75
  - NOTIFY function 572
  - NOTIFY routine 572
  - NSELECT function 573
  - numeric constants 26
  - numeric variables 18
    - DATA step 79
  - NUMFKEYS function 574
- O**
- object identifiers 95
  - object-oriented application design 94
  - object-oriented programming (OOP) 94
    - applications, creating 137
    - attributes 116
    - classes 96
    - converting Version 6 classes to Version 8 131
    - dot notation 119
    - event handlers 125
    - events 125
    - example 137
    - interfaces 128
    - methods 100
    - SAS Component Object Model (SCOM) 95
    - terminology 94
    - tutorial 137
  - objects 19, 95
    - attributes, accessing with dot notation 119
    - creating 485, 560
    - creating with `_NEO_` operator 560
    - creating with `_NEW_` operator 563
    - generic 20
    - identifiers, returning 485
    - passing, as arguments for methods 104
    - SAS/AF visual objects 151
    - sending methods to 644
    - specific 20
    - specifying at run time 20
  - OBSINFO function 575
  - OOP
    - See object-oriented programming (OOP)
  - OPEN function 577
  - OPENENTRYDIALOG function 579
  - OPENSASFILEDIALOG function 581
  - operators 28
    - AND operator 30
    - arithmetic 28
    - Boolean 30
    - colon modifier 29
    - comparison 28
    - IN operator 29
    - logical 30
    - NOT operator 31
    - OR operator 30
  - OPTGETC function 583
  - OPTGETN function 583
  - OPTSETC function 584
  - OPTSETN function 584
  - or operator 30, 30
  - output device filerefs 403
  - output parameters 34
  - OUTPUT window 354, 728
- P**
- PACKAGE blocks 367, 585
  - PACKAGE statement 585
  - parameters
    - in functions 34
    - in methods 34
    - input parameters 34
    - method parameters 103
    - output parameters 34
    - update parameters 34
  - parent classes 96
  - PARM command, SCL Debugger 215
  - PASTE command 751
  - PASTE\_AUTO command 752
  - pasting and reading images 761, 762
  - pasting images 751, 752
  - path strings
    - creating 524
    - decoding 523
    - validating 522
  - PATHNAME function 586
  - PATTERN statement
    - internal table of, deleting 454
    - number of, returning 455
    - returning text of 453
  - Performance Analyzer 7
  - performance, of SCL code 6
  - PICCLOSE function 587
  - PICDELETE function 588
  - PICFILL function
    - commands used with 735
    - syntax 589
  - PICOPEN function 591
  - pictures
    - See images
  - pixel values
    - getting 748
    - setting 765
  - PMENU function 592
  - PMENUs, changing 592
  - POINT function 592
  - POPC function 593
  - POPL function 593
  - POPLEGEND routine 596
  - POPMENU function 597
  - POP function 593
  - POPO function 593
  - preview buffers 599
  - PREVIEW function 599
  - PRIMARY option, SUBMIT statement 84
  - PRINT command 752
  - printing images 752
  - PROC BUILD statement 5
  - program execution status 671
  - program execution, suspending 717
  - program flow 65
    - branching to another entry 72
    - branching to labeled sections 72
    - calling SCL entries 73
    - DO loops 66
    - executing methods 74
    - IF-THEN/ELSE conditions 71
    - RETURN statement 71
    - SELECT-WHEN/OTHERWISE conditions 69
    - stopping execution of current section 73
  - program halt handler 157
  - program modules 9
  - program sections
    - controlled execution 303
    - terminating 625, 674
  - programs, terminating 616
  - PROTECT statement 603
  - PUSHLEGEND routine 604
  - PUT statement 604
  - PUTC function 605
  - PUTLEGEND routine 606
  - PUTLIST command, SCL Debugger 216
  - PUTLIST routine 607
  - PUTN function 605
  - PUTVARC routine 609
  - PUTVARN routine 609
- Q**
- QUANTIZE command 754
  - QUERYC command 755
  - QUERYL command 755
  - QUERY command 755
  - QUERY command 755
  - queues, SCL lists as 62
  - QUIT command, SCL Debugger 218
- R**
- radio boxes
    - activating 249
    - active button, returning 492
    - graying 249
  - READ command 759
  - reader variables 147
  - READ\_CLIPBOARD command 761

- READ\_PASTE command 761
  - READ\_PASTE\_AUTO command 762
  - REDIM function 610
  - REFRESH statement 612
  - regions
    - defining 589
    - deleting 588
  - regions, filling with an image 589
  - remote host, submitting statements to 84
  - remote sessions
    - connection description, defining 624
    - information, returning 623
  - RENAME function 612
  - Replace attribute 86
  - REPLACE statement 86, 614
  - reserved labels 10
  - RESOURCE entries, loading 526
  - RETURN (RUN) statement 616, 625
  - return codes
    - See SAS system return codes
  - RETURN statement 71
  - REVLIST function 617
  - REWIND function 618
  - RGBDM function 619
  - RIGHT function 620
  - RLINK function 621
  - ROTATE command 763
  - rotating images 763
  - ROTLIST function 622
  - RSESSION function 623
  - RSTITLE function 624
  - RUN (RETURN) statement 616, 625
  - run-time errors 157
- S**
- SAS/AF entries, branching to 72
  - SAS/AF software
    - BUILD window, invoking 267
    - catalog entries, running 350
  - SAS/AF visual objects 151
  - SAS catalog entries
    - listing 269
    - locking 529
    - pathname, returning 638
    - verifying existence of 276
  - SAS Component Language (SCL)
    - See SCL (SAS Component Language)
  - SAS Component Object Model (SCOM) 95
  - SAS data libraries
    - external files 334
    - librefs, assigning/deassigning 516
    - physical names, returning 586
    - verifying existence of 400
  - SAS data library members
    - deleting 334
    - renaming 612
    - selection list of 347
    - verifying existence of 383
  - SAS files
    - parts information, returning 557
    - SAS names, merging 559
    - saving 631
    - selection list, displaying 581, 631
  - SAS names, validating 625
  - SAS procedures, detecting 626
  - SAS statements 78
    - compared to SCL features 81
    - formatting 83
    - submit blocks for 81
    - submitting 80
  - SAS system options
    - returning 583
    - setting 584
  - SAS system return codes 227
    - error conditions 228
    - interpreting 227
    - messages for 228
    - mnemonics for 229
    - obtaining 227
    - warning conditions 228
  - SAS table columns
    - adding 565
    - assigning formatted values to SCL variables 451
    - assigning to SCL variables 450
    - attributes 175
    - attributes, querying 176
    - current position, returning 387
    - data type, returning 716
    - defining 176
    - displaying in selection lists 710
    - formats, changing 551
    - formats, returning 705
    - index keys, returning names 498
    - index options, returning 491
    - informats, changing 551
    - informats, returning 706
    - key options, returning 491
    - labels, changing 551
    - labels, returning 707
    - length, returning 707
    - linking with SCL variables 169
    - names, changing 551
    - names, returning 712
    - numbers, returning 713
    - position of 170
    - SCL variables, linking to 646
    - unique values, returning 708
  - SAS table indexes 177
    - column options, returning 491
    - creating 465
    - defining 653
    - deleting 468
    - keys, returning column names 498
    - type, returning 494
  - SAS table integrity constraints
    - creating 460
    - dropping 463
    - returning conditions 467
    - returning type of 466
  - SAS table rows
    - access control 171
    - appending 174, 251
    - counting 499
    - current row number, returning 322
    - deleting 174, 340
    - displaying a table by 433
    - renumbering 174
    - sequence for reading 173
  - SAS tables 165
    - access control levels 168, 169
    - accessing 166
    - attributes, determining 175
    - attributes, displaying 299
    - attributes, querying 175
    - attributes, returning 258
    - bookmarking 570
    - bookmarks, locating 592
    - closing 175, 292
    - copying 176, 307
    - creating 176
    - creating from external files 476
    - defining interactively 561
    - deleting 177
    - displaying in tabular format 437
    - integrity constraints 177
    - librefs for 166
    - locking 529
    - note markers, deleting 361
    - opened, maximum allowed 167
    - opening 166, 577
    - pointers, positioning at beginning 618
    - reading 169, 389
    - renaming 177
    - return codes 166
    - SCL data vector and 167
    - searching, efficiency 172
    - searching, WHERE versus LOCATEC or LOCATEN 172
    - searching, with LOCATEC and LOCATEN 527
    - selections lists from 326
    - sorting 177, 668
    - statistics, calculating 714
    - subsetting data, permanently 171
    - subsetting data, temporarily 172
    - table data vector and 167
    - table identifier, returning 362
    - table lookup 171
    - table names, returning 364
    - unlocking 694
    - updating 173, 698
    - WHERE clauses, syntax 719
    - WHERE clauses, undoing 173
    - writing to Table Data Vector 609
  - SASNAME function 625
  - SASTASK function 626
  - SAVEENTRYDIALOG function 627



- SAVELIST function 629
- SAVELIST recursiveness 59
- SAVESASFILEDIALOG function 631
- SAVESCREEN routine 634
- saving programs 6
- SCALE command 763
- scaling images 763
- scanner attributes 779, 780
- SCL (SAS Component Language) 3
  - elements of 3
  - elements of, by category 235
- SCL analysis tools 6
- SCL arrays 37
  - See also* dynamic arrays
  - assigning same value to multiple elements 39
  - comparing 297
  - copying 42, 309
  - copying, with assignment statements 42
  - copying, with COPYARRAY function 43
  - creating 533
  - declaring 37
  - defining elements in 254
  - deleting 333
  - dynamic 40
  - grouping variables with sequential names 39
  - multidimensional, simulating with nested lists 57
  - referencing array elements 38
  - repeating actions on variables 44
  - returning from methods 45
  - sorting 257
  - static multidimensional, initializing 40
  - static, initializing elements of 39
  - subscripting 38
  - temporary, conserving memory with 46
- SCL CALL routines 34, 249
  - APPLY 252
  - BUILD 267
  - CBT 274
  - CLRFLD 293
  - DIALOG 345
  - DISPLAY 350
  - ENDBLOCK 365
  - ENDLEGEND 366
  - ENDTABLE 368
  - EXECCMD 380
  - EXECCMDI 381
  - FSEDIT 433
  - FSLIST 436
  - FSVIEW 437
  - GOTO 456
  - LEGEND 507
  - LETTER 512
  - METHOD 539
  - NEW 561
  - NEXTCMD 567
  - NEXTWORD 568
  - NOCHANGE 569
  - NOTIFY 572
  - passing arguments to 34
  - POPLEGEND 597
  - PUSHLEGEND 604
  - PUTLEGEND 606
  - PUTLIST 607
  - PUTVARC 609
  - PUTVARN 609
  - SAVESCREEN 634
  - SEND 644
  - SET 646
  - SETCR 648
  - SETFKEY 649
  - SETFLD 650
  - SETFOOT 651
  - SETPARMID 664
  - SETROW 665
  - SETTITLE 666
  - SUPAPPLY 679
  - SUPER 681
  - SYMPUT 685
  - SYMPUTN 685
  - TOPROW 689
  - TRACEBACK 690
  - WAIT 717
  - WDEF 718
  - WNAME 724
  - WREGION 730
- SCL code
  - entering 4
  - performance of 6
- SCL compiler 4
- SCL data types 18
  - character (CHAR) variables 19
  - declaring 18
  - lists 19
  - numeric (NUM) variables 18
  - objects 19
- SCL Data Vector (SDV) 5, 167, 182
- SCL Debugger 191
  - See also* SCL Debugger commands
  - argument values, displaying 197
  - breakpoints, deleting 202
  - breakpoints, listing 213
  - breakpoints, setting 198
  - calculator 201
  - environment for 192, 206
  - expressions, evaluating 201, 211
  - help for 210
  - invoking 193
  - macro calls, expanding 214
  - parameter values, displaying 215
  - quitting 218
  - resuming execution 209, 212
  - SAS macro interface 194
  - SCL list contents, displaying 216
  - starting execution 209
  - step-by-step execution 219
  - suspending execution 198
  - swapping SOURCE and MESSAGE windows 221
  - tracebacks 223
  - tracepoints, deleting 202
  - tracepoints, listing 213
  - tracepoints, setting 221
  - variable attributes 203
  - variable values, assigning 218
  - variable values, displaying 207
  - watched variables 224
  - watched variables, deleting 202
  - watched variables, listing 213
  - windows 193
- SCL Debugger commands 195
  - ARGS 197
  - assigning to ENTER key 205
  - BREAK 198
  - by functional category 195
  - CALCULATE 201
  - DELETE 202
  - DESCRIBE 203
  - ENTER 205
  - ENVIRONMENT 206
  - EXAMINE 207
  - for debugging requests 195
  - for macros 196
  - for manipulating variables 196
  - for program execution 195
  - for session customization 197
  - for windows 196
  - GO 209
  - HELP 210
  - help for 210
  - IF 211
  - JUMP 212
  - LIST 213
  - MACEXPAND 214
  - PARM 215
  - PUTLIST 216
  - QUIT 218
  - recalling 194
  - SET 218
  - STEP 219
  - SWAP 221
  - TRACE 221
  - TRACEBACK 223
  - WATCH 224
- SCL entries 9
  - calling 73
  - calling methods stored in 13
  - class information, writing to 316
  - interface information, writing to 316
  - saving nested lists to 57
- SCL environment list identifiers, returning 374
- SCL error messages, returning text of 686
- SCL execution stack, displaying traceback information 690
- SCL functions 33, 249
  - ACTIVATE 249
  - APPEND 251
  - APPLY 252
  - ASORT 257
  - ATTRC 258
  - ATTRN 258

- BLOCK 263
- CATLIST 269
- CATNAME 272
- CENTER 275
- CEXIST 276
- CLEARLIST 290
- CLOSE 292
- COLORLIST 293
- COMAMID 296
- COMPAREARRAY 297
- COMPARELIST 298
- CONTENTS 299
- COPY 307
- COPYARRAY 43, 309
- COPYLIST 312
- CREATESCL 316
- CURFLD 319
- CURLIST 320
- CUROBS 322
- CURTOP 324
- CURWORD 325
- DATALIST 326
- DATALISTN 326
- DCLOSE 328
- DCREATE 329
- DELARRAY 333
- DELETE 334
- DELITEM 335
- DELLIST 336
- DELNITEM 338
- DELOBS 340
- DESCRIBE 341
- DEVLIST 342
- DINFO 346
- DIRLIST 347
- DISPLAY 350
- DISPLAYED 353
- DMWINDOW 354
- DNUM 356
- DOPEN 357
- DOPTNAME 358
- DOPTNUM 359
- DREAD 360
- DROPNOTE 361
- DSID 362
- DSNAME 365
- ENVLIST 374
- ERROR 375
- EVENT 378
- EXIST 383
- FAPPEND 385
- FCLOSE 386
- FCOL 387
- FDELETE 388
- FETCH 389
- FETCHOBS 391
- FEXIST 392
- FGET 393
- FIELD 394
- FILEDIALOG 398
- FILEEXIST 400
- FILELIST 401
- FILENAME 403
- FILEREF 406
- FILLIST 407
- FINFO 412
- FKEYNAME 413
- FLDATTR 414
- FLDCOLOR 416
- FNOTE 417
- FONTSEL 419
- FOPEN 420
- FOPTNAME 422
- FOPTNUM 423
- FORMAT 424
- FPOINT 425
- FPOS 426
- FPUT 428
- FREAD 430
- FREWIND 431
- FRLEN 432
- FSEP 435
- FWRITE 439
- GETFKEY 440
- GETFOOT 441
- GETITEMC 442
- GETITEML 442
- GETITEMN 442
- GETITEMO 442
- GETLATTR 444
- GETNITEMC 446
- GETNITEML 446
- GETNITEMN 446
- GETNITEMO 446
- GETPARMID 449
- GETTITLE 449
- GETVARC 450
- GETVARF 451
- GETVARN 450
- GGLOBAL 453
- GGLOBALE 454
- GGLOBALN 455
- GRAY 457
- HASATTR 458
- ICCREATE, syntax 460
- ICDELETE, syntax 463
- ICON 464
- ICREATE 465
- ICTYPE, syntax 466
- ICVALUE, syntax 467
- IDDELETE, syntax 468
- IMGCTRL, commands used with 735
- IMGCTRL, syntax 469
- IMGINIT 471
- IMGOP, commands used with 735
- IMGOP, syntax 472
- IMGTERM 475
- IMPORT 476
- in expressions 32
- INFORMAT 479
- INITROW 480
- INPUTC 480
- INPUTN 480
- INSERTC 483
- INSERTL 483
- INSERTN 483
- INSERTO 483
- INSTANCE 485
- IOPTION, syntax 491
- ISACTIVE 492
- ISGRAY 493
- ISINDEX, syntax 494
- ISSEL 495
- ITEMTYPE 497
- IVARLIST, syntax 498
- KEYCOUNT 499
- LASTCMD 502
- LASTKEY 503
- LEFT 506
- LENGTH 510
- LIBLIST 513
- LIBNAME 516
- LIBREF 517
- LISTC 518
- LISTLEN 521
- LISTN 518
- LNAMECHK 522
- LNAMEGET 523
- LNAMEMK 524
- LOADCLASS 525
- LOADRES 526
- LOCATEC 527
- LOCATEN 527
- LOCK 529
- LOOKUPC 530
- LVARLEVEL 532
- MAKEARRAY 533
- MAKELIST 535
- MAKENLIST 536
- MESSAGEBOX 537
- METHOD 539
- MLENGTH 549
- MODIFIED 550
- MODVAR 551
- MOPEN 552
- NAMEDITEM 555
- NAMEDIVIDE 557
- NAMEITEM 558
- NAMEMERGE 559
- NEWVAR 565
- NOTE 570
- NOTIFY 572
- NSELECT 573
- NUMFKEYS 574
- OBSINFO 575
- OPEN 577
- OPENENTRYDIALOG 579
- OPENSASFILEDIALOG 581
- OPTGETC 583
- OPTGETN 583
- OPTSETC 584

- OPTSETN 584
- parameters in 34
- passing arguments to 34
- PATHNAME 586
- PICCLOSE 587
- PICDELETE 588
- PICFILL, commands used with 735
- PICFILL, syntax 589
- PICOPEN 591
- PMENU 592
- POINT 592
- POPC 593
- POPL 593
- POPMENU 597
- POPEN 593
- POPO 593
- PREVIEW 599
- PUTC 605
- PUTN 605
- REDIM 610
- RENAME 612
- REVLIST 617
- REWIND 618
- RGBDM 619
- RIGHT 620
- RLINK 621
- ROTLIST 622
- RSESSION 623
- RSTITLE 624
- SASNAME 625
- SASTASK 626
- SAVEENTRYDIALOG 627
- SAVELIST 629
- SAVESASFILEDIALOG 631
- SCREENNAME 634
- SEARCH 635
- SEARCHC 636
- SEARCHL 636
- SEARCHN 636
- SEARCHO 636
- SEARCHPATH 638
- SELECT 640
- SELECTED 642
- SELECTICON 643
- SEND 644
- SETITEMC 652
- SETITEML 652
- SETITEMN 652
- SETITEMO 652
- SETKEY 653
- SETLATR 656
- SETNITEMC 661
- SETNITEML 661
- SETNITEMN 661
- SETNITEMO 661
- SHOWLIST 667
- SORT 668
- SORTLIST 669
- STDMSG 673
- STRATTR 675
- SUPAPPLY 679
- SYMGET 684
- SYMGETN 684
- SYSMSG 686
- SYSRC 686
- SYSTEM 687
- UNGRAY 693
- UNIQUENUM 694
- UNLOCK 694
- UNSELECT 697
- UPDATE 698
- VARFMT 705
- VARINFMT 706
- VARLABEL 707
- VARLEN 707
- VARLEVEL 708
- VARLIST 710
- VARNAME 712
- VARNUM 713
- VARSTAT 714
- VARTYPE 716
- WHERE 719
- WINFO 721
- WORD 725
- WORDTYPE 727
- WOUTPUT 728
- SCL keywords 22
- SCL list items 47
  - accessing, relative to end of a list 54
  - assigning names to 59
  - attributes 62
  - attributes, returning 444, 458
  - attributes, setting 656
  - deleting 54, 593
  - determining type of 52
  - inserting 53
  - named, assigning values to 661
  - referencing by index number 54
  - replacing 53
  - storing 629
  - values, returning 593
- SCL lists 19, 47
  - See also* SCL list items
  - as queues 62
  - as stacks 61
  - attributes 62
  - attributes, returning 444, 458
  - attributes, setting 656
  - clearing 290
  - comparing 298
  - copying 312
  - creating 48, 535, 536
  - creating (example) 49
  - creating data dynamically 48
  - debugging 63
  - deleting 54, 336
  - designating 320
  - displaying in LOG window 607
  - displaying, in SCL Debugger 216
  - file interfaces 63
  - filling 341, 407, 532
  - identifying 48
  - indexing 54
  - indexing errors 54
  - initializing values 51
  - inserting values into 483
  - item names, returning and replacing 558
  - item type, returning 497
  - items, deleting 335
  - length, returning 521
  - manipulating 52
  - merging 312
  - named item index, returning 555
  - named items, deleting 338
  - named lists 59
  - nested lists 55
  - passing as arguments for methods 53
  - passing method arguments to 679
  - pop-up menus, displaying 597
  - reporting 320
  - retrieving values from 53
  - returning values by name 446
  - returning values by position 442
  - reversing 617
  - rotating 622
  - searching 636
  - shared data environments 61
  - sorting 669
  - storing 63
  - storing values at indexed positions 652
  - sublists 55
  - sublists, deleting 336
- SCL numerical variables, passing as parameters 664
- scl operators
  - and 30
  - not 30
  - or 30
- SCL program modules 9
- SCL programs
  - See also* program flow
  - comments 33
  - debugging 6
  - labeled sections 10
  - macros for 15
  - SAS software features in 7
  - saving 6
  - stopping execution 71, 73
  - structure of 9
  - testing 6
- SCL programs, compiling 4
  - in batch 5
  - interactively 4
  - SCL data vector and 5
- SCL statements 32
  - ALARM 250
  - ARRAY, syntax 254
  - assignment statement 33
  - CATCH 268
  - CLASS 278
  - CONTINUE, syntax 301

- CONTROL 303
- CURSOR 323
- declarative 33
- DECLARE (DCL) 330
- DO, syntax 356
- ENDCATCH 365
- ENDCLASS 366
- ENDMETHOD 367
- ENDPACKAGE 367
- ENDSUBMIT 368
- ENDUSECLASS 369
- ENTRY 370
- ERROROFF 376
- ERRORON 377
- executable 32
- HOME 459
- IMPORT 478
- INTERFACE 486
- ITEM 497
- jumping to a statement label 72
- LEAVE, syntax 504
- LENGTH, syntax 511
- METHOD 541
- PACKAGE 585
- PROTECT 603
- PUT, syntax 604
- REFRESH 612
- REPLACE, syntax 614
- RETURN (RUN), syntax 616
- rules for coding 36
- RUN (RETURN), syntax 625
- SELECT 641
  - selecting for execution 641
- STOP, syntax 674
- SUBMIT 676
- SUBMITCLEAR 679
  - submitting 676
- THROW 688
- UNPROTECT 696
- USECLASS 698
- SCL variables 22
  - assigning formatted values to 451
  - assigning values to 650
  - categories of 22
  - clearing 293
  - declaring 511
  - declaring data types 330
  - linking with columns in SAS tables 169
  - maximum length, returning 549
  - names of, same as macro variables 88
  - nonwindow variables 23
  - specifying 330
  - system variables 24
  - window variables 22
- SCOM (SAS Component Object Model) 95
  - scope modifiers 139
- screen values, saving 634
- SCREENNAME function 634
- SDV (SCL Data Vector) 5, 167, 182
- SEARCH function 635
  - SEARCHC function 636
  - SEARCHL function 636
  - SEARCHN function 636
  - SEARCHO function 636
  - SEARCHPATH function 638
  - SELECT command 764
  - SELECT function 640
  - SELECT statement 69, 641
  - SELECT-WHEN/OTHERWISE conditions 69
  - SELECTED function 642
  - SELECTICON function 643
  - selection lists
    - catalog entries 518, 579, 627
    - colors 293
    - deselecting 697
    - displaying 667
    - external files 398
    - filerefs 401
    - hardware devices 342
    - librefs 513
    - number of selected rows, returning 573
    - SAS data library members 347
    - SAS files 581, 631
    - SAS table columns 710
    - selecting rows 640
    - selection number, returning 495
    - user choice, returning 642
  - \_SELF\_ system variable 643
- SEND function 644
- SEND routine 644
- session links, verifying 621
- SET command, SCL Debugger 218
- SET routine 646
- SETCR routine 648
- SETFKEY routine 649
- SETFLD routine 650
- SETFOOT routine 651
- SETITEMC function 652
- SETITEML function 652
- SETITEMN function 652
- SETITEMO function 652
- SETKEY function 653
- SETLATTR function 656
- SETNITEMC function 661
- SETNITEML function 661
- SETNITEMN function 661
- SETNITEMO function 661
- SETPARMID routine
  - returning values from 449
  - syntax 664
- SETROW routine 665
- SETTITLE routine 666
- SET\_COLORS command 765
- SET\_PIXEL command 765
- shared data environments 61
  - global data environment 61
  - local data environment 61
- shortcut syntax 99
- SHOWLIST function 667
  - signatures 105
    - altering 107
    - example 146
    - shorthand for 106
    - uses for 107
  - SIGSTRINGS 106
  - SORT function 668
  - sorting SAS tables 177
  - SORTLIST function 669
  - SQL option, SUBMIT statement 83
  - SQL statements
    - submitting 80
  - stacks, SCL lists as 61
  - STANDARD\_CMAP command 766
  - statements
    - See also SAS statements
    - See SCL statements
  - Static Analyzer 7
  - \_STATUS\_ system variable 671
  - STDMSG function 673
  - STEP command, SCL Debugger 219
  - STOP statement 73, 674
  - STRATTR function 675
  - subclasses 96, 143
  - sublists 55
  - submit blocks 81
    - aborting submit transactions 679
    - controlling where code is executed 83
    - designating 81
    - ending 368
    - formatting 74, 303
    - modifying behavior of 83
    - post-execution behavior 83
    - processing 81
    - SCL variables, replacement strings 614
    - submitting statements to remote host 84
    - substituting text in 85
  - SUBMIT statement 83, 676
  - SUBMITCLEAR statement 679
  - subscripting 38
  - subsetting data 171, 172
  - SUPAPPLY function 679
  - SUPAPPLY routine 679
  - SUPER routine 681
  - SWAP command, SCL Debugger 221
  - SYMBOL statement
    - internal table of, deleting 454
    - number of, returning 455
    - returning text of 453
  - SYMGET function 684
  - SYMGETN function 684
  - SYMPUT routine 685
  - SYMPUTN routine 685
  - SYSMSG function 686
  - SYSRC function 686
  - system events 126
  - SYSTEM function 687
  - system return codes, returning 686
  - system variables 24
    - \_BLANK\_ 263
    - \_CFRAME\_ 277
    - \_CURCOL\_ 318

\_CURROW\_ 322  
 \_EVENT\_ 380  
 \_FRAME\_ 429  
 \_METHOD\_ 548  
 \_MSG\_ 554  
 \_NEO\_ 560  
 \_SELF\_ 643  
 \_STATUS\_ 671  
 \_VALUE\_ 704

## T

Table Data Vector (TDV) 389  
   initializing to missing values 480  
   reading SAS tables into 389, 391  
   writing from SAS tables 612  
 table lookup 171  
 tables  
   *See* SAS tables  
 TDV  
   *See* Table Data Vector (TDV)  
 TERM option, CONTROL statement 75  
 TERM sections 11  
 TERMINATE option, SUBMIT statement 84  
 testing applications 6  
 text entry control attributes, changing 416  
 text label control attributes, changing 416  
 THRESHOLD command 767  
 THROW statement 158, 688  
 TILE command 768  
 tiling images 768  
 title definitions, returning text of 449  
 title text, setting 666  
 tokens, searching 530  
 TOPROW routine 689  
 TRACE command, SCL Debugger 221  
 TRACEBACK command, SCL Debugger 223  
 TRACEBACK routine 690  
 tracebacks, displaying 690

TWAIN cameras 780  
 TWAIN scanners 780  
 TYPE variable 632

## U

UNGRAY function 693  
 ungraying elements 693  
 unique numbers, returning 694  
 UNIQUENUM function 694  
 UNLOCK function 694  
 UNPASTE command 769  
 UNPROTECT statement 696  
 UNSELECT function 697  
 UNTIL clause 67  
 UPDATE function 698  
 update parameters 34  
 USECLASS blocks 14, 115  
 USECLASS statement 150, 698  
 USECLASS statement blocks, ending 366, 369  
 USERDATA variable 632

## V

\_VALUE\_ system variable 704  
 VARFMT function 705  
 variables, DATA step 79  
 variables, SCL  
   *See* SCL variables  
 VARINFMT function 706  
 VARLABEL function 707  
 VARLEN function 707  
 VARLEVEL function 708  
 VARLIST function 710  
 VARNAME function 712  
 VARNUM function 713  
 VARSTAT function 714

VARTYPE function 716  
 views 98, 307  
 visual objects 95, 151

## W

WAIT routine 717  
 warning conditions 228  
 WATCH command, SCL Debugger 224  
 WDEF routine 718  
 WHERE clauses  
   syntax 719  
   undoing 173  
 WHERE function 172, 719  
 WHILE clause 67  
 window elements, ungraying 693  
 window variable sections 11  
 window variables 22  
   correcting variables in 12  
 windows  
   boundary definitions 730  
   closing 365  
   current name, returning 634  
   refreshing 612  
   resizing active 718  
   returning information about 721  
 windows names, specifying 724  
 WINFO function 721  
 WNAME routine 724  
 WORD function 725  
 WORDTYPE function 727  
 WOUTPUT function 728  
 WRAISE command 769  
 WREGION routine 730  
 WRITE command 770  
 WRITE\_CLIPBOARD command 770  
 WSIZE command 771  
 WTITLE command 772

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., *SAS<sup>®</sup> Component Language: Reference, Version 8*, Cary, NC: SAS Institute Inc., 1999.

**SAS<sup>®</sup> Component Language: Reference, Version 8**

Copyright © 1999 by SAS Institute Inc., Cary, NC, USA.

ISBN 1-58025-495-0

All rights reserved. Produced in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

**U.S. Government Restricted Rights Notice.** Use, duplication, or disclosure of the software and related documentation by the U.S. government is subject to the Agreement with SAS Institute and the restrictions set forth in FAR 52.227-19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

1st printing, October 1999

SAS<sup>®</sup> and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. <sup>®</sup> indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

The Institute is a private company devoted to the support and further development of its software and related services.